


Synergy® white

TV, telephone and data sockets



Front plates : white thermoset
Supplied with faceplate screw caps

Pack	Cat. Nos.	TV, radio and satellite sockets
		Flush mounting back box : min. 35 mm deep Nominal plate dimensions : 1 gang - 86 x 86 mm 2 gang - 86 x 146 mm
10	7300 40	Screened TV – single, male Non-isolated
10	7301 40	Screened TV – single, female Non-isolated
1	7300 41	Screened satellite – single, 'F' type
10	7300 42	Screened TV + FM Isolated
1	7300 43	Screened TV + FM + satellite, 'F' type
1	7300 45 ¹	Quad outlet, TV, radio + 2 satellite + TV return with secondary telephone outlet

Pack	Cat. Nos.	Telephone sockets
		Shuttered Flush mounting back box : min. 35 mm deep Nominal plate dimensions : 86 x 86 mm
10	7300 50 ¹	Single master
10	7300 51 ¹	Single secondary
10	7300 54	Single RJ11/12

Pack	Cat. Nos.	Data sockets
		CAT 6 compliant UTP Rapid cable connection Flush mounting back box : min. 35 mm deep Nominal plate dimensions : 86 x 86 mm
1	7300 56	RJ45 – single
1	7300 57	RJ45 – double
		Also available : Euro module plates for 25 x 50 mm data modules p.38

Pack	Cat. Nos.	Media plate (monobloc)
		Comprising : • 2 x independent satellite feeds • 1 x terrestrial TV socket suitable for analogue and digital signals • 1 x video return • 1 gang x 2 modules Arteur carrier plate with blanks, suitable for Arteur mechanisms (telephone, HDMI, RJ45, RCA) • 2 x Synergy 2 gang switched double pole 13 A sockets
1	8201 42	To be used with back box Cat. No. 8204 88 (see below) Nominal plate dimensions : 206 x 267 mm White (metal)

Pack	Cat. Nos.	Back box for media plate
		Dimensions : 194 x 254 x 35 mm With phase barrier Material : grey epoxy coated steel
1	8204 58	35 mm deep box

Flush and surface mounting back boxes **p. 39**



1 : Not suitable for use in the ROI



Pack	Cat. Nos.	Accessories
Blanking plates		
10	7300 95	1 gang - 86 x 86 mm
10	7300 96	2 gang - 86 x 146 mm
LED packs		
Relevant Synergy functions are designed to accept the LED packs for fitting at time of installation or retrospectively by a qualified person Compatible with fluorescent loads		
10	7301 58	Electronic LED locator pack – green diodes : max. current 0.2 mA provides illumination to locate function such as switches in low light
10	7300 58	Electronic LED power indicator pack – red diodes : nominal current 2 mA provides indication of 'power on' condition in such functions as sockets and control switches
Outlet plate - VDI/low voltage		
10	7300 52	1 gang - 86 x 86 mm with cable clamp and outlet gland
Contrast frames		
Aid Part M compliance when using Synergy White wiring accessories		
10	8218 46	1 gang contrast frame
10	8218 47	2 gang contrast frame
Accessory frames		
10	7300 53	1 gang - 86 x 86 x 11 mm with bottom cord outlet For flush to wall external cord connection suitable for use with 13 A and 20 A control switches and other relevant 86 x 86 mm functions Integral cord grip
10	7301 95	1 gang - 86 x 86 x 7 mm spacer frame
5	7301 96	2 gang - 86 x 146 x 7 mm spacer frame
Spare screw cap covers		
10	7301 53	Pack of 50 caps to cover mounting screws

Grid selection charts **p. 64-65**
Grid modules **p. 61-63**
Arteur modules www.legrand.co.uk

Pack	Cat. Nos.	Euro module front plates
Suitable for use with standard 25 x 50 mm euro data module inserts		
10	7300 99	1 gang - 86 x 86 mm
10	7301 00	2 gang - 86 x 146 mm 4 modules - aperture size 50 x 100 mm


Pack	Cat. Nos.	Carrier plates for Arteur, Nuvo or Vantage modules (square)
No additional support frame required Enable a Synergy installation to benefit from additional functionality, such as international sockets and to match audio and lighting systems with wiring accessories		
10	7300 91	1 gang - 86 x 86 mm 1 module
10	7300 92	1 gang - 86 x 86 mm 2 modules
10	7300 93	2 gang - 86 x 146 mm 3 modules
10	7300 94	2 gang - 86 x 146 mm 4 modules

Pack	Cat. Nos.	1 and 2 gang front plates for grid modules
Must be used with support frames, see below		
10	7301 91	1 gang - 86 x 86 mm 1 small aperture module
10	7301 92	1 gang - 86 x 86 mm 2 small aperture modules
10	7301 93	2 gang - 86 x 146 mm 3 small aperture modules
10	7301 94	2 gang - 86 x 146 mm 4 small aperture modules

Pack	Cat. Nos.	1 and 2 gang support frames for grid modules
10	7354 90	1 gang 1 module
10	7354 91	1 gang 2 modules
10	7354 92	2 gang 3/4 modules

Download the full file at

<http://assets.kempstoncontrols.com/doc/Synergy%20Wiring%20Accessories.pdf>



KEMPSTON
CONTROLS