







Membrane pushbutton head RTM

Description:

with tightly closed, transparent silicone cap, down to -50° C

Category: Pushbutton Heads

Series: RONDEX
Panel cut-out: Ø 22.3 mm

Protection class: II (protective insulation)

Degree of protection: IP67
Travel: 6 mm
Illumination: Yes
With labelling option: Yes
front bezel charcoal
Shape: round

Optional accessory



Battery-free radio contact block (868.3 MHz) for actuators with 22mm bayonet DFA22



Insulated plastic enclosure, 1 mounting hole DIRL1V-R22



Insulated plastic enclosure, 1 mounting hole DIRL1VGB-R22



Insulated plastic enclosure, 2 mounting holes DIRL2V-R22





Insulated plastic enclosure, 3 mounting holes DIRL3V-R22



Insulated plastic enclosure, 3 resp. 4 mounting holes DIRL4V-R22



Lamp module DL



Lamp module DSL9



Modular contact block , momentary DSTI



Modular contact block , momentary DSTO



Modular contact block, momentary DTI



Modular contact block, momentary DTIV





Modular contact block, momentary DTO



Modular contact block, momentary DTON



Illuminated contact block, momentary ETLR



Illuminated contact block, momentary ETLR2



Contact block, momentary ETR



Contact block, momentary ETR2



Insulated plastic enclosure, 1 mounting hole IRL1M



Insulated Plastic Enclosure, 1 mounting hole IRL1M_GELB





Insulated plastic enclosure, 2 mounting holes IRL2M



Insulated plastic enclosure, 3 mounting holes IRL3M



Insulated plastic enclosure, 5 mounting holes IRL5M



Latch-type module MF



Latch-type lamp module MFL



230V latch-type LED module MFLED230W



24V latch-type LED module MFLED24W



Lamp module ML





120V LED module MLED12-120W



230V LED module MLED230W



24V LED module MLED24W



Modular contact block, momentary MT97



Modular contact block, momentary MTI



Modular contact block, momentary MTIV



Modular contact block, momentary MTO



Modular contact block, momentary MTON





Modular contact block, momentary, with enabling function MTZII



Modular contact block with enabling function (usable with module holder MHR_5 for 2 channels) MTZU_564



External nameplate holder RABT



Insulated plastic enclosure with 1 mounting hole SIL22/1



High insulated plastic enclosure with 1 mounting hole SILH22/1