


Link module for screw terminal electrical and mechanical for 3RV2.1/3RV2.2-3RT2.2 DC operation or soft starter 3RW3 or solid-state contactor 3RF34






General technical data

Product brand name	SIRIUS
Product designation	link module
Design of the product	actuating voltage contactor: DC
Size of the circuit-breaker	S00, S0
Size of contactor	S0

Installation/ mounting/ dimensions

Mounting type	screw fixing
---------------	--------------

Certificates/approvals

General Product Approval	Declaration of Conformity	Test Certificates
 CSA	 EAC	 EG-Konf.
	Miscellaneous	Type Test Certificates/Test Report
		Special Test Certificate

Shipping Approval	other
 ABS	 BUREAU VERITAS
 PRS	 RINA
	Confirmation

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RA2921-1BA00>

Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RA2921-1BA00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RA2921-1BA00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RA2921-1BA00&lang=en



last modified:

07/20/2019