






















		SURROUND PLATES FOR ARTEOR MODULES											
		1 gang		1 gang		2 gang		2 gang		2 x 2 gang		3 x 3 gang	
SURROUND PLATES		Clip-in carrier plate - no support frame required								Support frame required			
													
		Pack 1 module	Pack 2 modules	Pack 3 modules	Pack 4 modules	Pack 8 modules	Pack 18 modules						
Dimensions (mm)		86 x 86		86 x 86		86 x 146		86 x 146		146 x 146		267 x 206	
White		10	7300 91	10	7300 92	10	7300 93	10	7300 94	1	7301 88	1	7301 90
Authentic brushed stainless steel		1	8330 91	1	8330 92	1	8330 93	1	8330 94	1	8331 88	1	8331 90
Authentic polished stainless steel		1	8332 91	1	8332 92	1	8332 93	1	8332 94	1	8333 88	1	8333 90
Authentic gold		1	8334 91	1	8334 92	1	8334 93	1	8334 94	1	8335 88	1	8335 90
Sleek Design brushed stainless steel		1	8320 91	1	8320 92	1	8320 93	1	8320 94	-	-	-	-
Sleek Design polished stainless steel		1	8322 91	1	8322 92	1	8322 93	1	8322 94	-	-	-	-
Sleek Design gold		1	8324 91	1	8324 92	1	8324 93	1	8324 94	-	-	-	-
Metalclad		5	7338 91'	5	7338 92'	5	7338 93'	5	7338 94'	-	-	-	-
GRID SUPPORT FRAMES for 2 x 2 and 3 x 3 gang surround plates													
Grid support frame complete with Arteor module carrier		-	-	-	-	-	-	-	-	1	2 x 7354 74	1	3 x 7354 76
BACK BOXES													
													
FLUSH MOUNTING		35 mm depth		35 mm depth		35 mm depth		35 mm depth		137 x 137 x 43		254 x 194 x 56	
Flush		50	0891 13	50	0891 13	40	0891 14	40	0891 14	1	0818 52	1	0818 54
Flush with phase barriers		-	-	-	-	-	-	-	-	-	-	1	0818 58
SURFACE MOUNTING													
Dimensions (mm)		86 x 86 x 47		86 x 86 x 47		86 x 146 x 47		86 x 146 x 47					
Surface white for white only		10	7364 07	10	7364 07	5	7364 11	5	7364 11	-		-	
Dimensions (mm)		86 x 86 x 37		86 x 86 x 37		86 x 146 x 37		146 x 146 x 37		146 x 146 x 37			
Surface steel with knockouts		10	7364 00	10	7364 00	5	7364 01	5	7364 01	1	7364 18	-	
Surface steel without knockouts		10	7364 20	10	7364 20	5	7364 21	5	7364 21	1	7364 22	-	


 Arteor mechanisms [www.legrand.co.uk](http://www.legrand.co.uk)
**Front plate material**
**White** : 1 to 4 modules - thermoset; 8-18 modules - stainless steel

**Authentic** : All modules - stainless steel

**Sleek Design** : All modules - stainless steel

**Metalclad** : 1 to 4 modules - mild steel; 8 to 18 modules - stainless steel

1 : Supplied with back box

2 : Screw free clip-on surround plate

3 : Phase barrier variant shown

# Synergy® white

## switches




Front plates : white thermoset  
Terminal screws captive and backed off ready for cabling  
Supplied with optional faceplate screw caps

Pack	Cat. Nos.	Single pole plate switches 10 AX - 250 V $\sim$
		Conform to BS EN 60669-1 : 2000 Optional Red LED 'power on' indicator and green LED 'locator' upgrade packs available Flush mounting back box : min. 16 mm deep Nominal plate dimensions : 1, 2 and 3 gang - 86 x 86 mm 4 and 6 gang - 86 x 146 mm
10	7300 00	1 gang - 1 way
10	7300 01	1 gang - 2 way
10	7300 05	1 gang - intermediate
10	7300 02	2 gang - 2 way
10	7300 03	3 gang - 2 way
5	7300 04	4 gang - 2 way
5	7300 06	6 gang - 2 way

Pack	Cat. Nos.	Single pole plate switches 20 AX - 250 V $\sim$
		Conform to BS EN 60669-1 : 2000 Optional Red LED 'power on' indicator and green LED 'locator' upgrade packs available Flush mounting back box : min. 25 mm deep Nominal plate dimensions : 86 x 86 mm
10	7301 30	1 gang - 1 way
10	7301 31	1 gang - 2 way
10	7301 32	2 gang - 2 way
10	7301 33	3 gang - 2 way

Green locator LED pack or red power indicator pack  
p. 38



Pack	Cat. Nos.	Single pole push switches 10 A - 250 V $\sim$
		Conform to BS EN 60669-1 : 2000 Optional Red LED 'power on' indicator and green LED 'locator' upgrade packs available Flush mounting back box : min. 16 mm deep Nominal plate dimensions : 86 x 86 mm
5	7300 07	1 gang - 2 way push switch
5	7300 11	1 gang - 2 way push switch marked "PRESS"

Pack	Cat. Nos.	Single pole key switch 10 AX - 250 V $\sim$
		Conforms to BS EN 60669-1 : 2000 Optional Red LED 'power on' indicator and green LED 'locator' upgrade packs available Key supplied Flush mounting back box : min. 16 mm deep Nominal plate dimensions : 86 x 86 mm
10	7300 08	1 gang - 2 way
5	0811 77	Spare key for above

Pack	Cat. Nos.	3 pole fan switch 10 A - 250 V $\sim$
		Conforms to BS EN 60669-1 : 2000 With integrated padlockable safety block in OFF position Flush mounting back box : min. 25 mm deep Nominal plate dimensions : 86 x 86 mm
10	7300 09	3 pole fan switch

Flush and surface mounting  
back boxes p. 39



Download the full file at

<http://assets.kempstoncontrols.com/doc/Synergy%20Wiring%20Accessories.pdf>



**KEMPSTON**  
CONTROLS