
# Zero Differential Pressure Type Pilot Operated 2 Port Solenoid Valve

# VXZ Series



# Zero Differential Pressure Type Pilot Operated 2 Port Solenoid Valve VXZ Series



# Enclosure IP65

Flame resistance UL94V-0 conformed Flame resistant mold coil material

**Piping variations** 

Thread piping, One-touch fitting

# Clearance

By providing a bumper and clearance, we reduced the collision sound of the core when ON (when the valve is open). Because of the clearance, when using highly viscous fluids such as oil, the armature does not get stuck and the responsiveness when OFF (when the valve is closed) is improved.

Improved armature durability

### Low-noise construction

Metal noise reduced by the rubber bumper

# **Body material**

Aluminum, Resin Air (VXZ2<sup>3</sup><sub>A</sub>)

C37, Stainless steel



# Built-in full-wave rectifier type (AC specification)

- Improved durability Service life is extended by the special construction. (compared with current AC specification)
- Reduced buzz noise Rectified to DC by the full-wave rectifier, resulting in a buzz noise reduction.
- Improved OFF response Specially constructed to improve the OFF response when operated with a higher viscosity fluid such as oil.
- Low-noise construction Specially constructed to reduce the metal noise during operation





#### Variations -Eluids

Applicable		olicable flu	uid*		
Model	Air	Water	Oil	Heated water	(Figh temperature of)
For Air VXZ200 P.176	٩				
For Water VXZ2 2 P.179	۲	۲			
For Oil VXZ2 3 P.182	٩	۲	٩		
For Heated water	۲	۲		۲	
For High temperature oil VXZ206 P.188	۲	۲	۲		۲

### <Body Size>

**SMC** 

Model	Body size	Orifice diameter mmø	Port size	Body material	Fluid
			1/4, 3/8	Aluminum	
VXZ2 <sup>3</sup>		10	ø10, ø12, ø3/8"	Resin	Air
VXZ2Ă	10A	10	1/4, 3/8	C37	
			1/4, 3/6	Stainless steel	
VXZ2 <sup>4</sup>	454	45	10	C37	Air Water
VAZZġ	15A	15	1/2	Stainless steel	
VXZ25			0/4	C37	Oil Heated water
VAZZČ	20A	20	3/4	Stainless steel	
WX706				C37	High temperature oil
VXZ2 <sup>6</sup>	25A	25	1	Stainless steel	ngi maya asa ce

\* For details, refer to pages 209 and 210.



# Zero Differential Pressure Type Pilot Operated 2 Port Solenoid Valve VXZ series



Comm	non Specifications P. 174		
Select	tion Steps P. 175	VX2	
	For Air	VXK	
11000 ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	Flow Rate Characteristics, Fluid and Ambient Temperature, Valve Leakage… P. 176, 177 How to Order	VXD	
•	For Water	VXZ	
6	Flow Rate Characteristics, Fluid and Ambient Temperature, Valve Leakage ··· P. 179, 180	VXS	
	How to Order P. 181	VXB	
	For Oil	VXE	
	Flow Rate Characteristics, Fluid and Ambient Temperature, Valve Leakage… P. 182, 183	VXP	
	How to Order P. 184 For Heated Water	VXR	
$\bigcirc$	Flow Rate Characteristics, Fluid and Ambient Temperature, Valve LeakageP. 185, 186	VXH	
	How to Order P. 187	VXF	
5×	For High Temperature Oil	VX3	
	Flow Rate Characteristics, Fluid and Ambient Temperature, Valve LeakageP. 188, 189 How to OrderP. 190	VXA	
	How to Order		
Other	Special Options P. 192		
Const	ruction P. 194		
Dimer	nsions		
For	Air, Water, Oil		
В	ody material: ResinP. 196		
	ody material: Aluminum, C37, Stainless steel P. 198		
	Heated Water, High Temperature Oil		
	ody material: C37, Stainless steel P. 200		
-	cement PartsP. 201		
Gloss	ary of Terms P. 202		
Solenoid Valve Flow Rate Characteristics			
Flow F	Rate Characteristics P. 208		
Specif	fic Product Precautions P. 209		

# VXZ Series Common Specifications

## **Standard Specifications**

	Valve construction		Zero differential pressure type pilot operated 2 port diaphragm type	
	Withstand pressure		2.0 MPa (Resin body type 1.5 MPa)	
Valve	Body material		Aluminum, Resin, C37 (Brass), Stainless steel Note 1)	
specifications	Seal material		NBR, FKM, EPDM	
	Enclosure		Dust-tight, Water-jet-proof type (equivalent to IP65) Note 2) 4)	
	Environment		Location without corrosive or explosive gases	
	Rated voltage AC DC		100 VAC, 200 VAC, 110 VAC, 230 VAC, (220 VAC, 240 VAC, 48 VAC, 24 VAC) Note 3)	
			24 VDC, (12 VDC) Note 3)	
Coil	Allowable volta	age fluctuation	±10% of rated voltage	
specifications	Allowable leakage AC (Built-in full-wave rectifier type)		5% or less of rated voltage	
	voltage	DC	2% or less of rated voltage	
	<b>Coil insulation</b>	type	Class B (for air, water, oil), Class H (for heated water, high temperature oil)	

Note 1) Body material is aluminum. Resin body is available only for the VXZ2<sup>3</sup><sub>A</sub>.

Note 2) Electrical entry flat terminal type terminal is IP40.

Note 3) Voltage in ( ) indicates special voltage. (Refer to page 192.)

Note 4) For enclosure, refer to "Glossary of Terms" on page 202. When using the product in a place which requires water resistance, please contact SMC.

▲ Be sure to read "Specific Product Precautions" before handling.

☆ When pressure differential is less than 0.01 MPa, operation may become unstable. Please contact SMC in case of low flow operation. (Refer to page 195.)

### **Solenoid Coil Specifications**

### Normally Closed (N.C.) DC Specification

#### Class B

Model	Power consumption (W) Note 1)	Temperature rise (°C) Note 2)
VXZ23, 24	7	55
VXZ25, 26	10.5	65

### Class H

Model	Power consumption (W) Note 1)	Temperature rise (°C) Note 2)
VXZ23, 24	12	100
VXZ25, 26	15	100

### Normally Open (N.O.) DC Specification

Class B

Model	Power consumption (W) Note 1)	Temperature rise (°C) Note 2)
VXZ2A, 2B	8.5	70
VXZ2C, 2D	12.5	70

Class H

Model	Power consumption (W) Note 1)	Temperature rise (°C) Note 2)	
VXZ2A, 2B	12	100	
VXZ2C, 2D	15	100	

Note 1) Power consumption, Apparent power: The value at ambient temperature of 20°C and when the rated voltage is applied. (Variation: ±10%) Note 2) The value at ambient temperature of 20°C and when the rated voltage is applied. The value depends on the ambient environment. This is for reference.

#### Normally Closed (N.C.) AC Specification (Built-in Full-wave Rectifier Type) Class B

Model	Apparent power (VA) Note 1) 2)	Temperature rise (°C) Note 3)
VXZ23, 24	9.5	70
VXZ25, 26	12	70

#### Class H

Model	Apparent power (VA) Note 1) 2)	Temperature rise (°C) Note 3)
VXZ23, 24	12	100
VXZ25, 26	15	100

### Normally Open (N.O.) AC Specification (Built-in Full-wave Rectifier Type)

Class B

Model	Apparent power (VA) Note 1) 2)	Temperature rise (°C) Note 3)
VXZ2A, 2B	10	70
VXZ2C, 2D	14	70

#### Class H

Model	Apparent power (VA) Note 1) 2)	Temperature rise (°C) Note 3)
VXZ2A, 2B	12	100
VXZ2C, 2D	15	100

Note 1) Power consumption, Apparent power: The value at ambient temperature of 20°C and when the rated voltage is applied. (Variation: ±10%) Note 2) There is no difference in the frequency and the inrush and energized apparent power, since a rectifying circuit is used in the AC (Built-in full-wave rectifier type).

Note 3) The value at ambient temperature of 20°C and when the rated voltage is applied. The value depends on the ambient environment. This is for reference.



# VXZ Series Selection Steps

Item	Selection item	Page		Symbol	Г				
	Air	Page 176		0					
	Water	Page 179		2				Ļ	
Select the fluid.	Oil	Page 182	-	3	0	VXZ	Z2 3	Ò /	A A
	Heated water	Page 185		5				0	
	High temperature oil	Page 188		6					
Item	Selection item	r		Symbol	6				
Select "Body material"									
Select from "Flow	Body size, Valve	10A, N.C.	<b></b>	3	0			e	•
rate — Pressure." ● Body material	Body material	Aluminum	-			VXZ	23	0	A A
Port size     Orifice diameter	Port size	1/8		A	6		0		
	Orifice diameter	10							
Select electrical spec	Selection item	ļ,		Symbol					
Select electrical spec		24 VDC			4		70 3	0 A	

# VXZ Series






\* Can be used with low vacuum (up to 133 Pa.abs).

## **Flow Rate Characteristics**





When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.



### Normally Closed (N.C.)

Body	Port size (Nominal	Orifice diameter	nressure		· · · · · · · · · · · · · · · · · · ·						Max. system	Note 2) Weight											
material	diameter)	(mmø)	Model	differential <sup>Note 1)</sup> (MPa)		differential Note 1) (MPa)	AC	DC	C [dm³/(s·bar)]	b	Cv	Effective area (mm <sup>2</sup> )	(MPa)	(g)									
	ø10																	6.2		1.7			
Resin	ø3/8"											5.3	0.38	1.2	j l		400						
	ø12	10	VXZ230	0	0	0		0.7	8.0		2.0												
Aluminum	1/4 (8A)						0	1.0	0.7	0.7	8.5	0.44	2.4	-	1.5	600							
Aluminum	3/8 (10A)				1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0		9.3	0.43	2.6		1.5	000	
C37,	1/2 (15A)	15	VXZ240						23.0	0.34	6.0	1		720									
Stainless	3/4 (20A)	20	VXZ250							í I	1.0	36.0	0.26	9.4			1100						
steel	1 (25A)	25	VXZ260			1.0	-	_		185		1300											

Note 1) The operation of the value may be unstable due to the capacity of the pressure supply source such as pumps and compressors or the pressure loss by the orflice of piping. Please contact SMC to check if the required value size can be used in the application. Please contact SMC for the compatibility of the circuit flow and value size. (Refer to page 195.)

Note 2) Weight of grommet type. Add 10 g for conduit, 30 g for DIN terminal, and 60 g for conduit terminal type respectively.

Note 3) Refer to "Glossary of Terms" on page 202 for details on the maximum operating pressure differential and the maximum system pressure.

## Fluid and Ambient Temperature

Fluid temperature (°C)	Ambient temperature (°C)			
-10 Note) to 60	-20 to 60			

Note) Dew point temperature: -10°C or less

## Valve Leakage Rate

### Internal Leakage

Seal material	Leakage rate (Air) Note 1) 2)
	15 cm <sup>3</sup> /min or less (Aluminum body type)
NBR (FKM) Note 3)	15 cm <sup>3</sup> /min or less (Resin body type)
	1 cm <sup>3</sup> /min or less (Metal body type)

#### External Leakage

Leakage rate (Air) Note 1)							
15 cm <sup>3</sup> /min or less (Aluminum body type)							
15 cm <sup>3</sup> /min or less (Resin body type)							
1 cm <sup>3</sup> /min or less (Metal body type)							

Note 1) Leakage is the value at ambient temperature 20°C.

Note 2) Leakage is the value when the pressure differential ranges from 0.01 MPa to the maximum operating pressure differential.

Note 3) For seal material/FKM, refer to "Other options" on page 192 for the selection.

Note 4) When the product is used with low vacuum (to 133 Pa.abs), give caution to the external leakage outlined above.



# Zero Differential Pressure Type Pilot Operated 2 Port Solenoid Valve VXZ Series For Air

### **Flow Rate Characteristics**







When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.



# Normally Open (N.O.)

Normal	ly Open (	N.O.)											VXR					
Body	Body Port size (Nominal Orifice diameter		Model	pressure	pressure differential Note 3) (MPa)		Flow	rate cha	acteristi	Max. system pressure Note 3)	Note 2) Weight	VXH						
material	material diameter) (mmø)	Model	differential <sup>Note 1)</sup> (MPa)	AC	DC	C [dm <sup>3</sup> /(s·bar)]	b	Cv	Effective area (mm <sup>2</sup> )	(MPa)	(g)	VXF						
	ø10						6.2		1.7									
Resin	ø3/8"	1					5.3	0.38	1.2	_		430	VX3					
	ø12	10	VXZ2A0				8.0		2.0									
Aluminum	1/4 (8A)	]		0		•		0		0.7	.7 0.6	8.5	0.44 2	2.4	1 —	4.5	000	VXA
Aluminum	3/8 (10A)	1		0	0 0.7	0.7 0.6	9.3	0.43	2.6	-	1.5	630	L					
C37,	1/2 (15A)	15	VXZ2B0	1			23.0 0.34	0.34	6.0			750						
Stainless	3/4 (20A)	20	VXZ2C0	1			36.0	0.26	9.4			1150						
steel	1 (25A)	25	VXZ2D0				-	_		185		1350						

Note 1) The operation of the valve may be unstable due to the capacity of the pressure supply source such as pumps and compressors or the pressure loss by the orifice of piping. Please contact SMC to check if the required valve size can be used in the application. Please contact SMC for the compatibility of the circuit flow and valve size. (Refer to page 195.)

@SMC

Note 2) Weight of grommet type. Add 10 g for conduit, 30 g for DIN terminal, and 60 g for conduit terminal type respectively.

Note 3) Refer to "Glossary of Terms" on page 202 for details on the maximum operating pressure differential and the maximum system pressure.

# Fluid and Ambient Temperature

Fluid temperature (°C)	Ambient temperature (°C)				
-10 Note) to 60	-20 to 60				

Note) Dew point temperature: -10°C or less

# Valve Leakage Rate

### Internal Leakage

Seal material	Leakage rate (Air) Note 1) 2)
	15 cm <sup>3</sup> /min or less (Aluminum body type)
NBR (FKM) Note 3)	15 cm <sup>3</sup> /min or less (Resin body type)
	1 cm <sup>3</sup> /min or less (Metal body type)

#### xternal Leakage F

Leakage rate (Air) Note 1)							
15 cm <sup>3</sup> /min or less (Aluminum body type)							
15 cm <sup>3</sup> /min or less (Resin body type)							
1 cm <sup>3</sup> /min or less (Metal body type)							

Note 1) Leakage is the value at ambient temperature 20°C.

Note 2) Leakage is the value when the pressure differential ranges from 0.01 MPa to the maximum operating pressure differential.

Note 3) For seal material/FKM, refer to "Other options" on page 192 for the selection.

VX2 VXK

VXD

VXZ VXS VXB

VXE

VXP

# How to Order (Single Unit)



					V	<b>Flui</b> <b>Flui</b>	d •	
Size	/Valve ty	ре		• Bod	y material/	Port size/Orifice of	diameter	♦Vo
Symbol	Body size	Valve type		Symbol	Body material	Port size	Orifice diameter	Sym
3	404	N.C.		Α		1/4		
Α	10A	N.O.	1	В	Aluminum	3/8	1	
			Ń	С	- ·	ø10 One-touch fitting	10	A
			N.	D	Resin (With bracket)	ø3/8" One-touch fitting		
			Ĭ,	Е	(with blacket)	ø12 One-touch fitting		
4		N.C.	r	F	C37			В
B	15A	N.O.		G	Stainless steel	1/2	15	С
Б		-	L	G	Stairliess steel			
5	20A	N.C.		Н	C37	3/4	20	D
С	204	N.O.		J	Stainless steel	5	20	E
6		N.C.	r	К	C37			F
D	25A	N.O.		L	Stainless steel	1	25	G
		11.0.	L	-	otaliness steel			Н
								:
								J
								K
								L

VXZ Series

For Air

### Common Specifications

Seal material	NBR				
Coil insulation type	Class B				
Thread type	Rc*				
* One-touch fittings are attached					

# • Voltage/Electrical entry

Symbol	Voltage	Electrical entry
A	24 VDC	Grommet
В	100 VAC	Grommet
С	110 VAC	(With surge )
D	200 VAC	suppressor
Е	230 VAC	
F	24 VDC	*
G	24 VDC	DIN terminal
н	100 VAC	(With surge )
J	110 VAC	suppressor
к	200 VAC	
L	230 VAC	
М	24 VDC	Conduit terminal
Ν	100 VAC	(With surge )
Р	110 VAC	suppressor
Q	200 VAC	
R	230 VAC	- <b>-</b>
S	24 VDC	Conduit
Т	100 VAC	(With surge )
U	110 VAC	\suppressor
V	200 VAC	
w	230 VAC	*
Y	24 VDC	Flat terminal
z		Other voltages

# For other special options, refer to pages 192 and 193.

	24 VAC						
	48 VAC						
Special voltage	220 VAC						
	240 VAC						
	12 VDC						
DIN terminal with light							
Conduit terminal with light							
Without DIN connector							
Low concentration ozone resistant							
(Seal material: FKM)							
Seal material: EPDM							
Oil-free							
G thread							
NPT thread							
With bracket (Stand	lard for resin body)						
Special electrical er	ntry direction						

Dimensions  $\rightarrow$  Page 196 and after

# Zero Differential Pressure Type Pilot Operated 2 Port Solenoid Valve VXZ Series

62





Can be used with air (Up to 133 Pa.abs for vacuum). Note that the maximum operating pressure differential and flow rate characteristics should be within the specifications for air.

## **Flow Rate Characteristics**







When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.



	ily clocca	(									11
Body	Port size	Orifice diameter	Model	Min. operating pressure		e differential (MPa) <sup>Note 3</sup>	Flow rate ch	aracteristics	Max. system	Weight Note 2)	F
material	(Nominal diameter)	(mmø)	woder	differential Note 1) (MPa)	AC	DC	Kv	Cv	pressure Note 3) (MPa)	(g)	1
	1/4 (8A)	10	VXZ232				1.6	1.9		600	F
C37,	3/8 (10A)	10	V AZZ3Z			0.7	2.0	2.4		600	1
Stainless	1/2 (15A)	15	VXZ242	0	1.0		4.6	5.3	1.5	720	F
steel	3/4 (20A)	20	VXZ252			1.0	7.8	9.2		1100	1
	1 (25A)	25	VXZ262			1.0	8.7	10.2		1300	Ē

Note 1) The operation of the valve may be unstable due to the capacity of the pressure supply source such as pumps and compressors or the pressure loss by the orifice of piping. Please contact SMC to check if the required valve size can be used in the application. Please contact SMC for the compatibility of the circuit flow and valve size. (Refer to page 195.)

Note 2) Weight of grommet type. Add 10 g for conduit, 30 g for DIN terminal, and 60 g for conduit terminal type respectively.

Note 3) Refer to "Glossary of Terms" on page 202 for details on the maximum operating pressure differential and the maximum system pressure.

## Fluid and Ambient Temperature

Fluid temperature (°C) A	Ambient temperature (°C)
1 to 60	-20 to 60

Note) With no freezing

# Valve Leakage Rate

### Internal Leakage

Seal material	Leakage rate (Water) Note 1) 2)
NBR (FKM) Note 3)	0.1 cm <sup>3</sup> /min or less

### External Leakage

Seal material	Leakage rate (Water) Note 1)				
NBR (FKM) Note 3)	0.1 cm <sup>3</sup> /min or less				

Note 1) Leakage is the value at ambient temperature 20°C.

Note 2) Leakage is the value when the pressure differential ranges from 0.01 MPa to the maximum operating pressure differential.

Note 3) For seal material/FKM, refer to "Other options" on page 192 for the selection.

VX2

# VXZ Series **For Water**

### Flow Rate Characteristics



#### Symbol



When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.



### Normally Open (N.O.)

Body	Port size	Orifice diameter	Model	Min. operating pressure	Max. operating pressure	e differential <sup>Note 3)</sup> (MPa)	Flow rate ch	aracteristics	Max. system	Weight Note 2)
material	(Nominal diameter)	(mmø)	wouer	differential Note 1) (MPa)	AC	DC	Kv	Cv	pressure Note 3) (MPa)	(g)
	1/4 (8A)	10	VXZ2A2				1.6	1.9		630
C37,	3/8 (10A)	10	VALZAZ				2.0	2.4		630
Stainless	1/2 (15A)	15	VXZ2B2	0	0.7	0.6	4.6	5.3	1.5	750
steel	3/4 (20A)	20	VXZ2C2				7.8	9.2		1150
	1 (25A)	25	VXZ2D2	]			8.7	10.2	]	1350

Note 1) The operation of the valve may be unstable due to the capacity of the pressure supply source such as pumps and compressors or the pressure loss by the orifice of piping. Please contact SMC to check if the required valve size can be used in the application. Please contact SMC for the compatibility of the circuit flow and valve size. (Refer to page 195.) Note 2) Weight of grommet type. Add 10 g for conduit, 30 g for DIN terminal, and 60 g for conduit terminal type respectively.

Note 3) Refer to "Glossary of Terms" on page 202 for details on the maximum operating pressure differential and the maximum system pressure.

### Fluid and Ambient Temperature

Fluid temperature (°C)	Ambient temperature (°C)
1 to 60	-20 to 60

Note) With no freezing

## Valve Leakage Rate

### Internal Leakage

Seal material	Leakage rate (Water) Note 1) 2)
NBR (FKM) Note 3)	0.1 cm <sup>3</sup> /min or less

#### External Leakage

Seal material	Leakage rate (Water) Note 1)
NBR (FKM) Note 3)	0.1 cm <sup>3</sup> /min or less

Note 1) Leakage is the value at ambient temperature 20°C.

Note 2) Leakage is the value when the pressure differential ranges from 0.01 MPa to the maximum operating pressure differential.

Note 3) For seal material/FKM, refer to "Other options" on page 192 for the selection

# Zero Differential Pressure Type Pilot Operated 2 Port Solenoid Valve



# How to Order (Single Unit)

					VX	Z2 3	24		4		
							Water				
• Size	/Valve typ	e		Bod	y material/Pe	ort size/Ori	fice diameter		• Volt	age/Electri	ca
Symbol	Body size	Valve type		Symbol	Body material	Port size	Orifice diameter		Symbol	Voltage	
3 A	10A	N.C. N.O.		A B	C37	1/4 3/8	- 10				
			<b>**</b> ****	C D	Stainless steel	1/4 3/8	10		A	24 VDC	
4 B	15A	N.C.		F G	C37 Stainless steel	1/2	15		В	100 VAC	+
5 C	20A	N.C.		H	C37	3/4	20		C D	110 VAC 200 VAC	
6	25A	N.O. N.C.	L	K	Stainless steel C37	1	25		E	230 VAC	
D	234	N.O.	l	L	Stainless steel		25		F G	24 VDC 24 VDC	+
									Н	100 VAC	](
									J K	110 VAC 200 VAC	ł
									L	200 VAC 230 VAC	-
								1	м	24 VDC	

Common Specifications					
Seal material	NBR				
Coil insulation type	Class B	VVO			
Thread type	Rc	VXZ			

VXK

VXD

VXZ

VXS VXB

VXE

VXP

VXR

VXH VXF VX3

VXA

	Voltage/Electrical entry								
	Symbol	Voltage	Electrical entry						
	A	24 VDC	Grommet						
	В	100 VAC	Grommet						
	С	110 VAC	(With surge voltage						
	D	200 VAC	suppressor						
	Е	230 VAC							
	F	24 VDC	~						
	G	24 VDC	DIN terminal						
	н	100 VAC	(With surge voltage						
	J	110 VAC	suppressor						
	к	200 VAC							
	L	230 VAC	- 🖋						
1	м	24 VDC	Conduit terminal						
1	Ν	100 VAC	(With surge voltage						
	Р	110 VAC	suppressor						
	Q	200 VAC							
	R	230 VAC							
	S	24 VDC	Conduit						
	Т	100 VAC	(With surge voltage						
	U	110 VAC	\suppressor						
	v	200 VAC							
	w	230 VAC	×						
	Y	24 VDC	Flat terminal						
	z		Other voltages						

#### For other special options, refer to pages 192 and 193.

	24 VAC			
	48 VAC			
Special voltage	220 VAC			
	240 VAC			
	12 VDC			
DIN terminal with light	ght			
Conduit terminal with light				
Without DIN connector				
Applicable to deionized water (Seal material: FKM)				
Seal material: EPDM				
Oil-free				
G thread				
NPT thread				
With bracket				
Special electrical entry direction				

 $\mbox{Dimensions} \rightarrow \mbox{Page 198}$  and after

**SMC** 

# VXZ Series



Note that the maximum operating pressure differential and flow rate characteristics should be within the specifications of the fluid used.

## Flow Rate Characteristics

### N.C.





When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.



# ⚠ When the fluid is oil.-

The kinematic viscosity must not exceed 50 mm<sup>2</sup>/s. The special construction of the armature adopted in the built-in full-wave rectifier type gives an improvement in OFF response by providing clearance on the absorbed surface when it is switched ON.



### Normally Closed (N.C.)

Body	Port size	Orifice diameter	Model	Min. operating pressure Max. operating pressure differential Note 3) (MPa)		Flow rate characteristics		Max. system	Weight Note 2)				
material	(Nominal diameter)	(mmø)	WOUEI	differential Note 1) (MPa)		DC	Kv	Cv	pressure Note 3) (MPa)	(g)			
	1/4 (8A)	10	VXZ233				1.6	1.9		000			
C37,	3/8 (10A)	10	VXZ233	0	0	<b>XZ243</b> 0	AZ233			2.0	2.4		600
Stainless	1/2 (15A)	15	VXZ243				0	.7	4.6	5.3	1.5	720	
steel	3/4 (20A)	20	VXZ253						7.8	9.2		1100	
	1 (25A)	25	VXZ263				8.7	10.2		1300			

Note 1) The operation of the valve may be unstable due to the capacity of the pressure supply source such as pumps and compressors or the pressure loss by the orffice of piping. Please contact SMC to check if the required valve size can be used in the application. Please contact SMC for the compatibility of the circuit flow and valve size. (Refer to page 195.)

Note 2) Weight of grommet type. Add 10 g for conduit, 30 g for DIN terminal, and 60 g for conduit terminal type respectively.

Note 3) Refer to "Glossary of Terms" on page 202 for details on the maximum operating pressure differential and the maximum system pressure.

# Fluid and Ambient Temperature

Fluid temperature (°C)	Ambient temperature (°C)
-5 Note) to 60	-20 to 60

Note) Kinematic viscosity: 50 mm<sup>2</sup>/s or less

# Valve Leakage Rate

### Internal Leakage

Seal material	Leakage rate (Oil) Note 1) 2)
Seal material	Leakage rate (OII) Note () 2)
FKM	0.1 cm <sup>3</sup> /min or less
·	

### External Leakage

Seal material	Leakage rate (Oil) Note 1)			
FKM	0.1 cm <sup>3</sup> /min or less			
Note 4) Looke we is the under at eachiert terms and up 2000				

Note 1) Leakage is the value at ambient temperature 20°C.

Note 2) Leakage is the value when the pressure differential ranges from 0.01 MPa to the maximum operating pressure differential.

### Zero Differential Pressure Type Pilot Operated 2 Port Solenoid Valve VXZ Series



### Flow Rate Characteristics





When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.



# VXD VXZ VXS VXB VXE VXP VXR VXR VXA

VX2 VXK

### Normally Open (N.O.)

Body	Port size	Orifice diameter	Model Min. operating pressure		r Madal	Max. operating pressure	e differential <sup>Note 3)</sup> (MPa)	Flow rate ch	aracteristics	Max. system	Weight Note 2)					
material	(Nominal diameter)	(mmø)	woder	differential Note 1) (MPa)	AC	DC	Kv	Cv	pressure Note 3) (MPa)	(g)						
	1/4 (8A)	10	VXZ2A3				1.6	1.9		630						
C37,	3/8 (10A)	10	VALZAS				2.0	2.4		630						
Stainless	1/2 (15A)	15	VXZ2B3	0	0.7	0.6	4.6	5.3	1.5	750						
steel	3/4 (20A)	20	VXZ2C3									7.8	9.2		1150	V
	1 (25A)	25	VXZ2D3				8.7	10.2		1350						

Note 1) The operation of the valve may be unstable due to the capacity of the pressure supply source such as pumps and compressors or the pressure loss by the orifice of piping. Please contact SMC to check if the required valve size can be used in the application. Please contact SMC for the compatibility of the circuit flow and valve size. (Refer to page 195.)

Note 2) Weight of grommet type. Add 10 g for conduit, 30 g for DIN terminal, and 60 g for conduit terminal type respectively.

Note 3) Refer to "Glossary of Terms" on page 202 for details on the maximum operating pressure differential and the maximum system pressure.

### Fluid and Ambient Temperature

Fluid temperature (°C)	Ambient temperature (°C)
-5 Note) to 60	-20 to 60

Note) Kinematic viscosity: 50 mm<sup>2</sup>/s or less

## Valve Leakage Rate

### Internal Leakage

Seal material	Leakage rate (Oil) Note 1) 2)
FKM	0.1 cm <sup>3</sup> /min or less

### External Leakage

Seal material	Leakage rate (Oil) Note 1)			
FKM	0.1 cm <sup>3</sup> /min or less			

Note 1) Leakage is the value at ambient temperature 20°C.

Note 2) Leakage is the value when the pressure differential ranges from 0.01 MPa to the maximum operating pressure differential.



# VXZ Series **For Oil**

# How to Order (Single Unit)



**Common Specifications** Seal material

Coil insulation type Class B

Thread type

FKM

Rc

XZ2	33	Α	Α
	Fluid		
3	For Oil		
rial/Port size	Orifice dian	neter	Voltar

### ge/Electrical entry

A24 VDCGrommetB100 VACGrommetC110 VACGrommetD200 VACGrommetE230 VACFinal StrategingF24 VDCDifferenceG24 VDCDifferenceG24 VDCDifferenceG24 VDCDifferenceH100 VACUth surge voltageJ110 VACConduit terminalM24 VDCConduit terminalN100 VACVoltageP110 VACConduit terminalN100 VACConduit terminalN100 VACConduit terminalN100 VACConduit terminalN100 VACVoltageP110 VACVoltageQ200 VACConduitT100 VACVoltageU110 VACVoltageV200 VACFlat terminalY24 VDCFlat terminal	 Symbol	Voltage	Electrical entry
C       110 VAC         D       200 VAC         E       230 VAC         F       24 VDC         G       24 VDC         J       110 VAC         K       200 VAC         L       230 VAC         M       24 VDC         L       230 VAC         K       200 VAC         L       230 VAC         M       24 VDC         Q       200 VAC         P       110 VAC         Q       200 VAC         R       230 VAC         S       24 VDC         Conduit terminal         With surge voltage suppressor         S       24 VDC         S       24 VDC         Conduit       Conduit         T       100 VAC	A	24 VDC	Grommet
C       110 VAC       (voltage suppressor)         E       230 VAC       suppressor)         F       24 VDC       DIN terminal         H       100 VAC       (With surge voltage suppressor)       Image: Conduit terminal         J       110 VAC       Conduit terminal         K       200 VAC       Conduit terminal         M       24 VDC       Conduit terminal         M       24 VDC       Conduit terminal         M       100 VAC       VAC         P       110 VAC       S         R       230 VAC       Conduit         S       24 VDC       Conduit         S       24 VDC       Conduit         T       100 VAC       (With surge)	В	100 VAC	
D         200 VAC         suppressor           E         230 VAC         suppressor           F         24 VDC         DIN terminal           H         100 VAC         With surge voltage suppressor           J         110 VAC         Conduit terminal           K         200 VAC         Conduit terminal           M         24 VDC         Conduit terminal           N         100 VAC         With surge voltage suppressor           P         110 VAC         S           S         24 VDC         Conduit terminal           With surge voltage suppressor         S           S         24 VDC         Conduit           S         24 VDC         Conduit           VAC         VAC         S	С	110 VAC	(With surge voltage
F         24 VDC           G         24 VDC           H         100 VAC           J         110 VAC           K         200 VAC           L         230 VAC           M         24 VDC           O         Conduit terminal           With surge voltage         Conduit terminal           M         24 VDC         Conduit terminal           N         100 VAC         Conduit terminal           Q         200 VAC         Conduit terminal           R         230 VAC         Conduit terminal           S         24 VDC         Conduit           Q         200 VAC         Conduit           T         100 VAC         Conduit	D	200 VAC	\suppressor
G         24 VDC         DIN terminal           H         100 VAC         With surge voltage suppressor         Image: Conduit terminal           K         200 VAC         Conduit terminal         Image: Conduit terminal           M         24 VDC         Conduit terminal         Image: Conduit terminal           M         24 VDC         Conduit terminal         Image: Conduit terminal           N         100 VAC         Conduit terminal         Image: Conduit terminal           P         110 VAC         Conduit terminal         Image: Conduit terminal           R         230 VAC         Conduit terminal         Image: Conduit terminal           S         24 VDC         Conduit         Conduit           T         100 VAC         Conduit         Image: Conduit	Е	230 VAC	
H       100 VAC         J       110 VAC         K       200 VAC         L       230 VAC         M       24 VDC         N       100 VAC         P       110 VAC         Q       200 VAC         R       230 VAC         S       24 VDC         S       24 VDC         Conduit       Conduit         Yet       Yet         Q       200 VAC         R       230 VAC	F	24 VDC	*
Image: Normal System       Image: Normal System       Voltage System         J       110 VAC       (voltage Systems)         K       200 VAC       System         L       230 VAC       System         M       24 VDC       Conduit terminal         N       100 VAC       With surge voltage System         P       110 VAC       Signature         Q       200 VAC       Signature         S       24 VDC       Conduit         S       24 VDC       Conduit         T       100 VAC       (With surge Voltage System)	G	24 VDC	A
K         200 VAC           L         230 VAC           M         24 VDC           N         100 VAC           P         110 VAC           Q         200 VAC           R         230 VAC           S         24 VDC           Conduit         Conduit           S         24 VDC           T         100 VAC	н	100 VAC	(voltage )
L         230 VAC           M         24 VDC           N         100 VAC           P         110 VAC           Q         200 VAC           R         230 VAC           S         24 VDC           Conduit         Conduit           T         100 VAC	J	110 VAC	\suppressor
M         24 VDC         Conduit terminal           N         100 VAC         With surge voltage suppressor           P         110 VAC         Or 200 VAC           R         230 VAC         Or 200 VAC           S         24 VDC         Conduit           T         100 VAC         Vite surge voltage	к	200 VAC	
M         100 VAC         With surge voltage suppressor         N           P         110 VAC         With surge voltage suppressor         N         N           Q         200 VAC         S         24 VDC         Conduit         Vith surge voltage suppressor           T         100 VAC         Conduit         With surge voltage suppressor         Vith surge voltage suppressor         Vith surge voltage suppressor	L	230 VAC	×
N     100 VAC     voltage suppressor       P     110 VAC     voltage       Q     200 VAC     suppressor       R     230 VAC     suppressor       S     24 VDC     Conduit       T     100 VAC     With surge	М	24 VDC	
R     230 VAC       S     24 VDC     Conduit       T     100 VAC     (With surge)	Ν	100 VAC	voltage
R     230 VAC       S     24 VDC     Conduit       T     100 VAC     (With surge)	Р	110 VAC	\suppressor
R     230 VAC       S     24 VDC     Conduit       T     100 VAC     (With surge)	Q	200 VAC	
T 100 VAC (With surge)		230 VAC	*
	S	24 VDC	
U         110 VAC         Suppressor           V         200 VAC         Suppressor           W         230 VAC         Flat terminal           Y         24 VDC         Flat terminal	-	100 VAC	voltage
V         200 VAC           W         230 VAC           Y         24 VDC	-	110 VAC	\suppressor /
W         230 VAC           Y         24 VDC	-	200 VAC	
Y 24 VDC	w	230 VAC	*
	Y	24 VDC	Flat terminal
Z Other voltages	z		Other voltages

### For other special options, refer to pages 192 and 193.

	24 VAC			
	48 VAC			
Special voltage	220 VAC			
	240 VAC			
	12 VDC			
DIN terminal with light				
Conduit terminal with light				
Without DIN connector				
Oil-free				
G thread				
NPT thread				
With bracket				
Special electrical entry direction				

						<b>3</b> F	or Oil	
Size	/Valve typ	е		Bod	y material/P	ort size/Orif	ice diameter	
Symbol	Body size	Valve type		Symbol	Body material	Port size	Orifice diameter	
3	10A	N.C.		Α	C37	1/4		
Α	IUA	N.O.		В	037	3/8	10	
			`	С	Stainless steel	1/4	10	
			×.,	D	Stainless steel	3/8		
4		N.C.	r	F	C37			
4 B	15A	N.O.		G	Stainless steel	1/2	15	
Б		N.U.	L	u	Stamess steel			
5	20A	N.C.		н	C37	3/4	20	
С	204	N.O.		J	Stainless steel	3/4	20	
6		N.C.		К	C37			
D	25A	N.O.		L	Stainless steel	1	25	

٧

Dimensions  $\rightarrow$  Page 198 and after





# For Heated Water

Can be used with air (up to 99°C) and water. Note that the maximum operating pressure differential and flow rate characteristics should be within the specifications of the fluid used.

## Flow Rate Characteristics





When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.



### Normally Closed (N.C.)

 ······································											1				
Body	Port size	Orifice diameter	Model	Min. operating pressure	Max. operating pressure	e differential <sup>Note 3)</sup> (MPa)	Flow rate ch	aracteristics	Max. system	Weight Note 2)					
material	(Nominal diameter)	(mmø)	woder	differential Note 1) (MPa)	AC	DC	Kv	Cv	pressure Note 3) (MPa)	(g)	V				
	1/4 (8A)	10	VXZ235				1.6	1.9		600					
C37,	3/8 (10A)	10	VAZ235	0	0	0	<b>XZ245</b> 0	772235		0.7	2.0	2.4		600	
Stainless	1/2 (15A)	15	VXZ245					1.0		4.6	5.3	1.5	720		
steel	3/4 (20A)	20	VXZ255										1.0	7.8	9.2
	1 (25A)	25	VXZ265			1.0	8.7	10.2		1300					

Note 1) The operation of the valve may be unstable due to the capacity of the pressure supply source such as pumps and compressors or the pressure loss by the orffice of piping. Please contact SMC to check if the required valve size can be used in the application. Please contact SMC for the compatibility of the circuit flow and valve size. (Refer to page 195.)

Note 2) Weight of grommet type. Add 10 g for conduit, 30 g for DIN terminal, and 60 g for conduit terminal type respectively.

Note 3) Refer to "Glossary of Terms" on page 202 for details on the maximum operating pressure differential and the maximum system pressure.

## Fluid and Ambient Temperature

Fluid temperature (°C)	Ambient temperature (°C)			
1 to 99	-20 to 60			

Note) With no freezing

## Valve Leakage Rate

### Internal Leakage

Seal material	Leakage rate (Water) Note 1) 2)
EPDM	0.1 cm <sup>3</sup> /min or less

### External Leakage

Seal material	Leakage rate (Water) Note 1)			
EPDM	0.1 cm <sup>3</sup> /min or less			

Note 1) Leakage is the value at ambient temperature 20°C.

Note 2) Leakage is the value when the pressure differential ranges from 0.01 MPa to the maximum operating pressure differential.

VX2 VXK

# VXZ Series For Heated Water

### **Flow Rate Characteristics**







When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.



### Normally Open (N.O.)

Body	Port size	Orifice diameter	Model	Min. operating pressure	Max. operating pressure	e differential <sup>Note 3)</sup> (MPa)	Flow rate ch	aracteristics	Max. system	Weight Note 2)
material	(Nominal diameter)	(mmø)	woder	differential Note 1) (MPa)	AC	DC	Kv	Cv	pressure Note 3) (MPa)	(g)
C37, Stainless steel	1/4 (8A)	10	VXZ2A5	0	0.7		1.6	1.9		000
	3/8 (10A)	10	VAZZAS				2.0	2.4		630
	1/2 (15A)	15	VXZ2B5			0.6	4.6 5.3	5.3	1.5	750
	3/4 (20A)	20	VXZ2C5				7.8	9.2		1150
	1 (25A)	25	VXZ2D5				8.7	10.2		1350

Note 1) The operation of the value may be unstable due to the capacity of the pressure supply source such as pumps and compressors or the pressure loss by the orflice of piping. Please contact SMC to check if the required value size can be used in the application. Please contact SMC for the compatibility of the circuit flow and value size. (Refer to page 195.)

Note 2) Weight of grommet type. Add 10 g for conduit, 30 g for DIN terminal, and 60 g for conduit terminal type respectively.

Note 3) Refer to "Glossary of Terms" on page 202 for details on the maximum operating pressure differential and the maximum system pressure.

## Fluid and Ambient Temperature

Fluid temperature (°C)	Ambient temperature (°C)				
1 to 99	-20 to 60				

Note) With no freezing

## Valve Leakage Rate

### Internal Leakage

Seal material	Leakage rate (Water) Note 1) 2)			
EPDM	0.1 cm <sup>3</sup> /min or less			

#### External Leakage

Seal material	Leakage rate (Water) Note 1)					
EPDM	0.1 cm <sup>3</sup> /min or less					

Note 1) Leakage is the value at ambient temperature 20°C.

Note 2) Leakage is the value when the pressure differential ranges from

0.01 MPa to the maximum operating pressure differential.

# Zero Differential Pressure Type Pilot Operated 2 Port Solenoid Valve



**Common Specifications** Seal material

Coil insulation type

Thread type



EPDM

Class H

Rc

VX2

## How to Order (Single Unit)

VXZ2 3 5 A								B	
					5	For Heated	luid ↓ water		
• Size	/Valve typ	e		Bod	y material/P	ort size/Orif	ice diameter		•vc
Symbol	Body size	Valve type		Symbol	Body material	Port size	Orifice diameter		Symb
3	40.4	N.C.		Α	C37	1/4			
Α	10A	N.O.	1	В	637	3/8	10		
			<b>`</b>	С	Stainless steel	1/4	10		A
				D	Stainless steel	3/8		J	
4		N.C.	Γ	F	C37	1/2			
В	15A	N.O.	1	G	Stainless steel	1/2	15	;	В
-					0.07			' I	С
5 C	20A	N.C.	-	н	C37	3/4	20		D
C		N.O.	L	J	Stainless steel			J	E
6	05.4	N.C.	[	K	C37		05		<u> </u>
D	25A	N.O.	1	L	Stainless steel	1	25		G
									н

				The The	
u r		• Volt	age/Electric	cal entrv	VXK
er		Symbol	Voltage	Electrical entry	VXD
				Grommet	VXZ
		A	24 VDC		VXS
٦		_		Grommet	VXB
		В	100 VAC	/ With surge \	
٦		С	110 VAC	(voltage)	VXE
		D	200 VAC	suppressor	VXP
5		Е	230 VAC		VAF
		G	24 VDC	DIN terminal /With surge voltage	VXR
٦		н	100 VAC	suppressor Note)	
		J	110 VAC		VXH
	ļ	к	200 VAC		VXF
		L	230 VAC		VAI
	1	Ν	100 VAC	Conduit terminal	VX3
		Р	110 VAC	(With surge voltage	10/0
	1	Q	200 VAC	suppressor	VXA
		R	230 VAC		
		т	100 VAC	Conduit	
		U	110 VAC	(With surge voltage	
	ļ	v	200 VAC	suppressor	
	ļ	w	230 VAC		
		z		Other voltages	
		Note) F	or the class H	type DIN terminal use it in combination	

Note) For the class H type DIN terminal, use it in combination with the connector provided.

# For other special options, refer to pages 192 and 193.

ioioi to pageo ioz ana iooi					
	24 VAC				
Special voltage	48 VAC				
	220 VAC				
	240 VAC				
DIN terminal with light					
Conduit terminal with light					
Oil-free					
G thread	G thread				
NPT thread					
With bracket					
Special electrical entry direction					

Dimensions  $\rightarrow$  Page 200

# VXZ Series



# For High Temperature Oi

Can be used with air (up to 99°C), water (up to 99°C) and oil. Note that the maximum operating pressure differential and flow rate characteristics should be within the specifications of the fluid used.

### Flow Rate Characteristics





When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.

## Normally Closed (N.C.)

9	
B C C R	
3	
. Can	
	in)

# ▲ When the fluid is oil.-

The kinematic viscosity must not exceed 50 mm<sup>2</sup>/s. The special construction of the armature adopted in the built-in full-wave rectifier type gives an improvement in OFF response by providing clearance on the absorbed surface when it is switched ON.

Body	Port size	Orifice diameter	diameter Model Min. operating pressure Max. operating pressure differential Mote 3 (MPa) Flow rate character				aracteristics	Max. system	Weight Note 2)				
material	(Nominal diameter)	(mmø)	wouer	differential Note 1) (MPa)	AC	DC	Kv	Cv	pressure Note 3) (MPa)	(g)			
	1/4 (8A)	10	VXZ236					1.9		600			
C37,	3/8 (10A)	10	VXZ230	0	0	<b>i</b> 0	<b>Z246</b> 0			2.0	2.4		600
Stainless	1/2 (15A)	15	VXZ246 0					0	.7	4.6	5.3	1.5	720
steel	3/4 (20A)	20	VXZ256					XZ256			7.8	9.2	
	1 (25A)	25	VXZ266				8.7	10.2		1300			

Note 1) The operation of the valve may be unstable due to the capacity of the pressure supply source such as pumps and compressors or the pressure loss by the orifice of piping. Please contact SMC to check if the required valve size can be used in the application. Please contact SMC for the compatibility of the circuit flow and valve size. (Refer to page 195.)

Note 2) Weight of grommet type. Add 10 g for conduit, 30 g for DIN terminal, and 60 g for conduit terminal type respectively.

Note 3) Refer to "Glossary of Terms" on page 202 for details on the maximum operating pressure differential and the maximum system pressure.

## Fluid and Ambient Temperature

Fluid temperature (°C)	Ambient temperature (°C)
-5 Note) to 100	-20 to 60

Note) Kinematic viscosity: 50 mm<sup>2</sup>/s or less

## Valve Leakage Rate

### Internal Leakage

Seal material	Leakage rate (Oil) Note 1) 2)
FKM	0.1 cm <sup>3</sup> /min or less

### External Leakage

Seal material	Leakage rate (Oil) Note 1)
FKM	0.1 cm <sup>3</sup> /min or less

Note 1) Leakage is the value at ambient temperature 20°C.

Note 2) Leakage is the value when the pressure differential ranges from 0.01 MPa to the maximum operating pressure differential.



### Zero Differential Pressure Type Pilot Operated 2 Port Solenoid Valve VXZ Series

For High Temperature Oil

## Flow Rate Characteristics





When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.

### Normally Open (N.O.)

	1 - 1 - 1												
Body	Port size	Orifice diameter	Model	Min. operating pressure		Model Min. operating pressure Max. ope		e differential <sup>Note 3)</sup> (MPa)	Flow rate ch	aracteristics	Max. system	Weight Note 2)	
material	(Nominal diameter)	(mmø)	woder	differential Note 1)(MPa)	AC	DC	Kv	Cv	pressure Note 3) (MPa)	(g)	V		
	1/4 (8A)	10	VXZ2A6				1.6	1.9		630			
C37,	3/8 (10A)	10	VALZAO				2.0	2.4		630	V		
Stainless	1/2 (15A)	15	VXZ2B6	0	0.7	0.6	4.6	5.3	1.5	750			
steel	3/4 (20A)	20	VXZ2C6				7.8	9.2		1150	V		
	1 (25A)	25	VXZ2D6				8.7	10.2		1350			

Note 1) The operation of the valve may be unstable due to the capacity of the pressure supply source such as pumps and compressors or the pressure loss by the orifice of piping. Please contact SMC to check if the required valve size can be used in the application. Please contact SMC for the compatibility of the circuit flow and valve size. (Refer to page 195.)

Note 2) Weight of grommet type. Add 10 g for conduit, 30 g for DIN terminal, and 60 g for conduit terminal type respectively.

Note 3) Refer to "Glossary of Terms" on page 202 for details on the maximum operating pressure differential and the maximum system pressure.

### Fluid and Ambient Temperature

Fluid temperature (°C)	Ambient temperature (°C)
-5 Note) to 100	-20 to 60

Note) Kinematic viscosity: 50 mm<sup>2</sup>/s or less

## Valve Leakage Rate

### Internal Leakage

Seal material	Leakage rate (Oil) Note 1) 2)
FKM	0.1 cm <sup>3</sup> /min or less

### External Leakage

Seal material	Leakage rate (Oil) Note 1)				
FKM	0.1 cm <sup>3</sup> /min or less				

Note 1) Leakage is the value at ambient temperature 20°C.

Note 2) Leakage is the value when the pressure differential ranges from 0.01 MPa to the maximum operating pressure differential.

VX2 VXK VXZ Series For High Temperature Oil

# How to Order (Single Unit)

В



**Common Specifications** 

					VXZ	Z2 3	<u>6</u>
					6 For H	F igh temperati	luid ↓ ure oil
Size	/Valve typ	е		Bod	y material/Po	ort size/Orif	ice diameter
Symbol	Body size	Valve type		Symbol	Body material	Port size	Orifice diameter
3	10A	N.C.	[	Α	C37	1/4	
Α	IUA	N.O.		В		3/8	10
			· · · · · · · · · · · · · · · · · · ·	С	Stainless steel	1/4	
				D	Stairliess steel	3/8	
4		N.C.	Γ	F	C37	1/2	
В	15A	N.O.	1	G	Stainless steel	1/2	15
5		N.C.	Γ	Н	C37		
С	20A	N.O.	1	J	Stainless steel	3/4	20
6		N.C.	r	к	C37		0.5
D	25A	N.O.	1	L	Stainless steel	1	25

			Common Specifications
_			Seal material FKM
			Coil insulation type Class H
			Thread type Rc
	Volt	age/Electri	cal entry
	Symbol	Voltage	Electrical entry
	A	24 VDC	Grommet
	в	100 VAC	Grommet
	С	110 VAC	With surge voltage
	D	200 VAC	suppressor
	Е	230 VAC	
	G	24 VDC	DIN terminal
	н	100 VAC	With surge voltage suppressor Note
· · · · ·	J	110 VAC	
Υ.	к	200 VAC	
Ń	L	230 VAC	
	Ν	100 VAC	Conduit terminal
	Р	110 VAC	(With surge voltage
	Q	200 VAC	suppressor
	R	230 VAC	
	т	100 VAC	Conduit
	U	110 VAC	(With surge voltage
	v	200 VAC	suppressor
	w	230 VAC	
	z		Other voltages

Note) For the class H type DIN terminal, use it in combination with the connector provided.

#### For other special options, refer to pages 192 and 193.

reier te pagee rez ana reer					
Special voltage	24 VAC				
	48 VAC				
Special Voltage	220 VAC				
	240 VAC				
DIN terminal with lig	ght				
Conduit terminal with light					
Oil-free					
G thread					
NPT thread					
With bracket					
Special electrical entry direction					

Dimensions  $\rightarrow$  Page 200

# VXZ Series **Other Special Options**

Electrical	Options
------------	---------

VX	<b>Z</b> 2	3	0 A	Z 1A
		Ť	ŤŦ	
F	nter st	andaro		
	oduct			
			ical optic	on •
Snec	ial vol			entry/Electrical option
Specification			Voltage	Electrical entry
opecilication	1A		48 VAC	Electrical entry
	1B	ĕ	220 VAC	Grommet
	1C	•	240 VAC	(With surge voltage suppressor)
	10	•	24 VAC	
	1D	_	12 VDC	Grommet
	1E	—	12 VDC	Grommet (With surge voltage suppressor)
	1F	•	48 VAC	(with surge voltage suppressor)
0	1G	Ó	220 VAC	DIN terminal
age	1H	•	240 VAC	(With surge voltage suppressor)
volt	1V	•	24 VAC	(
Special voltage	1J 1K	•	12 VDC 48 VAC	
Sec			220 VAC	-
ŝ	11		240 VAC	Conduit terminal
	1W	Ŏ	24 VAC	(With surge voltage suppressor)
	1N	-	12 VDC	1
	1P	•	48 VAC	
	1Q		220 VAC	Conduit
	1R 1Y		240 VAC 24 VAC	(With surge voltage suppressor)
	15		12 VDC	1
	11	_	12 VDC	Flat terminal
	2A			
	2A 2B		24 VDC 100 VAC	-
	2C		110 VAC	-
	2D	Ŏ	200 VAC	1
	2E	•	230 VAC	DIN terminal
	2F	•	48 VAC	(With surge voltage suppressor)
	2G		220 VAC	-
-	2H 2V		240 VAC 24 VAC	-
igh	2J		12 VDC	1
Nith light	2K	—	24 VDC	
≥	2L		100 VAC	]
	2M	•	110 VAC	4
	2N 2P		200 VAC	Conduit to main a
	2P 2Q		230 VAC 48 VAC	Conduit terminal (With surge voltage suppressor)
	202 2R	ŏ	220 VAC	(****** surge voltage suppressor)
	25	ŏ	240 VAC	1
	2W		24 VAC	]
	2T	—	12 VDC	
	3A	—	24 VDC	
tor	3B	—	100 VAC	]
Without DIN connector	3C	_	110 VAC	
	3D	_	200 VAC	
Z	3E	_	230 VAC	DIN terminal
ťD	3F 3G		48 VAC 220 VAC	(With surge voltage suppressor)
not	3H	_	220 VAC 240 VAC	4
Nith	3V	_	24 VAC	1
-	3J	_	12 VDC	1
			ase "H" coil	

•: Also applicable to Class "H" coil.

Options marked with • are available for Class "H" coil. Applicable for all when the coil insulation class is Class "B".

### **Other Options**

Low co	ncentration ozone resistant	and ap	plicable to deionized water	VX2				
	Oil-free							
	Port thread							
		Λ.	7	VXD				
VA	Z2 3 0 A	A	<b>∠</b>	VAD				
				VXZ				
number	tandard product ∳ r. Other o	option	•	VXS				
	oncentration ozone resionized water/Oil-free/Po			VXB				
Symbol	Low concentration ozone resistant and applicable to deionized water *1, *3 (Seal material: FKM)	Oil-free	VXE					
Nil	—	-	Rc, One-touch fitting*2					
Α	_		G	VXP				
В			NPT					
С	0	-	Rc, One-touch fitting <sup>*2</sup>	VXR				
D	_	0	G	W				
E		Ŭ	NPT	VXH				
F	0	_	G					
G			NPT	VXF				
Н			Rc, One-touch fitting*2					
ĸ	0	$ \circ $	G	VX3				
L			NPT					
Z		0	Rc, One-touch fitting*2	VXA				

\*1 Applicable to air (VXZ200) and water (VXZ202).

\*2 When the body is resin, One-touch fittings are equipped as standard. \*3 When using deionized water or any other fluid that may corrode C37 (brass), select a stainless steel body.

### Made to Order

### <Special lead wire length>

**SMC** 

Produced upon receipt of order. Please contact SMC for lead times.



Lea	d wire leng	gth
XL1	600 mm	
XL2	1000 mm	
XL3	1500 mm	
XL4	3000 mm	


* Enter symbols in the order below when ordering a combination	of
electrical option, other option, etc.	
Example) VXZ2 3 2 A Z 1A Z XB A	

Electrical option Other option

Special electrical entry direction

• With bracket


# VXZ Series



**SMC** 




\* Enter symbols in the order below when ordering a combination of electrical option, etc.
 Example) VXZ2 3 2 A Z 1A Z KB A Electrical option • Special electrical entry direction Other option • With bracket



# VXZ Series Construction

## Normally Closed (N.C.)

### Body material: Aluminum, C37, Stainless steel




### **Component Parts**

No.	Description	Material
1	Solenoid coil	Cu + Fe + Resin
2	Tube assembly	Stainless steel
3	Return spring	Stainless steel
4	Armature/Diaphragm assembly	Stainless steel, NBR, FKM, EPDM
5	Stopper	NBR, FKM, EPDM
6	Bonnet	C37, Stainless steel, Aluminum
7	Body	C37, Stainless steel, Aluminum


# Normally Open (N.O.)

### Body material: Aluminum, C37, Stainless steel



### **Component Parts**

No.	Description	Material
1	Solenoid coil	Cu + Fe + Resin
2	Sleeve assembly	Stainless steel, Resin (PPS)
3	Push rod/Diaphragm assembly	Stainless steel, NBR, FKM, EPDM
4	Spring	Stainless steel
5	O-ring A	NBR, FKM, EPDM
6	O-ring B	NBR, FKM, EPDM
7	Adapter	Resin (PPS)
8	O-ring C	NBR, FKM, EPDM
9	Bonnet	Aluminum, C37, Stainless steel
10	Body	Aluminum, C37, Stainless steel



# 4 5 6 $\overline{7}$ ≓n OUT IN

1

2

3

### **Component Parts**

No.         Description         Material           1         Solenoid coil         Cu + Fe + Resin           2         Tube assembly         Stainless steel           3         Return spring         Stainless steel           4         Armature/Diaphragm assembly         Stainless steel, NBR, FKM           5         Stopper         NBR, FKM           6         Bonnet         Aluminum			
2         Tube assembly         Stainless steel           3         Return spring         Stainless steel           4         Armature/Diaphragm assembly         Stainless steel, NBR, FKM           5         Stopper         NBR, FKM	No.	Description	Material
3         Return spring         Stainless steel           4         Armature/Diaphragm assembly         Stainless steel, NBR, FKM           5         Stopper         NBR, FKM	1	Solenoid coil	Cu + Fe + Resin
3         Return spring         Stainless steel           4         Armature/Diaphragm assembly         Stainless steel, NBR, FKM           5         Stopper         NBR, FKM	2	Tube assembly	Stainless steel
5 Stopper NBR, FKM	3	Return spring	Stainless steel
5 Stopper NBR, FKM	4	Armature/Diaphragm assembly	Stainless steel, NBR, FKM
6 Bonnet Aluminum		Stopper	NBR, FKM
	6	Bonnet	Aluminum
7 Body Resin (PBT)	7	Body	Resin (PBT)

# Body material: Resin 5 2 6 1 (3) (8) (4) .(9) OUT IN n2 נר 10

### Component Parts

**SMC** 

No.	Description	Material
1	Solenoid coil	Cu + Fe + Resin
2	Sleeve assembly	Stainless steel, Resin (PPS)
3	Push rod/Diaphragm assembly	Stainless steel, NBR, FKM
4	Spring	Stainless steel
5	O-ring A	NBR, FKM
6	O-ring B	NBR, FKM
7	Adapter	Resin (PPS)
8	O-ring C	NBR, FKM
9	Bonnet	Aluminum
10	Body	Resin (PBT)

# Working Principle

#### **De-energized**

The fluid enters from the IN goes through the supply orifice to fill the pressure action chamber. Main valve is closed by the pressure in the pressure action chamber and the reaction force of the return spring.

### Energized (Pilot valve open)

When the coil is energized, the armature is attracted causing the pilot orifice to opening. The fluid filling the pressure action chamber flows to the OUT side through the pilot orifice.

### Energized (Main valve open)

VX2


VXK

VXD

VXZ

VXA

The pressure in the pressure action chamber decreases by discharging fluid through the pilot orifice. Because the force which pushes down the valve is reduced by the discharge of the fluid, the force that pushes up the main valve overcomes the push down force and opens the main valve. The main valve opens by the lift spring reaction force even if pressure on the IN side is 0 MPA or very low pressure.




# **M**Warning

Unstable flow may occur with the product under the following conditions: • low flow from the pump or compressor, etc. • use of several elbows or tees in the circuit, or • thin nozzles installed at the end of the piping etc. This can cause valve opening/closing failure, or oscillation, and cause a valve malfunction. If products are used with vacuum, then the vacuum level can be unstable due to these conditions. Please contact SMC to check if the valve can be used in the application by providing the relevant fluid circuit.



# Dimensions/Body Material: Resin (One-touch Fitting Type)




**SMC** 


Flat terminal type


VXZ Series

## Dimensions/Body Material: Resin (One-touch Fitting Type)









γ

w





VXZ
VXS
VXB
VXE
VXP
VXR
VXH
VXF
VX3
VXA

VX2

VXK

VXD

-

													(mm)					
Model	One-touch fitting	в	B1		B1 C	6			<b>_</b>	D	EE		Bracket mounting					
wouer	P		DI					-	-	, L E		U	U1	W	X	<b>X</b> 1	Y	
VXZ2 <sup>3</sup>	ø10, ø3/8", ø12	69	37.5	90 (96.5)	35	15.5	22	54	27	44	65	32.5	56					
Electrical entry																		


		Liectrical entry						
Model	One-touch fitting P	Con	duit	Flat terminal				
		Q	R	Q	R			
	ø10, ø3/8", ø12	50	57.5 (64)	25.5	63.5 (70)			


( ) are the dimensions of Normally Open (N.O.).




## Dimensions/Body Material: Aluminum, C37, Stainless Steel

### Grommet








Grommet (with surge voltage suppressor)

### **DIN terminal**

198



														(mm)
Model	Port size P		4	в	B1	(	2	D	Е	F	G	н	J	м
VXZ2 <sup>3</sup> <sub>A</sub>	1/4, 3/8	21 <	<22>	57	28.5	85 (9	91.5)	35	10.5	22	40	35	10	M5
VXZ2 <sup>4</sup>	1/2	28		70	37.5	93 (9	99.5)	35	14	22	48	35	14.2	M5
VXZ2 <sup>5</sup>	3/4	33.5	5	71	38.5	104 (	110.5)	40	17	24.5	62	33	15.2	M6
VXZ2 <sup>6</sup>	1	42		95	49.5	110	(116)	40	20	24.5	66	37	17.2	M6
	Port size				D	a al cat	a a cuatic							
Model	Port size	а	a1Note)	b	d	e	mountii <b>f</b>	g	h					
100000					a	-	•	-						
VXZ2 <sup>3</sup>	1/4, 3/8	56	52	75		2.3	30	6.5	10.5	31	37			
VXZ2 <sup>4</sup> <sub>B</sub>	1/2	56	60	75	13.5	2.3	34.5	6.5	10.5	35	41			
VXZ2ἑ	3/4	70.5	68	92	13.5	2.3	39	6.5	10.5	43	46			
VXZ2§	1	70.5	73	92		2.3	41	6.5	10.5	45	48			
					-		al entry							
Model	Port size P	G	Gromme	ət		net (with e suppr	n surge essor)		DIN te	rminal				
		Q	F	2	Q	F	3	Q	F	3	S			
	1/4, 3/8	29.5	63.5	(70)	32.5	50 (5	56.5)	67	55.5	(62)	55			
VXZ2 <sup>4</sup> <sub>B</sub>	1/2	29.5	68.5 (	(74.5)	32.5	55	(61)	67	60.5	(66.5)	55			
VXZ2č	3/4	32	76.5	(83)	35	63 (6	69.5)	69.5	68.5	(75)	57.5			
VXZ2§	1	32	79.5	(85)	35	66 (7	71.5)	69.5	71.5	(77)	57.5			


( ) are the dimensions of Normally Open (N.O.). < > are the dimensions of aluminum body. Note) Old VXZ bracket mounting hole center position




### Dimensions/Body Material: Aluminum, C37, Stainless Steel

### Conduit terminal


### Conduit





### Flat terminal type



1







VAN
VXD
VXZ
VXS
VXB
VXE
VXP
VXR
VXH
VXF
VX3
VXA


														(mm)
Model	Port size P		4	в	B1	(	;	D	Е	F	G	н	J	м
VXZ2 <sup>3</sup>	1/4, 3/8	21 <	:22>	57	28.5	85 (9	91.5)	35	10.5	22	40	35	10	M5
VXZ2 <sup>4</sup>	1/2	28		70	37.5	93 (9	99.5)	35	14	22	48	35	14.2	M5
VXZ2 <sup>5</sup>	3/4	33.5	i	71	38.5	104 (	110.5)	40	17	24.5	62	33	15.2	M6
VXZ2 <sup>6</sup>	1	42		95	49.5	110	(116)	40	20	24.5	66	37	17.2	M6
Model	Port size				Bi	racket i	mountii	ng						
wouer	Р	а	a1 Note)	b	d	е	f	g	h	i	j			
	1/4, 3/8	56	52	75		2.3	30	6.5	10.5	31	37			
VXZ2 <sup>4</sup> <sub>B</sub>	1/2	56	60	75	13.5	2.3	34.5	6.5	10.5	35	41			
VXZ2 <sup>5</sup> <sub>C</sub>	3/4	70.5	68	92	13.5	2.3	39	6.5	10.5	43	46			
VXZ2 <sup>6</sup>	1	70.5	73	92	1	2.3	41	6.5	10.5	45	48			
							Electric	al entr	Y			-		
Model	Port size		С	onduit	termina	al			Condui	t	Fla	at termi	nal	
	Р	Q	F	1	S	1	г	Q	F	3	Q	F	2	
	1/4, 3/8	102	57.5	(64)	71	100 (	106.5)	50	57.5	(64)	25.5	63.5	(70)	
VXZ2 <sup>4</sup> <sub>B</sub>	1/2	102	62.5 (	68.5)	71	108 (	114.5)	50	62.5	(68.5)	25.5	68.5	(74.5)	
VXZ25	3/4	104.5	70.5	(77)	73.5	119	(126)	52.5	70.5	(77)	28	76.5	(82.5)	


VXZ2<sup>6</sup> 104.5 73.5 (79) 73.5 125 (131) 52.5 73.5 (79) 28 79.5 (85) () are the dimensions of Normally Open (N.O.). < > are the dimensions of aluminum body. Note) Old VXZ bracket mounting hole center position

# VXZ Series For Heated Water, High Temperature Oil


# Dimensions/Body Material: C37, Stainless Steel


### Grommet





### Conduit





# D n 0 œ ш

Δ


G


2 x **P** 

Port size

**DIN terminal** 

Conduit terminal





												(mm)
Model	Port size P	A	в	B1	с	D	Е	F	G	н	J	м
	1/4, 3/8	21	57	28.5	85 (91.5)	35	10.5	22	40	35	10	M5
VXZ2 <sup>4</sup> <sub>B</sub>	1/2	28	70	37.5	93 (99.5)	35	14	22	48	35	14.2	M5
VXZ2 <sup>5</sup> <sub>C</sub>	3/4	33.5	71	38.5	104 (110.5)	40	17	24.5	62	33	15.2	M6
VXZ28	1	42	95	49.5	110 (116)	40	20	24.5	66	37	17.2	M6

Port size				Bi	racket	mountir	ng			
P	a	a1Note)	b	d	е	f	g	h	i	j
1/4, 3/8	56	52	75		2.3	30	6.5	10.5	31	37
1/2	56	60	75	10.5	2.3	34.5	6.5	10.5	35	41
3/4	70.5	68	92	13.5	2.3	39	6.5	10.5	43	46
1	70.5	73	92		2.3	41	6.5	10.5	45	48
	P 1/4, 3/8 1/2	P         a           1/4, 3/8         56           1/2         56           3/4         70.5	P         a         a1 <sup>Note)</sup> 1/4, 3/8         56         52           1/2         56         60           3/4         70.5         68	P         a         a1 <sup>Note)</sup> b           1/4, 3/8         56         52         75           1/2         56         60         75           3/4         70.5         68         92	P         a         a1 <sup>Note)</sup> b         d           1/4, 3/8         56         52         75           1/2         56         60         75           3/4         70.5         68         92	P         a         a1 <sup>Note)</sup> b         d         e           1/4, 3/8         56         52         75         2.3         2.3           1/2         56         60         75         13.5         2.3           3/4         70.5         68         92         13.5         2.3	P         a         a1 <sup>Nole</sup> )         b         d         e         f           11/4.3/8         56         52         75         2.3         30           1/2         56         60         75         13.5         2.3         34.5           3/4         70.5         68         92         13.5         2.3         39	P         a         a1 <sup>Nol0</sup> b         d         e         f         g           1/4, 3/8         56         52         75         2.3         30         6.5           1/2         56         60         75         2.3         34.5         6.5           3/4         70.5         68         92         13.5         2.3         39         6.5	P         a         a1 <sup>Noin</sup> b         d         e         f         g         h           1/4, 3/8         56         52         75         2.3         30         6.5         10.5           1/2         56         60         75         2.3         34.5         6.5         10.5           3/4         70.5         68         92         13.5         2.3         39         6.5         10.5	P         a         a 1Note)         b         d         e         f         g         h         i           11/4, 3/8         56         52         75         2.3         30         6.5         10.5         31           11/2         56         60         75         3/4         5.6         5.5         35           3/4         70.5         68         92         13.5         2.3         39         6.5         10.5         34

	Port size					E	Electrical entr	y				
Model	Port size	G	arommet		Conduit	termina	al	0	Conduit		DIN terminal	
		Q	R	Ø	R	S	Т	Q	R	Q	R	S
	1/4, 3/8	29.5	63.5 (70)	110.5	57.5 (64)	79.5	100 (106.5)	50	57.5 (64)	67	55.5 (62)	55
VXZ2 <sup>4</sup> <sub>B</sub>	1/2	29.5	68.5 (74.5)	110.5	62.5 (68.5)	79.5	108 (114.5)	50	62.5 (68.5)	67	60.5 (66.5)	55
VXZ2 <sup>5</sup> c	3/4	32	76.5 (83)	113	70.5 (77)	82	119 (126)	52.5	70.5 (77)	69.5	68.5 (75)	57.5
VXZ2 <sup>6</sup>	1	32	79.5 (85)	113	73.5 (79)	82	125 (131)	52.5	73.5 (79)	69.5	71.5 (77)	57.5

() are the dimensions of Normally Open (N.O.).

Note) Old VXZ bracket mounting hole center position



### Zero Differential Pressure Type Pilot Operated 2 Port Solenoid Valve



....

### **Replacement Parts**

### • DIN Connector Part No.

$\bigcirc$	
<b>H</b>	

<coil insulat<="" th=""><th>ion Type/F</th><th>or Class B&gt;</th></coil>	ion Type/F	or Class B>
Electrical option	Rated voltage	Connector part no.
	24 VDC	
	12 VDC	
	100 VAC	
	110 VAC	
None	200 VAC	C18312G6GCU
None	220 VAC	C18312G6GC0
	230 VAC	
	240 VAC	
	24 VAC	
	48 VAC	
	24 VDC	GDM2A-L5
	12 VDC	GDM2A-L6
	100 VAC	GDM2A-L1
	110 VAC	GDM2A-L1
Maria II - In A	200 VAC	GDM2A-L2
With light	220 VAC	GDM2A-L2
	230 VAC	GDM2A-L2
	240 VAC	GDM2A-L2
	24 VAC	GDM2A-L5
	48 VAC	GDM2A-L15


Electrical option	Rated voltage	Connector part no.
	24 VDC	GDM2A-G-S5
None	100 VAC	
	110 VAC	
	200 VAC	
	220 VAC	GDM2A-R
	230 VAC	GDIVIZA-N
	240 VAC	
	24 VAC	
	48 VAC	
	24 VDC	GDM2A-G-Z5
	100 VAC	GDM2A-R-L1
	110 VAC	GDM2A-R-L1
	200 VAC	GDM2A-R-L2
With light	220 VAC	GDM2A-R-L2
	230 VAC	GDM2A-R-L2
	240 VAC	GDM2A-R-L2
	24 VAC	GDM2A-R-L5
	48 VAC	GDM2A-R-L5

<Coil Insulation Type/For Class H>

Electrical custion Detect

- Gasket Part No. for DIN Connector VCW20-1-29-1 (For Class B) VCW20-1-29-1-F (For Class H)
- Lead Wire Assembly for Flat Terminal (Set of 2 pcs.) VX021S-1-16FB

## • Bracket Assembly Part No. (for Metal Body)



\* 2 mounting screws are shipped together with the bracket assembly.



VX2 VXK VXD

VXZ VXS VXB VXE VXP VXR VXH

VXF VX3

VXA

# VXZ Series Glossary of Terms

### Pressure Terminology

#### 1. Maximum operating pressure differential

The maximum pressure differential (the difference between the inlet and outlet pressure) which is allowed for operation. When the outlet pressure is 0 MPa, this becomes the maximum operating pressure.

### 2. Minimum operating pressure differential

The minimum pressure differential (the difference between the inlet pressure and outlet pressure) required to keep the main valve fully opened.

#### 3. Maximum system pressure

The maximum pressure that can be applied inside the pipelines (line pressure).

[The pressure differential of the solenoid valve portion must be less than the maximum operating pressure differential.]

#### 4. Withstand pressure

The pressure in which the valve must be withstood without a drop in performance after holding for one minute under prescribed pressure and returning to the operating pressure range. [value under the prescribed conditions]

### **Electrical Terminology**


#### 1. Surge voltage

A high voltage which is momentarily generated by shutting off the power in the shut-off area.

#### 2. Degree of protection

A degree defined in the "JIS C 0920: Waterproof test of electric machinery/appliance and the degree of protection against the intrusion of solid foreign objects."

Verify the degree of protection for each product.



#### First Characteristics:

Degrees of protection against solid foreign objects

	egrees of protection against solid foreign objects
0	Non-protected
1	Protected against solid foreign objects of 50 mmø and greater
2	Protected against solid foreign objects of 12 mmø and greater
3	Protected against solid foreign objects of 2.5 mmø and greater
4	Protected against solid foreign objects of 1.0 mmø and greater
5	Dust-protected
6	Dust-tight

### **Electrical Terminology**

#### Second Characteristics: Degrees of protection against water

0	Non-protected	_
1	Protected against vertically falling water drops	Dripproof type 1
2	Protected against vertically falling water drops when enclosure tilted up to $15^{\circ}$	Dripproof type 2
3	Protected against rainfall when enclosure tilted up to 60°	Rainproof type
4	Protected against splashing water	Splashproof type
5	Protected against water jets	Water-jet-proof type
6	Protected against powerful water jets	Powerful water-jet-proof type
7	Protected against the effects of temporary immersion in water	Immersible type
8	Protected against the effects of continuous immersion in water	Submersible type

#### Example) IP65: Dust-tight, Water-jet-proof type

"Water-jet-proof type" means that no water intrudes inside an equipment that could hinder from operating normally by means of applying water for 3 minutes in the prescribed manner. Take appropriate protection measures, since a device is not usable in an environment where a droplet of water is splashed constantly.

### Others

### 1. Material

NBR: Nitrile rubber FKM: Fluoro rubber EPDM: Ethylene propylene rubber

#### 2. Oil-free treatment


The degreasing and washing of wetted parts

#### 3. Symbol

When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.

### **Flat Terminal**

# 1. Flat terminal/Electrical connection size of molded coil



# VXZ Series **Solenoid Valve Flow Rate Characteristics** (How to indicate flow rate characteristics)

### 1. Indication of flow rate characteristics

The flow rate characteristics in equipment such as a solenoid valve, etc. are indicated in their specifications as shown in Table (1).

### Table (1) Indication of Flow Rate Characteristics

Indication by international standard	Other indications	Conformed standard		
C, b	ISO 6358: 1989 JIS B 8390: 2000			
_	S	JIS B 8390: 2000 Equipment: JIS B 8379, 8381-1, 8381-2		
	Cv	ANSI/(NFPA)T3.21.3 R1-2008		
Kv	_	IEC60534-1: 2005 IEC60534-2-3: 1997		
_	Cv	JIS B 2005-2-3: 2004		
	international standard C, b —	international standard indications C, b -	international standard         indications         Conformed standard           C, b         -         ISO 6358: 1989 JIS B 8390: 2000           -         S         JIS B 8390: 2000           -         Cv         ANSI/(NFPA)T3.21.3 R1-2008           Kv         -         IEC60534-1: 2005 IEC60534-2-3: 1997           JIS B 2005-1: 2012         JIS B 2005-1: 2012	

### 2. Pneumatic equipment

- 2.1 Indication according to the international standards
- (1) Conformed standard

ISO 6358: 1989 : Pneumatic fluid power—Components using compressible fluids— Determination of flow rate characteristics JIS B 8390: 2000 : Pneumatic fluid power—Components using compressible fluids—

How to test flow rate characteristics

- (2) Definition of flow rate characteristics
  - The flow rate characteristics are indicated as a result of a comparison between sonic conductance C and critical pressure ratio b.
    - Sonic conductance C: Value which divides the passing mass flow rate of an equipment in a choked flow condition by the product of the upstream absolute pressure and the density in a standard condition. Critical pressure ratio **b**: Pressure ratio (downstream pressure/upstream pressure) which will turn to a choked
    - flow when the value is smaller than this ratio. Choked flow : The flow in which the upstream pressure is higher than the downstream pressure and where sonic speed in a certain part of an equipment is reached.

Gaseous mass flow rate is in proportion to the upstream pressure and not dependent on the downstream pressure.

Subsonic flow : Flow greater than the critical pressure ratio Standard condition : Air in a temperature state of 20°C, absolute pressure 0.1 MPa (= 100 kPa = 1 bar), relative humidity 65%. It is stipulated by adding the "(ANR)" after the unit depicting air volume. (standard reference atmosphere)

ÌSMC

Conformed standard: ISO 8778: 1990 Pneumatic fluid power-Standard reference atmosphere, JIS B 8393: 2000: Pneumatic fluid power-Standard reference atmosphere

### (3) Formula for flow rate

It is described by the practical units as following.

When  $\frac{\boldsymbol{P}_{2}+0.1}{\boldsymbol{P}_{1}+0.1} \leq \boldsymbol{b}, \text{ choked flow}$  $Q = 600 \times C (P_1 + 0.1) \sqrt{\frac{293}{273 + T}}$  ....(1) When  $\frac{P_{2+0.1}}{P_{1+0.1}} > b$ , subsonic flow  $\boldsymbol{Q} = 600 \times \boldsymbol{C} (\boldsymbol{P}_{1} + 0.1) \sqrt{1 - \left[\frac{\boldsymbol{P}_{2} + 0.1}{\boldsymbol{P}_{1} + 0.1} - \boldsymbol{b}\right]^{2} \sqrt{\frac{293}{273 + \boldsymbol{T}}} \dots (2)$ 

VX2 VXH VXF VX3 VXA

# VXZ Series

- **Q** : Air flow rate [L/min (ANR)]
- C : Sonic conductance [dm<sup>3</sup>/(s·bar)], dm<sup>3</sup> (Cubic decimeter) of SI = L (liter).
- **b** : Critical pressure ratio [--]
- P1: Upstream pressure [MPa]
- P2: Downstream pressure [MPa]
- T : Temperature [°C]

Note) Formula of subsonic flow is the elliptic analogous curve.

Flow rate characteristics are shown in Graph (1) For details, please use the calculation software available from SMC website.


Example)

Obtain the air flow rate for  $P_1 = 0.4$  [MPa],  $P_2 = 0.3$  [MPa], T = 20 [°C] when a solenoid value is performed in C = 2 [dm<sup>3</sup>/(s·bar)] and b = 0.3.

According to formula 1, the maximum flow rate =  $600 \times 2 \times (0.4 + 0.1) \times \sqrt{\frac{293}{273 + 20}} = 600 \text{ [L/min (ANR)]}$ 

Pressure ratio =  $\frac{0.3 + 0.1}{0.4 + 0.1} = 0.8$ 

Based on Graph (1), it is going to be 0.7 if it is read by the pressure ratio as 0.8 and the flow ratio to be  $\boldsymbol{b}$  = 0.3. Hence, flow rate = Max. flow x flow ratio = 600 x 0.7 = 420 [L/min (ANR)]



### (4) Test method

Graph (1) Flow rate characteristics

Attach a test equipment with the test circuit shown in Fig. (1) while maintaining the upstream pressure to a certain level which does not go below 0.3 MPa. Next, measure the maximum flow to be saturated in the first place, then measure this flow rate at 80%, 60%, 40%, 20% and the upstream and downstream pressure. And then, obtain the sonic conductance C from this maximum flow rate. In addition, calculate b using each data of others and the subsonic flow formula, and then obtain the critical pressure ratio b from that average.




Fig. (1) Test circuit based on ISO 6358: 1989, JIS B 8390: 2000

### 2.2 Effective area S

(1) Conformed standard JIS B 8390: 2000: Pneumatic fluid power—Components using compressible fluids—	VX2
Determination of flow rate characteristics Equipment standards: JIS B 8373: Solenoid valve for pneumatics	VXK
JIS B 8379: Silencer for pneumatics JIS B 8381-1: Fittings for pneumatics—Part 1: Push-in fittings for thermoplastic resin tubing	VXD
JIS B 8381-2: Fittings for pneumatics—Part 2: Compression fittings for thermoplastic resin tubing (2) Definition of flow rate characteristics	VXZ
Effective area <b>S</b> : The cross-sectional area having an ideal throttle without friction deduced from the calcula- tion of the pressure changes inside an air tank or without reduced flow when discharging	VXS
the compressed air in a choked flow, from an equipment attached to the air tank. This is the same concept representing the "easy to run through" as sonic conductance <b>C</b> .	VXB
(3) Formula for flow rate When	VXE
When $\frac{P_2 + 0.1}{P_1 + 0.1}$ 0.5, choked flow $Q = 120 \times S(P_1 + 0.1) \sqrt{\frac{293}{273 + T}}$ (3) When $P_2 + 0.1$	VXP
$Q = 120 \times S(P_1 + 0.1) \sqrt{\frac{293}{770 T}}$ (3)	VXR
When	VXH
$\frac{P^2 + 0.1}{P_{out} + 0.1} > 0.5$ , subsonic flow	VXF
$\boldsymbol{Q} = 240 \times \boldsymbol{S} \sqrt{(\boldsymbol{P}_2 + 0.1) (\boldsymbol{P}_1 - \boldsymbol{P}_2)} \sqrt{\frac{293}{273 + \boldsymbol{T}}} \qquad (4)$	VX3
Conversion with sonic conductance $C$ : $S = 5.0 \times C$	VXA
<ul> <li>Q: Air flow rate[L/min(ANR)]</li> <li>S: Effective area [mm<sup>2</sup>]</li> <li>P<sub>1</sub>: Upstream pressure [MPa]</li> <li>P<sub>2</sub>: Downstream pressure [MPa]</li> <li>T: Temperature [°C]</li> <li>Note) Formula for subsonic flow (4) is only applicable when the critical pressure ratio b is the unknown equipment. In the formula (2) by the sonic conductance C, it is the same formula as when b = 0.5.</li> </ul>	

(4) Test method

Attach a test equipment with the test circuit shown in Fig. (2) in order to discharge air into the atmosphere until the pressure inside the air tank goes down to 0.25 MPa (0.2 MPa) from an air tank filled with the compressed air at a certain pressure level (0.5 MPa) which does not go below 0.6 MPa. At this time, measure the discharging time and the residual pressure inside the air tank which had been left until it turned to be the normal values to determine the effective area **S**, using the following formula. The volume of an air tank should be selected within the specified range by corresponding to the effective area of an equipment for test. In the case of JIS B 8379, the pressure values are in parentheses and the coefficient of the formula is 12.9.

$$S = 12.1 \frac{V}{t} \log_{10} \left( \frac{Ps + 0.1}{P + 0.1} \right) \sqrt{\frac{293}{T}}$$
(6)  

$$S : Effective area [mm2] 
V : Air tank capacity [L] 
t : Discharging time [s] 
Pressure inside air tank before discharging [MPa] 
P : Residual pressure inside air tank after discharging [MPa] 
T : Temperature inside air tank before discharging [K] 
Filter Shut off valve 
$$Shut off valve 
Thermometer 
Pressure switch 
Pressure control equipment 
Filter Shut off valve 
Thermometer 
Pressure control equipment 
Filter Shut off valve 
Thermometer 
Pressure gauge 
Thermometer 
Thermometer 
Pressure gauge 
Thermometer 
Thermometer 
Pressure recorder 
Thermometer 
Thermometer$$$$

Fig. (2) Test circuit based on JIS B 8390: 2000

### 2.3 Flow coefficient CV factor

The United States Standard ANSI/(NFPA)T3.21.3: R1-2008R: Pneumatic fluid power-Flow rating test procedure and reporting method for fixed orifice components

This standard defines the Cv factor of the flow coefficient by the following formula that is based on the test conducted by the test circuit analogous to ISO 6358.

$$Cv = \frac{Q}{114.5\sqrt{\frac{\Delta P \left(P_2 + P_a\right)}{T_1}}}$$
(7)

△ P : Pressure drop between the static pressure tapping ports [bar]

**P**<sub>1</sub> : Pressure of the upstream tapping port [bar gauge]

- $P_2$ : Pressure of the downstream tapping port [bar gauge]:  $P_2 = P_1 \Delta P$
- Q : Flow rate [L/s standard condition]
- Pa : Atmospheric pressure [bar absolute]

T1 : Upstream absolute temperature [K]

Test conditions are  $< P_1 + P_a = 6.5 \pm 0.2$  bar absolute,  $T_1 = 297 \pm 5K$ , 0.07 bar  $\le \Delta P$  0.14 bar.

This is the same concept as effective area A which ISO 6358 stipulates as being applicable only when the pressure drop is smaller than the upstream pressure and the compression of air does not become a problem.

### 3. Process fluid control equipment

(1) Conformed standard

IEC60534-1: 2005: Industrial-process control valves. Part 1: control valve terminology and general considerations

IEC60534-2-3: 1997: Industrial-process control valves. Part 2: Flow capacity, Section Three-Test procedures

JIS B 2005-1: 2012: Industrial-process control valves – Part 1: Control valve terminology and general considerations JIS B 2005-2-3: 2004: Industrial-process control valves - Part 2: Flow capacity - Section 3: Test procedures Equipment standards: JIS B 8471: Solenoid valve for water

JIS B 8472: Solenoid valve for steam JIS B 8473: Solenoid valve for fuel oil

(2) Definition of flow rate characteristics

Kv factor: Value of the clean water flow rate represented by m3/h that runs through the valve (equipment for test) at 5 to 40°C, when the pressure difference is 1 x 105 Pa (1 bar). It is calculated using the following formula:

$$Kv = Q_{\sqrt{\frac{1 \times 10^5}{\Delta P}} \cdot \frac{\rho}{1000}}$$
(8)  

$$Kv : Flow coefficient [m3/h]
$$Q : Flow rate [m3/h]
$$\Delta P : Pressure difference [Pa]
\rho : Density of fluid [kg/m3]
(3) Formula of flow rate
It is described by the practical units. Also, the flow rate characteristics are shown in Graph (2).
In the case of liquid:
$$Q = 53Kv \sqrt{\frac{\Delta P}{G}}$$
(9)  

$$Q : Flow rate [L/min]
Kv : Flow coefficient [m3/h]
$$\Delta P : Pressure difference [MPa]
G : Relative density [water = 1]
In the case of saturated aqueous vapor:
$$Q = 232Kv \sqrt{\Delta P(P_2 + 0.1)}$$
(10)  

$$Q : Flow rate [kg/h]
Kv : Flow coefficient [m3/h]
$$\Delta P : Pressure difference [MPa]
P_1 : Upstream pressure [MPa]: \Delta P = P_1 - P_2$$
P_2 : Downstream pressure [MPa]  
6$$$$$$$$$$$$

Conversion of flow coefficient:

Kv = 0.865 Cv .....(11)

### Here,

Cv factor: Value of the clean water flow rate represented by US gal/min that runs through the valve at 40 to 100°F, when the pressure difference is 1 lbt/in<sup>2</sup> (psi)

Value is different from *Kv* and *Cv* factors for pneumatic purpose due to different test method.

(4) Test method

Connect the equipment for the test to the test circuit shown in Fig. (3), and run water at 5 to 40°C. Then, measure the flow rate with a pressure difference where vaporization does not occur in a turbulent flow (pressure difference of 0.035 MPa to 0.075 MPa when the inlet pressure is within 0.15 MPa to 0.6 MPa). However, as the turbulent flow is definitely caused, the pressure difference needs to be set with a large enough difference so that the Reynolds number does not fall below 1 x 105, and the inlet pressure needs to be set slightly higher to prevent vaporization of the liquid. Substitute the measurement results in formula (8) to calculate Kv.





Fig. (3) Test circuit based on IEC60534-2-3, JIS B 2005-2-3



Example 1)

Graph (2) Flow rate characteristics

Obtain the pressure difference when water [15 L/min] runs through the solenoid valve with a  $Kv = 1.5 \text{ m}^3/\text{h}$ . As the flow rate when Kv = 1 is calculated as the formula: Qo = 15 x 1/1.5 = 10 [L/min], read off  $\Delta P$  when Qo is 10 [L/min] in Graph (2). The reading is 0.036 [MPa].

### Example 2)

Obtain the saturated steam flow rate when  $P_1 = 0.8$  [MPa] and  $\Delta P = 0.008$  [MPa] with a solenoid valve with a Kv = 0.05 [m<sup>3</sup>/h]. Read off  $Q_0$  when  $P_1$  is 0.8 and  $\Delta P$  is 0.008 in Graph (2), the reading is 20 kg/h. Therefore, the flow rate is calculated as the formula:  $Q = 0.05/1 \times 20 = 1$  [kg/h].

SMC

VX2

VXD

VXZ

VXS

VXB

VXE

VXP

VXR

VXH


VXF

VX3

VXA

VXZ Series **Flow Rate Characteristics** 

Note) Use this graph as a guide. In the case of obtaining an accurate flow rate, refer to pages 203 through to 207.




### How to read the graph

The sonic range pressure to generate a flow of 6,000 L/min (ANR) is  $P_1 \approx 0.47$  MPa for a ø15 orifice (VXZ2<sup>4</sup><sub>B</sub>) and P<sub>1</sub>  $\approx$  0.23 MPa for a  $\emptyset$ 20 orifice (VXZ2<sup>5</sup><sub>C</sub>).

The optimum size for an upstream pressure P1 = 0.45 MPa and a flow of 6.000 L/min will be the VXZ2<sup>4</sup><sub>B</sub> (ø15 orifice, port size 1/2).

### For Water



@SMC

### How to read the graph

The pressure differential for a ø10 orifice to supply a flow of 25 L/min (VXZ2<sup>3</sup><sub>A</sub>, port size 3/8) will be  $\Delta P \approx 0.05$  MPa.

The optimum size for a pressure differential of  $\Delta P \approx 0.4$  MPa and a flow of 50 L/min will be the VXZ2<sup>3</sup><sub>A</sub> (ø10 orifice, port size 1/4).



Be sure to read this before handling the products. Refer to back page 50 for Safety Instructions and pages 17 to 19 for 2 Port Solenoid Valve for Fluid Control Precautions.

### Design

# **A** Warning

### 1. Cannot be used as an emergency shutoff valve etc.

The valves presented in this catalog are not designed for safety applications such as an emergency shutoff valve. If the valves are used in this type of system, other reliable safety assurance measures should also be adopted.

### 2. Extended periods of continuous energization

The solenoid coil will generate heat when continuously energized. Avoid using in a tightly shut container. Install it in a well ventilated area. Furthermore, do not touch it while it is being energized or right after it is energized.

### 3. Liquid rings

In cases with a flowing liquid, provide a bypass valve in the system to prevent the liquid from entering the liquid seal circuit.

### 4. Actuator drive

When an actuator, such as a cylinder, is to be driven using a valve, take appropriate measures to prevent potential danger caused by actuator operation.

### 5. Pressure (including vacuum) holding

It is not usable for an application such as holding the pressure (including vacuum) inside of a pressure vessel because air leakage is entailed in a valve.

- 6. When the conduit type is used as equivalent to an IP65 enclosure, install a wiring conduit etc.
- When an impact, such as water hammer etc., caused by the rapid pressure fluctuation is applied, the solenoid valve may be damaged. Give an attention to it.

#### Selection

# A Warning

### 1. Usage with low flow

Unstable flow may occur with the product under the following conditions: • low flow from the pump or compressor, etc. • use of several elbows or tees in the circuit, or • thin nozzles installed at the end of the piping etc. This can cause valve opening/closing failure, or oscillation, and cause a valve malfunction.

Please check the pressure differential and flow to select the appropriate size of the valve referring to the Flow rate Characteristics on page 208. Ensure that pressure differential does not become lower than 0.01 MPa during ON (N.C.: Valve open). Selection

# A Warning

### 2. Fluid

### 1) Type of fluid

Select an appropriate valve with reference to the table below for the general fluid. Before using a fluid, check whether it is compatible with the materials of each model by referring to the fluids listed in this catalog. Use a fluid with a kinematic viscosity of 50 mm<sup>2</sup>/s or less.

If there is something you do not know, please contact SMC.

### Applicable Fluid

For Air	Air
For Water	Air, Water
For Oil	Air, Water, Oil
For Heated water	Air(up to 99°C), Water, Heated water
For High temperature oil	Air(up to 99°C), Water, Oil, High temperature oil

#### 2) Flammable oil, Gas

Do not use the product with combustion-supporting or flammable fluids.

### 3) Corrosive gas

Cannot be used since it will lead to cracks by stress corrosion or result in other incidents.

- 4) When a brass body is used, then depending on water quality, corrosion and internal leakage may occur. If such abnormalities occur, exchange the product for a stainless steel body.
- Use an oil-free specification when any oily particle must not enter the passage.
- 6) Applicable fluid on the list may not be used depending on the operating condition. Give adequate confirmation, and then determine a model, just because the compatibility list shows the general case.

### 3. Air quality

### <Air>

### 1) Use clean air.

Do not use compressed air that contains chemicals, synthetic oils including organic solvents, salt or corrosive gases, etc., as it can cause damage or malfunction.

### 2) Install an air filter.

Install air filters close to valves at their upstream side. filtration degree of 5  $\mu m$  or less should be selected.

### 3) Install an aftercooler or air dryer, etc.

Compressed air that contains excessive drainage may cause malfunction of valves and other pneumatic equipment. To prevent this, install an aftercooler or air dryer, etc.

### If excessive carbon powder is generated, eliminate it by installing mist separators at the upstream side of valves.

If excessive carbon powder is generated by the compressor, it may adhere to the inside of the valves and cause a malfunction.

Refer to Best Pneumatics No.5 for further details on compressed air quality.



Be sure to read this before handling the products. Refer to back page 50 for Safety Instructions and pages 17 to 19 for 2 Port Solenoid Valve for Fluid Control Precautions.

### Selection

# **M**Warning

### <Water>

The use of a fluid that contains foreign objects can cause problems such as malfunction and seal failure by promoting wear of the valve seat and armature, and by sticking to the sliding parts of the armature etc. Install a suitable filter (strainer) immediately upstream from the valve. As a general rule, use 100 mesh.

The supply water includes materials that create a hard sediment or sludge such as calcium and magnesium. Since this scale and sludge can cause the valve to malfunction, install water softening equipment, and a filter (strainer) directly upstream from the valve to remove these substances.

#### Tap water pressure:

The water pressure for tap water is normally 0.4 MPa or less. However, in places like a high-rise building, the pressure may be 1.0 MPa. When selecting tap water, be careful of the maximum operating pressure differential.

When using water or heated water, poor operation or leaks may be caused by dezincification, erosion, corrosion, etc.


The brass (C37) body of this product uses dezincification resistant material as a standard. We also offer a stainless steel body type with improved corrosion resistance. Please use the one that fits your needs.

### <0il>

Generally, FKM is used as seal material, as it is resistant to oil. The resistance of the seal material may deteriorate depending on the type of oil, manufacturer or additives. Check the resistance before using.

### <Vacuum>

Please be aware that there is a range of pressure that can be used.



Vacuum piping direction: if the system uses a vacuum pump, we ask that you install the vacuum pump on the secondary side.

Also, install a filter on the primary side, and be careful that no foreign object is picked up.

Please replace the valve after operating the device approximately 300,000 times.

# ▲Warning

### 4. Ambient environment

Use within the operable ambient temperature range. Check the compatibility between the product's composition materials and the ambient atmosphere. Be certain that the fluid used does not touch the external surface of the product.


### 5. Countermeasures against static electricity

Take measures to prevent static electricity since some fluids can cause static electricity.

# Caution

### 1. Leakage voltage

When the solenoid valve is operated using the controller, etc., the leakage voltage should be the product allowable leakage voltage or less. Particularly when using a resistor in parallel with a switching element and using a C-R element (surge voltage suppressor) to protect the switching element, take note that leakage current will flow through the resistor, C-R element, etc., creating a possible danger that the valve may not turn off.



AC coil: 5% or less of rated voltage DC coil: 2% or less of rated voltage

### 2. Selecting model

Material depends on fluid. Select optimal models for the fluid.

### 3. When the fluid is oil.

The kinematic viscosity must not exceed 50 mm<sup>2</sup>/s.

Mounting

# **Warning**

1. If air leakage increases or equipment does not operate properly, stop operation.

After mounting is completed, confirm that it has been done correctly by performing a suitable function test.

- Do not apply external force to the coil section. When tightening is performed, apply a wrench or other tool to the outside of the piping connection parts.
- 3. Mount a valve with its coil position upward, not downward.

When mounting a valve with its coil positioned downward, foreign objects in the fluid will adhere to the iron core leading to a malfunction.

- 4. Do not warm the coil assembly with a heat insulator etc. Use tape, heaters, etc., for freeze prevention on the piping and body only. They can cause the coil to burn out.
- 5. Secure with brackets, except in the case of steel piping and copper fittings.



Be sure to read this before handling the products. Refer to back page 50 for Safety Instructions and pages 17 to 19 for 2 Port Solenoid Valve for Fluid Control Precautions.

### Mounting

# **A** Warning

- 6. Avoid sources of vibration, or adjust the arm from the body to the minimum length so that resonance will not occur.
- 7. Painting and coating

Warnings or specifications printed or labeled on the product should not be erased, removed or covered up.

Piping

# **Warning**

1. During use, deterioration of the tube or damage to the fittings could cause tubes to come loose from their fittings and thrash about.

To prevent uncontrolled tube movement, install protective covers or fasten tubes securely in place.

2. For piping the tube, fix the product securely using the mounting holes so that the product is not in the air.

# **≜**Caution

### 1. Preparation before piping

Before piping is connected, it should be thoroughly blown out with air (flushing) or washed to remove chips, cutting oil and other debris from inside the pipe. Avoid pulling, compressing, or bending the valve body when piping.

- 2. Avoid connecting ground lines to piping, as this may cause electric corrosion of the system.
- Always tighten threads with the proper tightening torque. When attaching fittings to valves, tighten with the proper tightening torque shown below.

Lower tightening torque will lead into fluid leakage.

### **Tightening Torque for Piping**

Connection threads	s Proper tightening torque N·n		
Rc1/8	7 to 9		
Rc1/4	12 to 14		
Rc3/8	22 to 24		
Rc1/2	28 to 32		
Rc3/4			
Rc1	36 to 38		

### 4. Connection of piping to products

When connecting piping to a product, avoid mistakes regarding the supply port etc.

### 5. Winding of sealant tape

When connecting pipes, fittings, etc., be sure that chips from the pipe threads and sealing material do not enter the valve.

Furthermore, when sealant tape is used, leave 1.5 to 2 thread ridges exposed at the end of the threads.



Piping


# **▲**Caution

- 6. If a regulator and valve are connected directly, they may vibrate together and cause chattering. Do not connect directly.
- 7. If the cross-sectional area of piping for the fluid supply side is restricted, operation will become unstable due to inadequate pressure differential during valve operation. Use piping size for the fluid supply side that is suited to the port size.

### **Recommended Piping Conditions**

1. When connecting tubes using One-touch fittings, provide some spare tube length shown in Fig. 1, recommended piping configuration.

Also, do not apply external force to the fittings when binding tubes with bands etc. (see Fig. 2.)



### Fig. 1 Recommended piping configuration

				Unit: mm
Tubing	Tubing Mounting pitch A		Straight portion	
size	Nylon tubing	Soft nylon tubing	Polyurethane tubing	length
ø1/8"	44 or more	29 or more	25 or more	16 or more
ø6	84 or more	39 or more	39 or more	30 or more
ø1/4"	89 or more	56 or more	57 or more	32 or more
ø8	112 or more	58 or more	52 or more	40 or more
ø10	140 or more	70 or more	69 or more	50 or more
ø12	168 or more	82 or more	88 or more	60 or more




Fig. 2 Binding tubes with bands



Be sure to read this before handling the products. Refer to back page 50 for Safety Instructions and pages 17 to 19 for 2 Port Solenoid Valve for Fluid Control Precautions.

Wiring

# **A**Warning

1. Do not apply AC voltage to Class "H" coil AC type unless it is built in full-wave rectifier, or the coil will be damaged.

# **≜**Caution

- 1. As a rule, use electrical wire with a cross sectional area of 0.5 to 1.25 mm<sup>2</sup> for wiring. Furthermore, do not allow excessive force to be
- applied to the lines.
- 2. Use electrical circuits which do not generate chattering in their contacts.
- 3. Use voltage which is within  $\pm 10\%$  of the rated voltage. In cases with a DC power supply where importance is placed on responsiveness, stay within  $\pm 5\%$  of the rated value. The voltage drop is the value in the lead wire section connecting the coil.
- 4. When a surge from the solenoid affects the electrical circuitry, install a surge voltage suppressor etc., in parallel with the solenoid. Or, adopt an option that comes with the surge voltage protection circuit. (However, a surge voltage occurs even if the surge voltage protection circuit is used. For details, please consult with SMC.)

### **Operating Environment**

# **M**Warning

- 1. Do not use in an atmosphere having corrosive gases, chemicals, sea water, water, water steam, or where there is direct contact with any of these.
- 2. Do not use in explosive atmospheres.
- 3. Do not use in locations subject to vibration or impact.
- 4. Do not use in locations where radiated heat will be received from nearby heat sources.
- 5. Employ suitable protective measures in locations where there is contact with water droplets, oil or welding spatter, etc.

### Maintenance

A Warning

### 1. Removing the product

The valve will reach a high temperature when used with high temperature fluids. Confirm that the valve temperature has dropped sufficiently before performing work. If touched inadvertently, there is a danger of being burned.

- 1) Shut off the fluid supply and release the fluid pressure in the system.
- 2) Shut off the power supply.
- 3) Dismount the product.

### 2. Low frequency operation

Switch valves at least once every 30 days to prevent malfunction. Also, in order to use it under the optimum state, conduct a regular inspection once a half year.

# ▲Caution

## 1. Filters and strainers

- 1) Be careful regarding clogging of filters and strainers.
- Replace filter elements after one year of use, or earlier if the pressure drop reaches 0.1 MPa.
- 3) Clean strainers when the pressure drop reaches 0.1 MPa.

### 2. Lubrication

When using after lubricating, never forget to lubricate continuously.

### 3. Storage

In case of long term storage after use, thoroughly remove all moisture to prevent rust and deterioration of rubber materials etc.

4. Exhaust the drain from an air filter periodically.

### **Operating Precautions**

# **Warning**

- 1. If there is a possibility of reverse pressure being applied to the valve, take countermeasures such as mounting a check valve on the downstream side of the valve.
- 2. When problems are caused by a water hammer, install water hammer relief equipment (accumulator etc.), or use an SMC water hammer relief valve (VXR series). Please consult with SMC for details.
- 3. For pilot type 2-port solenoid valves, when the valve is closed, sudden pressure resulting from the startup of the fluid supply source (pump, compressor, etc.) may cause the valve momentarily to open and leakage to occur, so please exercise caution.
- 4. If the product is used in the conditions in which rapid decrease in the inlet pressure of the valve and rapid increase in the outlet pressure of the valve are repeated, excessive stress will be applied to the diaphragm, which causes the diaphragm to be damaged and dropped, leading to the operation failure of the valve. Check the operating conditions before use.




Electrical Connections

Be sure to read this before handling the products. Refer to back page 50 for Safety Instructions and pages 17 to 19 for 2 Port Solenoid Valve for Fluid Control Precautions.

# **≜**Caution

#### Grommet

Class B coil: AWG20 Insulator O.D. 2.6 mm Class H coil: AWG18 Insulator O.D. 2.1 mm



	Rated voltage	Lead wire color		
		1	2	
	DC	Black	Red	
	100 VAC	Blue	Blue	
	200 VAC	Red	Red	
	Other AC	Gray	Gray	

\* There is no polarity

### DIN terminal

### Disassembly


- After loosening the binding head screw with flange, then if the housing is pulled in the direction of the arrow, the connector will be removed from the solenoid valve.
- 2. Pull out the binding head screw with flange from the housing.
- There is a cutout on the bottom of the terminal block. Insert a small flat head screwdriver, etc. into this cutout, and remove the terminal block from the housing. (See figure below.)
- 4. Remove the ground nut, and pull out the washer and the rubber seal.
- Pass the cable through the ground nut, washer and rubber seal in this order, and insert these parts into the housing.
- Loosen the binding head screw of the terminal block, then insert the core wire or the crimped terminal of the lead wire into the terminal, and securely fix it with the binding head screw. The binding head screw of the terminal block is M3.

Note 1) Tighten the screw to a torque of between 0.5 and 0.6 N·m. Note 2) Cable O.D.: ø6 to ø12 mm

Note 3) For an outside cable diameter of ø9 to 12 mm, remove the internal parts of the rubber seal before using.


### Assembly

- Pass the cable through the ground nut, washer, rubber seal and the housing in this order, and connect to the terminal block. Then, set the terminal block inside the housing. (Push in the terminal block until it snaps into position.)
- 2. Insert the rubber seal and the washer in this order into the cable entry of the housing, and then tighten the ground nut securely.
- 3. Insert the gasket between the bottom part of the terminal block and the plug attached to the equipment, and then insert the binding head screw with flange from the top of the housing, and tighten it. Note 1) Tighten the screw to a torque of between 0.5 and 0.6 Nm.
  - Note 2) The orientation of the connector can be changed in steps of 90° by changing the method of assembling the housing and the terminal block.



**▲**Caution

Internal connections are as shown below.



Terminal no.	1	2
DIN terminal	+ (-)	- (+)
* There is no polarity		

\* There is no polarity

### Conduit terminal

### Disassembly

1. Loosen the mounting screw, and remove the terminal cover from the conduit terminal.

### Wiring

1. Insert the cable into the conduit terminal.

 Loosen the screw with UP terminal of the conduit terminal, then insert the core wire or the crimped terminal of the lead wire into the terminal, and securely fix it with the screw with UP terminal. Note 1) Tighten the screw to a torque of between 0.5 and 0.6 N·m.


### Assembly

1. Insert the gasket into the conduit terminal, and then clamp the terminal cover with the mounting screw.

Note 1) Tighten the screw to a torque of between 0.5 and 0.6 N·m.

Note 2) When changing the orientation of the conduit terminal, carry out the following procedure.


- Apply a tool (monkey wrench, spanner, etc.) to the width across flats of the conduit terminal, and turn the terminal in the counterclockwise direction.
- 2. Loosen the lock nut.
- Turn the conduit terminal in the clamping direction (clockwise direction) to about 15° ahead of the desired position.
- Turn the lock nut by hand to the coil side until it is lightly tightened.
- 5. Apply a tool to the width across flats of the conduit terminal, and turn it to the desired position (through an angle of about 15°) so as to clamp the conduit terminal.
- Note) When changing the orientation by applying additional tightening force to the conduit terminal from the factory-set position, turn no more than one half a turn.




VX2 VXK VXD VXZ VXS VXB VXB VXR VXR VXH VXH VXA



Be sure to read this before handling the products. Refer to back page 50 for Safety Instructions and pages 17 to 19 for 2 Port Solenoid Valve for Fluid Control Precautions.





(Bore size G1/2 Tightening torque 0.5 to 0.6 N·m)


Deterlushers	Lead wire color		
Rated voltage	1	2	
DC	Black	Red	
100 VAC	Blue	Blue	
200 VAC	Red	Red	
Other AC	Gray	Gray	

\* There is no polarity

Description	Part no.
Seal	VCW20-15-6

Note) Please order separately.





**One-touch Fitting** 

# **≜**Caution

For information on handling One-touch fittings and appropriate tubing, refer to page 211 and the KQ2 series One-touch fittings in Best Pneumatics No. 7.