

[Language](#)

Search

Extended search

[Home](#) | [Imprint](#) | [Data protection](#) | [Index \(A-Z\)](#) | [Login](#) | [www.schmersal.com](#) | [Image database](#)



- [Safe switching and monitoring](#)
- [Safe signal processing](#)
- [Automation technology](#)
- [Devices for Ex Zones](#)
- [Lift switchgear](#)
- [Further products/software](#)
- [Archive](#)
- [Documents](#)

Home

Magnetic reed switch | Actuator | **BP 8**

BP 8

Add Product to the basket:

Datasheet

- Unenclosed
- S-pole marked red



[Data](#) | [Images](#)

Preferred type

Ordering details

Product type description BP 8
 Article number 101054816
 EAN code 4030661001869

Global Properties

Product name Magnet
 Weight 5 g
 Special characteristics Unenclosed

Dimensions

Dimensions of the actuators
 - Width of the actuator 7.7 mm
 - Diameter of the actuator 11.8 mm

K.A. Schmersal GmbH & Co. KG, Mödinghofe 30, D-42279 Wuppertal
 The data and values have been checked thoroughly. Technical modifications and errors excepted.
 Generiert am 05.09.2014 - 00:41:29h Kasbase 2.2.18.F DBI

Print this page send URL

Copyright © 2007-2013 K.A. Schmersal GmbH & Co. KG - Kasbase 2.2.18.F DBI-c-1.

Back to top of page

[Product hierarchy](#) | [Basket \[0\]](#) | [Compare \[0\]](#) | [History](#)

- Automation technology
 - Inductive proximity switch
 - Photo-electric proximity switches
 - Position switch
 - Magnetic reed switch
 - BN 12
 - BN 20
 - BN 32
 - BN 65
 - BN 75
 - BN 80
 - BN 85
 - BN 310
 - BN 325
 - BN 85-5
 - BN 120
 - BN 650
 - Actuator
 - BP 6
 - BP 8
 - BP 10
 - BP 15 SS
 - BP 15
 - BP 15/2
 - BP 11
 - BP 11 N
 - BP 11 S
 - BP 12
 - BP 12 N
 - BP 12 S
 - BP 20
 - BP 20 N
 - BP 20 S
 - BP 7
 - BP 34
 - BP 31
 - BP 31 N
 - BP 31 S
 - BP 2x22/1 N(S)
 - BP 2x22/2 N(S)
 - BP 2x21 N
 - BP 2x21 S
 - BP 2x12 N
 - BP 2x12 S
 - BP 2x11 N
 - BP 2x11 S
 - BP 22/1
 - BP 22/2
 - BP 22 N (S)
 - BP 21
 - BP 21 N
 - BP 21 S
- Rotating spindle limit switch
- Pull-wire switches
- Slack-wire switch
- Belt alignment switch
- Gear-switches
- Micro switches
- Foot switch
- Command and signalling devices
- Shaft encoder