

Synergy® modern control switches



7310 10




7312 12



7310 23



7312 22



Flush mounting back boxes

p. 187



7310 16



7312 14












7310 29











Red LED power indicator




Front plates : clip on die cast plate with high quality satin finish; anthracite interiors; matching decorative rockers (except where indicated)
Terminal screws captive and backed off ready for cabling

Pack	Cat. Nos.		Double pole switches 20 A - 250 V~	
			Conform to BS EN 60669-1 : 2000 Flush mounting back box : min. 25 mm deep Nominal plate dimensions : 89 x 89 mm	
1	7310 10	7312 10		20 A DP
1	7310 14	7312 14		20 A DP with cord outlet
1	7310 16	7312 16		20 A DP with cord outlet + red LED power indicator
1	7310 12	7312 12		20 A DP + red LED power indicator

Pack	Cat. Nos.		Cable outlets 20 A - 250 V~	
			Conform to BS 5733 : 1995 Flush mounting back box : min. 25 mm deep Nominal plate dimensions : 86 x 86 mm	
1	7310 19	7312 19		20 A – with terminal block and outlet gland

Pack	Cat. Nos.		Double pole switches 45 A - 250 V~	
			Conform to BS EN 60669-1 : 1995 Red rocker Flush mounting back box : min. 48 mm deep Nominal plate dimensions : 89 x 89 mm	
1	7310 22	7312 22		45 A DP
1	7310 23	7312 23		45 A DP with red power indicator
1	7310 21	7312 21		45 A DP with red power indicator Stainless steel plate with fixing screws

Pack	Cat. Nos.		Cooker control units 45 A - 250 V~	
			Conform to BS 4177 : 1992 Red rocker Flush mounting back box : min. 47 mm deep Nominal plate dimensions : 89 x 149 mm	
1	7310 29	7312 29		45 A DP switch + 13 A DP switched socket outlet

Pack	Cat. Nos.		Cable outlets 45 A - 250 V~	
			Conform to BS 5733 : 1995 2 piece design for safety Stainless steel plate with fixing screws Flush mounting back box : min. 48 mm deep Nominal plate dimensions : 86 x 86 mm	
1	7310 26	7312 26		45 A – with terminal block

Synergy® modern


TV, telephone and data sockets



7310 42



7312 43



Flush mounting back boxes **p. 187**



7310 50



7312 56



8201 45

Front plates : clip on die cast plate with high quality satin finish; anthracite interiors
Terminal screws captive and backed off ready for cabling

Pack	Cat. Nos.		TV, radio and satellite sockets	
			Flush mounting back box : min. 35 mm deep Nominal plate dimensions : 89 x 89 mm	
1	7310 40	7312 40		Screened TV – single, male Non-isolated
1	7310 41	7312 41		Screened satellite – single, 'F' type
1	7310 42	7312 42		Screened TV + FM Isolated
1	7310 43	7312 43		Screened TV + FM + satellite, 'F' type
			Nominal plate dimensions : 86 x 146 mm	
1	7310 45 ¹	7312 45 ¹		Quad outlet, TV, radio + 2 satellite + TV return with secondary telephone outlet ²

Pack	Cat. Nos.		Telephone sockets	
			Flush mounting back box : min. 35 mm deep Nominal plate dimensions : 89 x 89 mm	
1	7310 50 ¹	7312 50 ¹		Single master
1	7310 51 ¹	7312 51 ¹		Single secondary
1	7310 54	7312 54		Single RJ11/12

Pack	Cat. Nos.		Data sockets	
			CAT 6 compliant UTP Rapid cable connection Flush mounting back box : min. 35 mm deep Nominal plate dimensions : 89 x 89 mm	
1	7310 56	7312 56		RJ45 – single
1	7310 57	7312 57		RJ45 – double

1 : Not suitable for use in the ROI
2 : Stainless steel plate with fixing screws

Pack	Cat. Nos.		Media plate (monobloc)	
			Comprising 2 x independent satellite feeds, 1 x terrestrial TV socket suitable for analogue and digital signals, 1 x video return, 1 x secondary telephone point, 2 x Synergy 2 gang switched DP 13 A sockets To be used with back box Cat. No. 8204 58 below Dimensions : 206 x 267 mm Material : stainless steel	
1	8201 46	8201 45		Media plate

Pack	Cat. Nos.		Back box for media plate	
			Dimensions : 194 x 254 x 35 mm With phase barrier Material : grey epoxy coated steel	
1		8204 58	35 mm deep box	

Download the full file at

<http://assets.kempstoncontrols.com/doc/Legrand%20Wiring%20Devices%202012.pdf>



KEMPSTON
CONTROLS