

REVERSING CONTACTOR ASSEMBLY AC-3,  
5.5KW/400V, 3-POLE,SZ. S00 SCREW CONNECTION,  
AC 230V, 50/60 HZ ELECTR. AND MECH.  
INTERLOCKING



Figure similar

General technical data:

Product function		reversing contactor
Size of contactor		S00
Width	mm	90
Height	mm	67
Depth	mm	72
Equipment marking acc. to DIN EN 61346-2		Q
Equipment marking acc. to DIN 40719 extended according to IEC 204-2 acc. to IEC 750		K

Control circuit/ Control:

Type of voltage of the control supply voltage		AC
Control supply voltage 1		
• at AC		
— at 50 Hz rated value	V	230
— at 60 Hz rated value	V	230
Control supply voltage frequency		
• 1 rated value	Hz	50

• 2 rated value

Hz	60
----	----

#### Main circuit:

Operating current at AC-3 at 400 V rated value	A	12
Operating power at AC-3 at 400 V rated value	kW	5.5

#### Auxiliary circuit:

Number of NC contacts for auxiliary contacts per direction of rotation		0
Number of NO contacts for auxiliary contacts per direction of rotation		0






#### Connections/ Terminals:





Type of electrical connection for main current circuit		screw-type terminals
Mounting type		screw and snap-on mounting onto 35 mm standard mounting rail according to DIN EN 50022

#### Ambient conditions:

Ambient temperature during operation	°C	-25 ... +60
Protection class IP on the front		IP20

#### Certificates/ approvals:

General Product Approval	Declaration of Conformity	Test Certificates	Shipping Approval
 CSA	 UL	 EAC	 EG-Konf.
		<a href="#">Special Test Certificate</a>	 BUREAU VERITAS

Shipping Approval	other
 LRS	 PRS
 RINA	 RMRS
<a href="#">Confirmation</a>	

#### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**

<http://www.siemens.com/industrymall>

**Cax online generator**

<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RA1317-8XB30-1AP0>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3RA1317-8XB30-1AP0>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3RA1317-8XB30-1AP0&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RA1317-8XB30-1AP0&lang=en)




Figure similar

last modified:

08/10/2017