



**NDTGN**

## Data

### Ordering data

Product type description	NDTGN
Article number (order number)	101163556
EAN (European Article Number)	4250116200030
eCl@ss number, Version 9.0	27-37-12-10

### Certifications

Certificates	cULus
	CCC
	IPA

### General data

Product name	NDT - Pushbutton
Standards	EN 60947-5-1
	IEC/EN 60947-1
Versions	Embeddable button - Front plate mounting
	Round
Sealing type	Membrane
	Lip gaskets
Material of the operators	ABS
Material of the front ring	ABS, chrome-plated
Colour of the operating element	Green
Colour of the front ring	Silver
Colour of the bellows	White
Gross weight	25 g

## General data - Features

Mounting flange	Yes
Probing possible	Yes
Fully insulated	Yes

## Mechanical data

Unlocking	without
Mounting	Mounting flange EFM
Actuating stroke	5 mm
Tightening torque of the screw	0.6 Nm

## Mechanical data - Dimensions

Height	11 mm
diameters for the actuating heads	44.5 mm
Diameter hole	22.3 mm
Diameter hole, with tolerance indication	22.3 + 0.4 mm
Thickness, of the front panel, minimum	1.5 mm
Thickness of the front panel, maximum	6 mm
Spacing	50 x 50 mm

## Ambient conditions

Protection class	IP67 IP69K
Ambient temperature, minimum	-25 °C
Ambient temperature, maximum	+80 °C

## Pictures

### Product picture (catalogue individual photo)



ID: kndt-f02

| 54,4 kB | .jpg | 23.223 x 20.828 mm - 320 x 287 Pixel  
- 350 dpi

| 35,7 kB | .png | 74.083 x 66.322 mm - 210 x 188  
Pixel - 72 dpi

| 368,7 kB | .jpg | 352.778 x 316.794 mm - 1000 x 898  
Pixel - 72 dpi

K.A. Schmersal GmbH & Co. KG, Möddinghofe 3, D-42279 Wuppertal

The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.

Generated on 15.06.2020 11:54:23