

Synergy® Authentic

cooker control units and fused connection units



Synergy® Authentic

shaver sockets, cable outlets, blanking plates and cord outlets



8332 29



8334 37

Slim front plate:

BSS: Plates made of austenitic Stainless Steel - non-magnetic - grade 304 L

PSS: Plates made of Stainless Steel + rust resistance

G: Plates made of Stainless Steel + rust resistance

Terminal screws captive and backed off ready for cabling - large angled terminal entries. Compact mechanism for maximum wiring space

Pack	Cat.Nos.	Cooker control units - 250 V~
		Conform to BS 4177 : 1992 Flush mounting back box : min. 47 mm deep Nominal plate dimensions : 86 x 146 mm
		45 A DP switch + 13 A DP switched socket outlet with blue LED power indicator
1	8330 29	● Brushed stainless steel
1	8332 29	● Polished stainless steel
1	8334 29	● Gold
		Fused connection units 13 A - 250 V~
		Conform to BS 1363 : Part. 4 Front cable outlet with cord grip Fuse supplied Locked captive fuse carrier (padlockable) Flush mounting back box : min. 25 mm deep
		Unswitched with cord outlet Nominal plate dimensions : 86 x 86 mm
1	8330 32	● Brushed stainless steel
1	8332 32	● Polished stainless steel
1	8334 32	● Gold
		Unswitched without cord outlet Nominal plate dimensions : 86 x 86 mm
1	8330 30	● Brushed stainless steel
1	8332 30	● Polished stainless steel
1	8334 30	● Glossy gold
		Unswitched with blue LED power indicator Nominal plate dimensions : 86 x 86 mm
1	8330 31	● Brushed stainless steel
1	8332 31	● Polished stainless steel
1	8334 31	● Gold
		Unswitched with blue LED power indicator + cord outlet Nominal plate dimensions : 86 x 86 mm
1	8330 33	● Brushed stainless steel
1	8332 33	● Polished stainless steel
1	8334 33	● Gold
		DP switched without cord outlet Nominal plate dimensions : 86 x 146 mm
1	8330 34	● Brushed stainless steel
1	8332 34	● Polished stainless steel
1	8334 34	● Gold
		DP switched with blue LED power indicator Nominal plate dimensions : 86 x 146 mm
1	8330 35	● Brushed stainless steel
1	8332 35	● Polished stainless steel
1	8334 35	● Gold
		DP switched with blue LED power indicator + cord outlet Nominal plate dimensions : 86 x 146 mm
1	8330 37	● Brushed stainless steel
1	8332 37	● Polished stainless steel
1	8334 37	● Gold



8332 90



8330 19



8334 95

Slim front plates:

BSS: Plates made of austenitic Stainless Steel - non-magnetic - grade 304 L

PSS: Plates made of Stainless Steel + rust resistance

G: Plates made of Stainless Steel + rust resistance

Terminal screws captive and backed off ready for cabling - large angled terminal entries. Compact mechanism for maximum wiring space

Pack	Cat.Nos.	Shaver sockets
		Conform to BS EN 61558-2-5 Suitable for use with European, British and Australian 2 pin plugs Rating : 20 VA IP 24 Screwless live and neutral terminals Flush mounting back box : min. 45 mm deep Nominal plate dimensions : 146 x 86 mm
		230/120 V~ - 50/60 Hz
1	8330 90	● Brushed stainless steel
1	8332 90	● Polished stainless steel
1	8334 90	● Gold
		Cable outlets
		Conform to BS 5733 Fitted clamp and outlet membrane With terminal block Nominal plate dimensions : 86 x 86 mm
		20 A - 250 V~
1	8330 19	● Brushed stainless steel
1	8332 19	● Polished stainless steel
1	8334 19	● Gold
		45 A - 250 V~
1	8330 26	● Brushed stainless steel
1	8332 26	● Polished stainless steel
1	8334 26	● Gold
		Blanking plates
		1 gang Nominal plate dimensions : 86 x 86 mm
1	8330 95	● Brushed stainless steel
1	8332 95	● Polished stainless steel
1	8334 95	● Gold
		2 gang Nominal plate dimensions : 86 x 146 mm
1	8330 96	● Brushed stainless steel
1	8332 96	● Polished stainless steel
1	8334 96	● Gold
		Cord outlets
		1 gang Nominal plate dimensions : 86 x 86 mm
1	8330 52	● Brushed stainless steel
1	8332 52	● Polished stainless steel
1	8334 52	● Gold

Synergy® Authentic

telephone, data sockets and television sockets



Slim front plate:

BSS: Plates made of austenitic Stainless Steel - non-magnetic - grade 304 L

PSS: Plates made of Stainless Steel + rust resistance

G: Plates made of Stainless Steel + rust resistance

Terminal screws captive and backed off ready for cabling - large angled terminal entries

Compact mechanism for maximum wiring space

Pack	Cat.Nos.	Telephone sockets
		Flush mounting back box : min. 35 mm deep Nominal plate dimensions : 86 x 86 mm
1	8330 50	UK master
1	8332 50	● Brushed stainless steel
1	8334 50	● Polished stainless steel
		● Gold
1	8330 51	UK secondary
1	8332 51	● Brushed stainless steel
1	8334 51	● Polished stainless steel
		● Gold
1	8330 54	RJ 11/RJ 12 - single
1	8332 54	● Brushed stainless steel
1	8334 54	● Polished stainless steel
		● Gold
		Data sockets CAT. 6
		Rapid cable connection Flush mounting back box : min. 35 mm deep Nominal plate dimensions : 86 x 86 mm
1	8330 56	RJ 45 - single
1	8332 56	● Brushed stainless steel
1	8334 56	● Polished stainless steel
		● Gold
1	8330 57	RJ 45 - twin
1	8332 57	● Brushed stainless steel
1	8334 57	● Polished stainless steel
		● Gold

Pack	Cat.Nos.	Television sockets
		Flush mounting back box : min. 47 mm deep Screened Nominal plate dimensions : 86 x 86 mm
1	8330 40	TV socket - single male
1	8332 40	● Brushed stainless steel
1	8334 40	● Polished stainless steel
		● Gold
1	8330 41	SAT socket - single "F" type
1	8332 41	● Brushed stainless steel
1	8334 41	● Polished stainless steel
		● Gold
1	8330 43	TV-R-SAT socket - "F" type
1	8332 43	● Brushed stainless steel
1	8334 43	● Polished stainless steel
		● Gold
		Quad outlet
		Quad outlet, TV, radio + 2 satellite + TV return with secondary telephone outlet Nominal plate dimensions : 86 x 146 mm
1	8216 63	● Brushed stainless steel
1	8216 64	● Polished stainless steel
1	8216 65	● Gold
		Media plate (monobloc)
		Comprising : • 2 x independent satellite feeds • 1 x terrestrial TV socket suitable for analogue and digital signals • 1 x video return • 1 gang x 2 modules Arteur carrier plate with blanks, suitable for Arteur mechanisms (telephone, HDMI, RJ45, RCA) • 2 x Synergy 2 gang switched double pole 13 A sockets To be used with back box Cat. No. 8204 58 (see below) Nominal plate dimensions : 206 x 267 mm
1	8216 60	● Brushed stainless steel
1	8216 61	● Polished stainless steel
1	8216 62	● Gold
		Back box for media plate
		Dimensions : 194 x 254 x 35 mm With phase barrier Material : grey epoxy coated steel 35 mm deep box
1	8204 58	

Download the full file at

<http://assets.kempstoncontrols.com/doc/Synergy%20Wiring%20Accessories.pdf>



KEMPSTON
CONTROLS