

Synergy® grid system

switch modules



7354 00



7355 01



7354 11



7355 17



7354 21

Installation options **p. 66**
Grid selection charts **p. 64-65**

Modules mount from front into grid support frames
Individually removable without disturbing grid

Pack	Cat. Nos.		Single pole switch modules 10 AX - 250 V~
	White	Anthracite	
10	7354 00	7355 00	Conform to BS EN 60669-1 1 way switch
10	7354 01	7355 01	1 way switch + red LED power indicator
10	7354 03	7355 03	2 way switch
10	7354 07	7355 07	Intermediate switch

Pack	Cat. Nos.		Single pole switch modules 20 AX - 250 V~
	White	Anthracite	
10	7354 10	7355 10	Conform to BS EN 60669-1 1 way switch
1	7354 11	7355 11	1 way switch + red LED power indicator
10	7354 12	7355 12	2 way switch
10	7354 13	7355 13	2 way centre off ¹
10	7354 14	7355 14	2 way retractive centre off ¹
1	7354 14AR	7355 14AR	2 way retractive centre off marked with up + down arrows ¹
10	7354 15	7355 15	2 way push switch ¹
10	7354 18	7355 18	Intermediate switch

Pack	Cat. Nos.		Single pole push switch modules 10 A - 250 V~
	White	Anthracite	
10	7354 05	7355 05	Conform to BS EN 60669-1 2 way push switch
1	7354 05PE	7355 05PE	2 way push switch marked "PRESS TO EXIT"
1	7354 06	7355 06	2 way push switch marked "BELL"

Pack	Cat. Nos.		Single pole key switch modules 20 AX - 250 V~
	White	Anthracite	
10	7354 16	7355 16	Conform to BS EN 60669-1 Key supplied 2 way key switch
10	7354 17	7355 17	2 way key switch retractive centre off ¹

1 : 20 A rated only

Pack	Cat. Nos.		Double pole switch modules 20 AX - 250 V~
	White	Anthracite	
10	7354 20	7355 20	Conform to BS EN 60669-1 Switch
10	7354 21	7355 21	Switch + red LED power indicator
10 1	7354 22 7354 25	7355 22 7355 25	Push to make ¹ Push to break ¹

Pack	Cat. Nos.		Double pole key switch modules 20 AX - 250 V~
	White	Anthracite	
10 10	7354 23 7354 23ET	7355 23 7355 23ET	Conform to BS EN 60669-1 Key supplied Key switch Key switch marked "EMERGENCY LIGHT TEST"
10	7354 24	7355 24	Key switch + red LED power indicator

Pack	Cat. Nos.		Spare key
	White	Anthracite	
5	0811 77		Spare key for Synergy key switch functions

1 : 20 A rated only

Synergy® grid system

dimmer, fuse carrier, ancillary modules and decorative rockers



7355 48



7350 30



7352 56



7355 41



7352 65



8326 06

Installation options p. 66
Grid selection charts p. 64-65

Modules mount from front into grid support frames
Individually removable without disturbing grid

Pack	Cat. Nos.	Dimmer unit modules 100-240 V~ 50/60 Hz		
1	<table border="1"> <tr> <td>White 7354 46</td> <td>Anthracite 7355 46</td> </tr> </table>	White 7354 46	Anthracite 7355 46	<p>Conform to BS EN 60669-2-1</p> <p> Dimmer for use with tungsten filament lamps, good quality wire-wound transformers and compatible electronic transformers for low voltage loads¹ 40 - 300 W</p> <p>Not suitable for fluorescent loads</p>
White 7354 46	Anthracite 7355 46			

Pack	Cat. Nos.	Dimmer unit modules - dimmable HF ballast fluorescent 100-240 V~ 50/60 Hz		
1	<table border="1"> <tr> <td>White 7354 48</td> <td>Anthracite 7355 48</td> </tr> </table>	White 7354 48	Anthracite 7355 48	<p>Conform to BS EN 60669-2-1</p> <p> Leading edge dimmer for potentiometer 0-10 V</p>
White 7354 48	Anthracite 7355 48			

Pack	Cat. Nos.	Time delay switch 100-240 V~ 50/60 Hz		
1	<table border="1"> <tr> <td>White 7354 47</td> <td>Anthracite 7355 47</td> </tr> </table>	White 7354 47	Anthracite 7355 47	<p>Conform to BS EN 60669-2-3</p> <p> Multiple way soft start time delay switch Push operated delay pre-set for 3, 10 or 30 minutes 40 - 400 W</p> <p>Not suitable for fluorescent loads</p>
White 7354 47	Anthracite 7355 47			

Pack	Cat. Nos.	Fuse carrier modules 13 A - 250 V~		
10	<table border="1"> <tr> <td>White 7350 30</td> <td>Anthracite 7351 30</td> </tr> </table>	White 7350 30	Anthracite 7351 30	<p>Conform to BS 5733</p> <p> Fuse module fitted with BS 1362 13 A fuse</p>
White 7350 30	Anthracite 7351 30			


Pack	Cat. Nos.	Indicator modules - 250 V~		
1	<table border="1"> <tr> <td>White 7350 60</td> <td>Anthracite 7351 60</td> </tr> </table>	White 7350 60	Anthracite 7351 60	<p>Conform to BS 5733</p> <p> Indicator - red LEDs Indicator - green LEDs</p>
White 7350 60	Anthracite 7351 60			
1	<table border="1"> <tr> <td>White 7350 62</td> <td>Anthracite 7351 62</td> </tr> </table>	White 7350 62	Anthracite 7351 62	
White 7350 62	Anthracite 7351 62			

Pack	Cat. Nos.	Ancillary modules		
1	<table border="1"> <tr> <td>White 7354 50</td> <td>Anthracite 7355 50</td> </tr> </table>	White 7354 50	Anthracite 7355 50	<p> Telephone socket - single master Telephone socket - single secondary</p>
White 7354 50	Anthracite 7355 50			
1	<table border="1"> <tr> <td>White 7354 51</td> <td>Anthracite 7355 51</td> </tr> </table>	White 7354 51	Anthracite 7355 51	
White 7354 51	Anthracite 7355 51			
10	<table border="1"> <tr> <td>White 7352 56</td> <td>Anthracite 7353 56</td> </tr> </table>	White 7352 56	Anthracite 7353 56	<p> RJ 45 data outlet CAT 6 compliant Rapid cable connection UTP 8 contact</p>
White 7352 56	Anthracite 7353 56			
10	<table border="1"> <tr> <td>White 7354 40</td> <td>Anthracite 7355 40</td> </tr> </table>	White 7354 40	Anthracite 7355 40	
White 7354 40	Anthracite 7355 40			
10	<table border="1"> <tr> <td>White 7354 41</td> <td>Anthracite 7355 41</td> </tr> </table>	White 7354 41	Anthracite 7355 41	<p> Screened TV - single Non-isolated male Ø9.5 mm</p> <p> Screened satellite</p>
White 7354 41	Anthracite 7355 41			
10	<table border="1"> <tr> <td>White 7352 65</td> <td>Anthracite 7353 65</td> </tr> </table>	White 7352 65	Anthracite 7353 65	
White 7352 65	Anthracite 7353 65			
20	<table border="1"> <tr> <td>White 7354 36</td> <td>Anthracite 7355 36</td> </tr> </table>	White 7354 36	Anthracite 7355 36	<p> Blank module</p>
White 7354 36	Anthracite 7355 36			

Pack	Cat. Nos.	Decorative rockers - single pole switches 10 AX - 250 V~		
1	<table border="1"> <tr> <td>White 8326 00</td> <td>Anthracite 8326 06</td> </tr> </table>	White 8326 00	Anthracite 8326 06	<p>1 way switch</p> <ul style="list-style-type: none"> ● Brushed stainless steel ● Polished stainless steel ● Gold
White 8326 00		Anthracite 8326 06		
1		<p>2 way switch</p> <ul style="list-style-type: none"> ● Brushed stainless steel ● Polished stainless steel ● Gold 		
1	<p>Intermediate switch</p> <ul style="list-style-type: none"> ● Brushed stainless steel ● Polished stainless steel ● Gold 			
1		<table border="1"> <tr> <td>White 8326 02</td> <td>Anthracite 8326 08</td> </tr> </table>	White 8326 02	Anthracite 8326 08
White 8326 02	Anthracite 8326 08			
1	<table border="1"> <tr> <td>White 8326 14</td> <td>Anthracite 8326 14</td> </tr> </table>	White 8326 14	Anthracite 8326 14	
White 8326 14	Anthracite 8326 14			

Pack	Cat. Nos.	Decorative rockers - single pole switches 20 AX - 250 V~		
1	<table border="1"> <tr> <td>White 8326 03</td> <td>Anthracite 8326 09</td> </tr> </table>	White 8326 03	Anthracite 8326 09	<p>1 way switch</p> <ul style="list-style-type: none"> ● Brushed stainless steel ● Polished stainless steel ● Gold
White 8326 03		Anthracite 8326 09		
1		<p>2 way switch</p> <ul style="list-style-type: none"> ● Brushed stainless steel ● Polished stainless steel ● Gold 		
1	<p>2 way retractive centre off switch</p> <ul style="list-style-type: none"> ● Brushed stainless steel ● Polished stainless steel ● Gold 			
1		<table border="1"> <tr> <td>White 8326 04</td> <td>Anthracite 8326 10</td> </tr> </table>	White 8326 04	Anthracite 8326 10
White 8326 04	Anthracite 8326 10			
1	<table border="1"> <tr> <td>White 8326 10</td> <td>Anthracite 8326 16</td> </tr> </table>	White 8326 10	Anthracite 8326 16	
White 8326 10	Anthracite 8326 16			
1	<table border="1"> <tr> <td>White 8326 05</td> <td>Anthracite 8326 11</td> </tr> </table>	White 8326 05	Anthracite 8326 11	<p>Decorative rockers - single pole switches 20 AX - 250 V~</p>
White 8326 05	Anthracite 8326 11			
1	<table border="1"> <tr> <td>White 8326 11</td> <td>Anthracite 8326 17</td> </tr> </table>	White 8326 11	Anthracite 8326 17	
White 8326 11	Anthracite 8326 17			

Complete range of grid front plates and support frames p. 64-65



¹ : Can be used in conjunction with compatible electronic transformers for low voltage loads. It will be necessary to test that the dimmer mechanism is compatible with the electronic transformer identified for installation

Download the full file at

<http://assets.kempstoncontrols.com/doc/Synergy%20Wiring%20Accessories.pdf>



KEMPSTON
CONTROLS