

ENSTO

PRODUCT SPECIFICATION

15.01.2018



6418677155963

SPCK182515G

Cubo S enclosure

Code	SPCK182515G
GTIN	6418677155963
ENumber	
Name	Cubo S enclosure Size 175 x 250 x 150 mm, 50 mm base, Pg knockouts, grey cover, PC
Description	Ensto Cubo S is a series of small to medium size enclosures available with knockouts or plain sides. The base of the enclosures is equipped with unique slots for printed circuit boards.
Vendor	Ensto Finland Oy



Technical specification

Technical specification

Content: Enclosure base, cover, cover screws, mounting screws

Dimensions

Weight:	0.90 kg
Width:	175 mm
Size:	175 x 250 x 150
Height:	250 mm
Depth:	150 mm
Inner depth:	135.5 mm
Outer base depth:	50 mm
Outer cover height:	100 mm

Temperatures

Operating temperature:	-40 ... +80 °C
Short term temperature range:	-40 ... +120 °C

Materials

Base: Fiberglass reinforced polycarbonate

Cover:	Polycarbonate
Cover screws:	Polyamide
Gasket:	Polyurethane
Material selection:	Polycarbonate

Colors

Color:	Grey
---------------	------

Features

Knockouts:	4 x Pg16/21 + 4 x Pg9/16 + 12 x Pg9/13.5
-------------------	--

Mechanical

Impact strength:	IK 08
-------------------------	-------

Certificates

Standards:	EN 62208, GOST R
-------------------	------------------

Ratings

Degree of protection:	IP66/IP67
Flammability rating:	UL 746C 5 inch flame test
ETIM 7:	EC000261

ETIM

ETIM

Height:	250 mm
Wall fastening possible:	true
Surface finishing:	Untreated
Colour:	Grey
With mounting plate:	false
With glazed door:	false
Impact strength:	IK08
Degree of protection (IP):	IP67
Depth:	75 mm
Width:	175 mm
Material:	Plastic
RAL-number:	7035
Suitable for outdoor set-up:	true

Packaging

Default package

Unit:	PCS
Size:	6
Length:	470 mm
Width:	390 mm
Height:	295 mm

Weight (net):	5.394 kg
Weight (brt):	6.005 kg
Volume:	54.0735

Pallet package

Unit:	PCS
Size:	90
Length:	1200 mm
Width:	800 mm
Height:	1090 mm
Weight (net):	90.975 kg
Weight (brt):	115.975 kg
Volume:	1046.4