


flush mounting steel back boxes



0891 10



0891 13




0891 11









surface mounting metal back boxes













7364 00



7364 01

| Pack | Cat. Nos. | Flush mounting back boxes |
|------|-----------|---|
| | | Conform to BS 4662 Material : galvanised steel Top, side and back knockout entries according to type of box |
| 100 | 0891 09 | Depth 16 mm  1 gang with 1 fixed lug, 1 adjustable lug and 1 earth terminal |
| 50 | 0891 10 | Depth 25 mm  1 gang with 3 fixed lugs, 1 adjustable lug and 1 earth terminal |
| 10 | 0891 11 |  2 gang with 1 fixed lug, 1 adjustable lug and 1 earth terminal |
| 50 | 0891 13 | Depth 35 mm  1 gang with 3 fixed lugs, 1 adjustable lug and 1 earth terminal |
| 40 | 0891 14 |  2 gang with 1 fixed lug, 1 adjustable lug and 1 earth terminal |
| 40 | 0891 40 |  Dual box with 2 earth terminals Accepts 2 single gang accessories |
| 25 | 0891 17 | Depth 48 mm  1 gang with 3 fixed lugs, 1 adjustable lug and 1 earth terminal |
| 20 | 0891 18 |  2 gang with 1 fixed lug, 1 adjustable lug and 1 earth terminal |

| Pack | Cat. Nos. | Architrave back boxes |
|------|-----------|---|
| 5 | 7364 40 | Depth 26 mm  Dimensions : 82 x 28 mm |
| 5 | 7364 41 |  Dimensions : 142 x 28 mm |

| Pack | Cat. Nos. | Surface mounting metal back boxes |
|------|-----------|--|
| | | Conform to BS 5733 where applicable Material : grey epoxy coated steel |
| | | Depth 37 mm |
| 10 | 7364 00 | Dimensions : 86 x 86 mm  1 gang With knockouts |
| 10 | 7364 20 |  1 gang Without knockouts |
| 5 | 7364 01 | Dimensions : 86 x 146 mm  2 gang With knockouts |
| 5 | 7364 21 |  2 gang Without knockouts |
| 1 | 7364 18 | Dimensions : 146 x 146 mm  6/8 module grid With knockouts |
| 1 | 7364 22 |  6/8 module grid Without knockouts |
| 1 | 7364 28 | Dimensions : 207 x 146 mm  9/12 module grid With knockouts |
| 1 | 7364 32 |  9/12 module grid Without knockouts |

Synergy® grid system

switch modules



7354 00



7355 01



7354 11



7355 17



7354 21

Installation options **p. 66**
Grid selection charts **p. 64-65**

Modules mount from front into grid support frames
Individually removable without disturbing grid

| Pack | Cat. Nos. | | Single pole switch modules 10 AX - 250 V~ |
|------|-----------|------------|--|
| | White | Anthracite | |
| 10 | 7354 00 | 7355 00 | Conform to BS EN 60669-1 1 way switch |
| 10 | 7354 01 | 7355 01 | 1 way switch + red LED power indicator |
| 10 | 7354 03 | 7355 03 | 2 way switch |
| 10 | 7354 07 | 7355 07 | Intermediate switch |

| Pack | Cat. Nos. | | Single pole switch modules 20 AX - 250 V~ |
|------|-----------|------------|--|
| | White | Anthracite | |
| 10 | 7354 10 | 7355 10 | Conform to BS EN 60669-1 1 way switch |
| 1 | 7354 11 | 7355 11 | 1 way switch + red LED power indicator |
| 10 | 7354 12 | 7355 12 | 2 way switch 2 way centre off ¹ 2 way retractive centre off ¹ 2 way retractive centre off marked with up + down arrows ¹ |
| 10 | 7354 13 | 7355 13 | |
| 10 | 7354 14 | 7355 14 | |
| 1 | 7354 14AR | 7355 14AR | |
| 10 | 7354 15 | 7355 15 | 2 way push switch ¹ Intermediate switch |
| 10 | 7354 18 | 7355 18 | |

| Pack | Cat. Nos. | | Single pole push switch modules 10 A - 250 V~ |
|------|-----------|------------|--|
| | White | Anthracite | |
| 10 | 7354 05 | 7355 05 | Conform to BS EN 60669-1 2 way push switch |
| 1 | 7354 05PE | 7355 05PE | 2 way push switch marked "PRESS TO EXIT" |
| 1 | 7354 06 | 7355 06 | 2 way push switch marked "BELL" |

| Pack | Cat. Nos. | | Single pole key switch modules 20 AX - 250 V~ |
|------|-----------|------------|--|
| | White | Anthracite | |
| 10 | 7354 16 | 7355 16 | Conform to BS EN 60669-1 Key supplied 2 way key switch |
| 10 | 7354 17 | 7355 17 | 2 way key switch retractive centre off ¹ |

1 : 20 A rated only

| Pack | Cat. Nos. | | Double pole switch modules 20 AX - 250 V~ |
|---------|--------------------|--------------------|---|
| | White | Anthracite | |
| 10 | 7354 20 | 7355 20 | Conform to BS EN 60669-1 Switch |
| 10 | 7354 21 | 7355 21 | Switch + red LED power indicator |
| 10 1 | 7354 22 7354 25 | 7355 22 7355 25 | Push to make ¹ Push to break ¹ |

| Pack | Cat. Nos. | | Double pole key switch modules 20 AX - 250 V~ |
|----------|----------------------|----------------------|--|
| | White | Anthracite | |
| 10 10 | 7354 23 7354 23ET | 7355 23 7355 23ET | Conform to BS EN 60669-1 Key supplied Key switch Key switch marked "EMERGENCY LIGHT TEST" |
| 10 | 7354 24 | 7355 24 | Key switch + red LED power indicator |

| Pack | Cat. Nos. | | Spare key |
|------|-----------|------------|--|
| | White | Anthracite | |
| 5 | 0811 77 | | Spare key for Synergy key switch functions |

1 : 20 A rated only

Download the full file at

<http://assets.kempstoncontrols.com/doc/Synergy%20Wiring%20Accessories.pdf>



KEMPSTON
CONTROLS