

PRODUCT-DETAILS

ACS880-01-09A4-3

ACS880-01-09A4-3 Pcont.max:4kW, Icont.max:9,5A



General Information

Global Commercial Alias	ACS880-01-09A4-3
Product ID	3AUA0000107989
ABB Type Designation	ACS880-01-09A4-3
Catalog Description	ACS880-01-09A4-3 Pcont.max:4kW, Icont.max:9,5A

Ordering

Country of Origin	Finland (FI) Saudi Arabia (SA)
Customs Tariff Number	85044084
Invoice Description	ACS880-01-09A4-3 Pcont.max:4kW, Icont.max:9,5A
Made To Order	Yes
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Quote Only	No
Replacement Product ID (NEW)	3AUA0000153340
Selling Unit of Measure	piece

Dimensions

Product Net Height	409 mm
Product Net Length	226 mm
Product Net Width	155 mm

Technical

Enclosure Class	IP21
Frequency (f)	50/60 Hz
Input Voltage (U_{in})	380 ... 415 V
Mounting Type	Wall-mounting
Number of Phases	3
Output Current, Heavy-Duty Use	7.2 A
Output Current, Light-Overload Use	8.9 A
Output Current, Normal Use	10 A
Output Power, Heavy-Duty Use	3 kW
Output Power, Light-Overload Use	4 kW
Output Power, Normal Use	4.0 kW

Additional Information

Product Main Type	ACS880-01-09A4-3
Product Name	Frequency Converter

Classifications

Product Series	ACS880
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
ETIM 7	EC001857 - Frequency converter =< 1 kV
UNSPSC	39122001

Categories

Drives → Low voltage AC drives → Industrial drives → ACS880 single drives → ACS880-01 - Wall-mounted single drive

