

steel perimeter trunking system – 170A x 63 mm (with offset opening)

for dado or skirting applications (continued)



MP351247



MP351527



MP351046



MP351107



MP351077

Selection charts **p. 6-7**
 Dimensions and technical information **p. 17-21**
 Installation material **p. 21**

Pack	Cat. Nos.	Fittings (continued)	Pack	Cat. Nos.	Regular power and data separation
1	MP351427	Tee body descending ⁹ Requires 3 pairs of couplers Cat. No. MP351527 (opposite) Descending to 170 mm trunking	20	MP351319	Universal snapper clip ¹⁸ Multifunction clip for fitting of divider, separation of cables (50 mm) and additional support of lid
1	MP351567	Tee cover strap For use when –	10	MP351189	Divider ²⁰ Requires universal snapper clip Cat. No. MP351319 Length – 1 m
1	MP351597	Rising to 170mm trunking			
1	MP351046	End cap ¹¹			
		Cover strap ¹² Width – 25 mm	10	MP351289	Additional partition for the base Base divider ¹ Fixing bracket required (below) Length – 2 m Height – 45 mm, for type 170/170A
10	MP351107	Tolerance cover strap ¹³ Width – 40 mm	10	MP351309	Base divider fixing bracket ¹ Height = 44 mm, for type 170/170A 1 per metre required
1	MP351486	Wall flange plate ¹⁴	1	MP351469	Additional products IP 40 / IK 07 Internal lid support ¹ Fits inside lid joints to achieve IP 40
1	MP351516	Wall flange closing plate ¹⁵	1	MP351250	Internal bend lid To achieve IP 40 on internal bends
1	MP351456	Support flange	5	MP351449	End support bracket ¹ Provides additional lid support at end of run Use to achieve IK 07
1	MP351409	Riser trunking body 170 x 38 mm ¹⁶ Pre-galvanised Length – 2 m	5	MP351459	Tee support bracket ¹ Fits inside lid joints to achieve IP 40 at tee junction
1	MP351439	Riser trunking lid ¹⁷ Friction fit Length – 1.0 m	1	MP351399	Accessories Acoustic insulation block ¹⁹ For use when trunking passes through walls to reduce noise travel Self extinguishing plastic Acoustic tested according to NEN 5077/ISO 140/4
1	MP351499	Earthing wire Length – 300 mm	1	MP351536	Cutting support block Holds trunking in position and guides saw for a straight cut Steel
			1	MP351029	Touch-up paint Contents – 10 ml

1: Internal components supplied unpainted



7300 60



7330 70



MP351049



5721 10



7300 70



8204 50



MP351089

Back boxes and contrast frames

Pack	Cat. Nos.	Socket back boxes	Contrast frames
1	MP820329	Material : pre-galvanised steel 1 gang back box	
1	MP820339	2 gang back box	
10	8218 46	Aid Part M compliance when using Synergy white wiring accessories (see below) 1 gang contrast frame	
10	8218 47	2 gang contrast frame	

Pack	Cat. Nos.	Synergy sockets (monobloc)	Synergy white wiring accessories	Synergy brushed stainless steel wiring accessories	MEIGaN socket outlets
10	7300 60	Front plates : white thermoset Terminal screws backed off and ready for cabling Supplied with optional faceplate screw caps Conform to BS 1363 - Part 2 : 1995 13 A single switched socket			
5	7300 70	Conform to BS 1363 - Part 2 : 1995 13 A twin switched socket			
1	7300 98	Conform to BS 7288 : 1990 and BS 1363 - Part 2 : 1995 13 A twin RCD 30 mA passive socket			
1	7330 60	Front plates : brushed stainless steel with clear epoxy satin lacquer coating Conform to BS 1363 - Part 2 : 1995 13 A single switched socket brushed stainless steel			
1	7330 70	Conform to BS 1363 - Part 2 : 1995 13 A twin switched socket brushed stainless steel			
1	7330 98	Conform to BS 7288 : 1990 and BS 1363 - Part 2 : 1995 13 A twin RCD 30 mA passive socket brushed stainless steel			
1	8204 50	For use in healthcare establishments Engraved in white lettering 'MEDICAL EQUIPMENT ONLY' Conform to BS 1363 - Part 2 : 1995 13 A single switched socket (MEIGaN) blue stainless steel			
1	8204 51	Conform to BS 1363 - Part 2 : 1995 13 A twin switched socket (MEIGaN) blue stainless steel			

Support frames and surround plates for Arteor socket modules

Pack	Cat. Nos.	Support frames	Surround plates – RAL 9010
10	MP351069	Material : plastic For 2 or 3 modules 118 x 80 mm	
10	MP351109	For 4 or 6 modules 191 x 80 mm	
10	MP351049	Use with 2/3 module support frame Cat. No. MP351069 2 modules	
10	MP351059	3 modules	
10	MP351089	Use with 4/6 module support frame Cat. No. MP351109 4 modules	
10	MP351099	6 modules	


Pack	Cat. Nos.	Arteor sockets (modular)	Number of modules (22.5 x 45 mm)
10	5721 10	Shuttered for child safety Use support frames and surround plates above Conform to BS 546 : 1950 5 A single unswitched socket	2
10	5721 11 ¹	Conform to BS 1363 – Part 2 : 1995 13 A single unswitched socket	2
5	5721 30	Conform to BS 1363 – Part 2 : 1995 13 A single switched socket	3
5	5721 32	Conform to BS 546 : 1950 15 A single switched socket	3
5	5724 67	13 A single switched non-standard socket	3

For complete range of wiring accessories see Legrand's Wiring Devices catalogue



Download the full file at

<http://assets.kempstoncontrols.com/doc/Legrand%2Ofloor%2Oand%2Operimeter%2Osystems%2Oproduct%2Otechnical%2Oguide.pdf>



KEMPSTON
CONTROLS