

Products → Low Voltage Products and Systems → Connection Devices → Terminal Blocks → Solution Series

## General Information

<b>Extended Product Type:</b>	BRU400AL
<b>Product ID:</b>	1SNA179650R2200
<b>EAN:</b>	3472591796506
<b>Catalog Description:</b>	BRU400AL Distribution Terminal Blocks
<b>Long Description:</b>	- Save installation time with our modular solutions, - Ease the installation with plate or rail mounting options on our modular blocks.

## Ordering

<b>Color:</b>	Grey
<b>Minimum Order Quantity:</b>	1 piece
<b>Customs Tariff Number:</b>	85369010

## Popular Downloads

<b>Data Sheet, Technical Information:</b>	1SNC160001C0207-CH-G Distribution terminals
<b>Instructions and Manuals:</b>	1SNC160001C0207-CH-G Distribution terminals

## Dimensions

<b>Product Net Width:</b>	44.5 mm
<b>Product Net Height:</b>	96 mm
<b>Product Net Depth:</b>	44.5 mm
<b>Product Net Weight:</b>	415 g

## Technical

<b>Rated Cross-Section:</b>	150 mm <sup>2</sup>
<b>Spacing:</b>	44.5 mm
<b>Connection Type:</b>	Screw clamp
<b>Function:</b>	Feed-through
<b>Number of Levels:</b>	1
<b>Connecting Capacity Main Circuit:</b>	Screw Clamp / Rigid 1x 95 ... 185 mm <sup>2</sup>
<b>Rated Short-time Withstand Current (I<sub>cw</sub>):</b>	for 1 s 21 A
<b>Degree of Protection:</b>	acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP10
<b>Mounting on DIN Rail:</b>	TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715
<b>Wire Stripping Length:</b>	28.0 mm

<b>Tightening Torque:</b>	Main Circuit 26 ... 30 N·m
---------------------------	----------------------------

## Technical UL/CSA

<b>Maximum Operating Voltage UL/CSA:</b>	Main Circuit 600 V
--	--------------------

<b>Connecting Capacity UL/CSA:</b>	Stranded 350 AWG
------------------------------------	------------------

<b>Short-Circuit Current Rating (SCCR):</b>	100 kA
---	--------

## Environmental

<b>Ambient Air Temperature:</b>	Operation -30 ... +90 °C Storage -30 ... +100 °C
---------------------------------	---

<b>RoHS Status:</b>	Following EU Directive 2002/95/EC August 18, 2005 and amendment
---------------------	---

## Certificates and Declarations (Document Number)

<b>CSA Certificate:</b>	1SND166003A0201
-------------------------	-----------------

<b>Declaration of Conformity - CE:</b>	1SND225008U1000
--	-----------------

<b>EAC Certificate:</b>	1SND161011A1100
-------------------------	-----------------

<b>Environmental Information:</b>	1SND220047E1002
-----------------------------------	-----------------

<b>Instructions and Manuals:</b>	1SNC160001C0207-CH-G Distribution terminals
----------------------------------	---

<b>RMRS Certificate:</b>	1SND161007A1101
--------------------------	-----------------

<b>RoHS Information:</b>	1SND230013F0202
--------------------------	-----------------

## Classifications

<b>Object Classification Code:</b>	X
------------------------------------	---

<b>ETIM 4:</b>	EC000276 - Distribution terminal block
----------------	--

<b>ETIM 5:</b>	EC000276 - Distribution terminal block
----------------	--

<b>ETIM 6:</b>	EC000276 - Distribution terminal block
----------------	--

## Container Information

<b>Package Level 1 Units:</b>	1 piece
-------------------------------	---------

<b>Package Level 1 Length:</b>	44.5 mm
--------------------------------	---------

<b>Package Level 1 Gross Weight:</b>	0.415 kg
--------------------------------------	----------

<b>Package Level 1 EAN:</b>	3472591796506
-----------------------------	---------------

<b>Package Level 2 Units:</b>	20 piece
-------------------------------	----------

<b>Package Level 3 Units:</b>	100 piece
-------------------------------	-----------

<b>Product Packing Type:</b>	Box
------------------------------	-----

