


Dimensions and technical information **opposite**

Material : zinc coated mild steel to BS EN 10152  
 Colour : white epoxy powder coated, RAL 9003. For other colours, please specify RAL number  
 Zintec finish is available on request (Zintec pedestal units are to be painted on site)

Pack	Cat. Nos.	Pedestal units	
1	PED1WHI	<b>Single socket</b>	
1	PED2WHI	<b>Twin socket</b>	
1	PED3WHI	<b>Back-to-back single sockets</b>	
1	PED4WHI	<b>Back-to-back twin sockets</b>	
1	PED8WHI	<b>Pyramid box</b>	

Pedestal units are available in other dimensions and finishes to special order


Contact us on +44 (0) 370 608 9020



■ Pedestal units dimensions

Single socket


<b>A</b>	54
<b>B</b>	89
<b>C</b>	102
<b>D</b>	24



Cat. No. PED1WHI

Twin socket

<b>A</b>	54
<b>B</b>	89
<b>C</b>	162
<b>D</b>	24




Cat. No. PED2WHI

Back-to-back sockets

Single socket


<b>A</b>	54
<b>B</b>	178
<b>C</b>	102
<b>D</b>	24



Cat. No. PED3WHI

Twin socket

<b>A</b>	54
<b>B</b>	178
<b>C</b>	162
<b>D</b>	24




Cat. No. PED4WHI

For all pedestal units above, hole diameter in base is 20 mm

Pyramid box

<b>A</b>	55
<b>B</b>	368
<b>C</b>	184
<b>D</b>	24



Cat. No. PED8WHI

# wiring accessories



7300 60      7300 65      6781 38



7300 70      8330 65      7300 34



8330 93



5721 17      5720 78


Pack	Cat. Nos.
1	MP820329
1	MP820339

## Back boxes

### Socket back boxes

Material : pre-galvanised steel  
1 gang back box

2 gang back box



Pack	Cat. Nos.	
	White	Brushed stainless steel
10 / 1	7300 60	8330 60
5 / 1	7300 70	8330 70
10 / 1	7300 65	8330 65
5 / 1	7300 75	8330 75
1	6781 34	8330 86
1	6781 38	8330 98
10 / 1	7300 34	8330 34
10 / 1	7300 36	8330 37 <sup>1</sup>


## Synergy sockets (monobloc)

### Double pole switched socket outlets 13 A - 250 V

Conform to BS 1363 - Part 2 : 1995

10 / 1      7300 60      8330 60      1 gang – switched

5 / 1      7300 70      8330 70      2 gang – switched




### Unswitched socket outlets 13 A - 250 V

Conform to BS 1363 - Part 2 : 1995

10 / 1      7300 65      8330 65      1 gang – unswitched

5 / 1      7300 75      8330 75      2 gang – unswitched




### RCD socket outlets 13 A - 250 V ELR - DP 30 mA - passive

Conform to BS 7288 : 1990 and BS 1363 - Part 2 : 1995  
Maximum operating current 16 A  
With "Test and reset" button  
Does not trip in the event of power failure  
Suitable in applications where automatic restoration of supply is required

1      6781 34      8330 86      1 gang – DP

1      6781 38      8330 98      2 gang – DP




### Fused connection units 13 A - 250 V

Conform to BS 1363 - Part 4 : 1995

10 / 1      7300 34      8330 34      1 gang – Switched, DP without cord outlet

10 / 1      7300 36      8330 37<sup>1</sup>      1 gang – Switched, DP with cord outlet



## Carrier plates for Arteor modules

No additional support frame required


Pack	Cat. Nos.	
	White	Brushed stainless steel
10 / 1	7300 91	8330 91
10 / 1	7300 92	8330 92
10 / 1	7300 93	8330 93
10 / 1	7300 94	8330 94

1 gang – 1 module plate

1 gang – 2 module plate

2 gang – 3 module plate

2 gang – 4 module plate



## Arteor modules

### British standard 13 A socket outlets

Conform to BS 1363 - Part 2  
ASTA license  
3 modules – 2P + E switched

5      5721 30      5726 30

5      5724 67      3 modules – 2P + E switched dedicated non-standard pin

White      Magnesium      Red

10      5720 21      5725 21

10      5721 17      5726 16

5 / 1      5720 78      5725 78

### International standards socket outlets

Not suitable for domestic installations in the UK or Ireland  
French – 10/16 A  
2 modules – 2P + E shuttered for child safety  
American – 15 A - 127 V  
2 modules – 2P + E

### Double USB sockets – 5 V - 2400 mA

For fast-charging telephones, smartphones, MP3/MP4 players and tablet PC  
2 modules

### HDMI audio and video sockets

For digital high definition audio and video connection of a PC monitor, plasma screen, video projector, graphic paintbox, etc.  
2 modules

Preconnected  
Equipped with a 15 cm cord  
1 module

### RJ45 data sockets

Rapid connection sockets  
No tool required

10      5723 23      5728 23

10      5723 22      5728 22

10      5723 04      5728 04


10      5723 03      5728 03

CAT 6 – STP - 9 contacts, shielded folded metal. 1 module

CAT 6 – FTP - 9 contacts. 1 module

CAT 5e – FTP - 9 contacts. 1 module

CAT 5e – UTP - 8 contacts. 1 module



1: With blue 'power on' LED indicator



For complete range of wiring accessories see [Legrand's website www.legrand.co.uk](http://www.legrand.co.uk)

Download the full file at

[http://assets.kempstoncontrols.com/doc/Legrand\\_Data\\_4.pdf](http://assets.kempstoncontrols.com/doc/Legrand_Data_4.pdf)



**KEMPSTON**  
CONTROLS