


MEIGaN



socket outlets



Healthcare organisations have clear guidelines regarding electrical installations within their establishments.

To meet these exacting requirements, Legrand offers a selection of corresponding blue socket outlets with white engraved lettering indicating **MEDICAL EQUIPMENT ONLY**.

Manufactured from high quality stainless steel for strength and durability, the following configurations are available :

- 1 gang - switched or unswitched (clean earth)
- 2 gang - switched or unswitched (clean earth)

Synergy® MEIGaN

socket outlets



8204 50



8204 53

For use in healthcare establishments
Engraved in white lettering 'MEDICAL EQUIPMENT ONLY'
Blue coated stainless steel front plates
White interiors and rockers
Terminal screws captive and backed off ready for cabling

Pack	Cat. Nos.	Double pole switched socket outlets 13 A - 250 V~
1	8204 50	<p>Conform to BS 1363 - Part 2 : 1995 Patented 3 pin safety shutter mechanism 2 earth terminals Flush mounting back box : min. 25 mm deep Nominal plate dimensions : 1 gang : 86 x 86 mm 2 gang : 86 x 146 mm</p> <p>1 gang – switched for clean earth applications</p>
1	8204 51	<p>2 gang – switched outboard for clean earth applications</p>
1	8204 52	<p>Conform to BS 1363 - Part 2 : 1995 Patented 3 pin safety shutter mechanism 2 earth terminals Flush mounting back box : min. 25 mm deep Nominal plate dimensions : 1 gang : 86 x 86 mm 2 gang : 86 x 146 mm</p> <p>1 gang – unswitched for clean earth applications</p>
1	8204 53	<p>2 gang – unswitched for clean earth applications</p>

**Matching blue accessories available on request via our bespoke products service
Contact us on +44 (0) 345 605 4333**

Flush and surface mounting back boxes **p. 60**



Synergy® metalclad

switches and socket outlets



Finish : grey epoxy coated steel
Terminal screws captive and backed off ready for cabling
Supplied complete with close fit surface mounting back box with knockouts

Pack	Cat. Nos.	Single pole plate switches 10 AX - 250 V~
		Conform to BS EN 60669-1 : 2000 Nominal dimensions : 86 x 86 x 43 mm
5	7338 00	1 gang – 1 way 1 gang – 2 way 1 gang – intermediate
5	7338 01	
5	7338 05	
5	7338 02	2 gang – 2 way
5	7338 03	3 gang – 2 way
		Double pole socket outlets 13 A - 250 V~
		Conform to BS 1363 - Part 2 : 1995 2 earth terminals Nominal dimensions : 86 x 86 x 43 mm
5	7338 60	1 gang – switched
5	7338 61	1 gang – switched + red LED power indicator Nominal dimensions : 86 x 146 x 43 mm
5	7338 70	2 gang – switched
5	7338 71	2 gang – switched + red LED power indicator

Unswitched and key switched socket outlets 13 A - 250 V~

Pack	Cat. Nos.	Unswitched and key switched socket outlets 13 A - 250 V~
		Conform to BS 1363 - Part 2 : 1995 2 earth terminals Nominal plate dimensions : 1 gang - 86 x 86 mm 2 gang - 86 x 146 mm
10	7338 65	1 gang – unswitched
5	7338 75	2 gang – unswitched
1	8200 73	2 gang single socket with DP key switch

Socket outlets 15 A - 250 V~

Pack	Cat. Nos.	Socket outlets 15 A - 250 V~
		Conform to BS 546 : 1950 Nominal dimensions : 86 x 86 x 43 mm
5	7338 88	1 gang – unswitched
5	7338 89	1 gang – switched

RCD sockets 13 A - 250 V~

Conform to BS 7288 : 1990 and BS 1363 - Part 2 : 1995
Conventional earth pin release shutter
Maximum operating current 16 A Electronic RCD module with a membrane switch for "test and reset"
Flush mounting back box : min. 25 mm deep

Pack	Cat. Nos.	RCD sockets 13 A - 250 V~
		ELO - DP 30 mA - active Trips in the event of a power failure Ideal for applications where it is desirable to prevent automatic reactivation of equipment after a power failure. For hazardous, e.g. machinery, power tools
1	7338 80	1 gang Nominal plate dimensions : 86 x 86 mm
1	7338 82	2 gang Nominal plate dimensions : 86 x 146 mm
		ELR - DP 30 mA - passive Trips in the event of a power failure Ideal for applications where it is desirable to automatically re-activate equipment after a power failure. E.g. fridge, freezer, unmanned areas
1	7338 81	1 gang Nominal plate dimensions : 86 x 86 mm
1	7338 83	2 gang Nominal plate dimensions : 86 x 146 mm

Surface mounting back boxes with or without knockouts
p. 60



Download the full file at

<http://assets.kempstoncontrols.com/doc/Synergy%20Wiring%20Accessories.pdf>



KEMPSTON
CONTROLS