

Arteor™ hotel equipment

square version – lighting, electric roller blind and curtain control



Support frames and surround plates selection charts **p. 32-35**

Mechanisms supplied with white or magnesium square rocker plates
To be equipped with support frames **p. 31** and surround plates **p. 32-45**

Pack	Cat. Nos.		Lighting control with specific marking
10	5732 84	5737 84	Master controls Master switch 2 way double pole 20 AX - 250 V~ for general control : all ON / all OFF 2 modules 22.5 x 45 mm
10	5732 86	5737 86	Master push button 2 way - 6 A - 250 V~ for general control : all ON / all OFF 2 modules 22.5 x 45 mm
10	5732 94	5737 94	Controls for bed lights 2 x 2 way switch 10 AX - 250 V~ 2 x 1 module 22.5 x 45 mm
10	5732 96	5737 96	2 x 2 way push button 6 A - 250 V~ 2 x 1 module 22.5 x 45 mm
10	5733 82	5738 82	Controls for desk and entrance lights 2 x 2 way switch 10 AX - 250 V~ 2 x 1 module 22.5 x 45 mm
10	5733 84	5738 84	2 x 2 way push button 6 A - 250 V~ 2 x 1 module 22.5 x 45 mm

Pack	Cat. Nos.		Electric roller blind control with specific marking - 250 V~
10	5732 22	5737 22	Double switch - 10 A For direct control of a motor (mechanism with fixed positions) Roller blinds marking 2 modules 22.5 x 45 mm
10	5732 24	5737 24	Double push button - 6 A For control via automatic box (N/O mechanism) Roller blinds marking 2 modules 22.5 x 45 mm

Pack	Cat. Nos.		Curtain control with specific marking - 250 V~
10	5732 34	5737 34	Double switch - 10 A For direct control of a motor (mechanism with fixed positions) Curtain marking 2 modules 22.5 x 45 mm
10	5732 36	5737 36	Double push button - 6 A For control via automatic box (N/O mechanism) Curtain marking 2 modules 22.5 x 45mm

Arteor™ hotel equipment

round version – lighting, electric roller blind and curtain control



Support frames and surround plates selection charts **p. 32-35**

Mechanisms supplied with white or magnesium round rocker plates
To be equipped with support frames **p. 31** and surround plates **p. 32-45**

Pack	Cat. Nos.		Lighting control with specific marking
10	5732 85	5737 85	Master controls Master switch 2 way double pole 20 AX - 250 V~ for general control : all ON / all OFF 2 modules 22.5 x 45 mm
10	5732 87	5737 87	Master push button 2 way - 6 A - 250 V~ for general control : all ON / all OFF 2 modules 22.5 x 45 mm
10	5732 95	5737 95	Controls for bed lights 2 x 2 way switch 10 AX - 250 V~ 2 x 1 module 22.5 x 45 mm
10	5732 97	5737 97	2 x 2 way push button 6 A - 250 V~ 2 x 1 module 22.5 x 45 mm
10	5733 83	5738 83	Controls for desk and entrance lights 2 x 2 way switch 10 AX - 250 V~ 2 x 1 module 22.5 x 45 mm
10	5733 85	5738 85	2 x 2 way push button 6 A - 250 V~ 2 x 1 module 22.5 x 45 mm

Pack	Cat. Nos.		Electric roller blind control with specific marking - 250 V~
10	5732 23	5737 23	Double switch - 10 A For direct control of a motor (mechanism with fixed positions) Roller blinds marking 2 modules 22.5 x 45 mm
10	5732 25	5737 25	Double push button - 6 A For control via automatic box (N/O mechanism) Roller blinds marking 2 modules 22.5 x 45 mm

Pack	Cat. Nos.		Curtain control with specific marking - 250 V~
10	5732 35	5737 35	Double switch - 10 A For direct control of a motor (mechanism with fixed positions) Curtain marking 2 modules 22.5 x 45 mm
10	5732 37	5737 37	Double push button - 6 A For control via automatic box (N/O mechanism) Curtain marking 2 modules 22.5 x 45mm

Arteor™ hotel equipment

key fob switches



5727 30

Support frames and surround plates selection charts **p. 32-35**

Mechanisms supplied with white or magnesium square cover plates
To be equipped with support frames **p. 31** and surround plates **p. 32-45**

Pack	Cat. Nos.	Key card switches		
1	<table border="1"> <tr> <td>White 5722 30</td> <td>Magnesium 5727 30</td> </tr> </table>	White 5722 30	Magnesium 5727 30	<p>Energise a circuit by inserting a key card or fob (e.g. hotel room, meeting room) Time-delay of approx. 30 secs. after card removal 2 modules 22.5 x 45 mm</p> <p>Mechanical key card switches Key fob switches 230 V Use with key fob Cat. Nos. 5722 59 and 5727 59 or a smart card (access card for a hotel room)</p> <p> Key card switches 12-24 V To be equipped with single pole latching relay Cat. Nos. 5722 27 and 5727 27 p. 17</p> <p>Key card switches RFID Works only with ISO type contactless key card Cat. Nos. 0767 11 or other ISO type 13.56 MHz key card Key card switches RFID Low capacity contact 230 V - 30 VA Lighting of the slot by LED</p>
White 5722 30	Magnesium 5727 30			
1	5722 31 5734 93			
1	<table border="1"> <tr> <td>White 5722 53</td> <td>Magnesium 5727 53</td> </tr> </table>	White 5722 53	Magnesium 5727 53	
White 5722 53	Magnesium 5727 53			

Pack	Cat. Nos.	Key fobs and key card		
10	<table border="1"> <tr> <td>White 5722 59</td> <td>Magnesium 5727 59</td> </tr> </table>	White 5722 59	Magnesium 5727 59	<p>For mechanical key card switches Key fob Enables use of key fob switches in hotels with key locks Supplied complete with a label holder for individual hotel identification</p>
White 5722 59	Magnesium 5727 59			
10	0767 11	<p>For RFID key card switches MIFARE contactless badge card ISO format (50 x 80 mm) Chip: 13.56 MHz Standard 1 KB memory</p>		

Arteor™ hotel equipment

shaver sockets



5721 53

Support frames and surround plates selection charts **p. 32-35**

Mechanisms supplied with white or magnesium square cover plates
To be equipped with support frames **p. 31** and surround plates **p. 32-45**

Pack	Cat. Nos.	Shaver sockets		
1	<table border="1"> <tr> <td>White 5721 53</td> <td>Magnesium 5726 53</td> </tr> </table>	White 5721 53	Magnesium 5726 53	<p>Conform to BS EN 61558-2-5. IP 24 For use with European, British, American, Australian 2-pin plugs Screwless live and neutral terminals Double wound isolating transformer Automatic self-resetting overload feature Plug insertion operates micro-switch which energises transformer To be equipped with BS 2 gang - 3 module plates p. 32-35 For flush mounting boxes, use BS 2 gang box depth 48 mm, US type, Italian type boxes depth 48 mm Power supply : 230 V - 50/60 Hz 3 modules 22.5 x 45 mm 230 V / 120-230 V With earth connector</p>
White 5721 53	Magnesium 5726 53			

Download the full file at

<http://assets.kempstoncontrols.com/doc/Wiring%20Accessories%20Product%20Guide.pdf>



KEMPSTON
CONTROLS