

Synergy® grid system

dimmer, fuse carrier, ancillary modules and decorative rockers



7355 48



7350 30



7352 56



7355 41



7352 65



8326 06

Installation options **p. 66**
Grid selection charts **p. 64-65**

Modules mount from front into grid support frames
Individually removable without disturbing grid

| Pack | Cat. Nos. | Dimmer unit modules 100-240 V~ 50/60 Hz | | |
|------------------|---|--|-----------------------|---|
| 1 | <table border="1"> <tr> <td>White 7354 46</td> <td>Anthracite 7355 46</td> </tr> </table> | White 7354 46 | Anthracite 7355 46 | <p>Conform to BS EN 60669-2-1</p> <p> Dimmer for use with tungsten filament lamps, good quality wire-wound transformers and compatible electronic transformers for low voltage loads¹ 40 - 300 W</p> <p>Not suitable for fluorescent loads</p> |
| White 7354 46 | Anthracite 7355 46 | | | |

| Pack | Cat. Nos. | Dimmer unit modules - dimmable HF ballast fluorescent 100-240 V~ 50/60 Hz | | |
|------------------|---|--|-----------------------|--|
| 1 | <table border="1"> <tr> <td>White 7354 48</td> <td>Anthracite 7355 48</td> </tr> </table> | White 7354 48 | Anthracite 7355 48 | <p>Conform to BS EN 60669-2-1</p> <p> Leading edge dimmer for potentiometer 0-10 V</p> |
| White 7354 48 | Anthracite 7355 48 | | | |

| Pack | Cat. Nos. | Time delay switch 100-240 V~ 50/60 Hz | | |
|------------------|---|--|-----------------------|--|
| 1 | <table border="1"> <tr> <td>White 7354 47</td> <td>Anthracite 7355 47</td> </tr> </table> | White 7354 47 | Anthracite 7355 47 | <p>Conform to BS EN 60669-2-3</p> <p> Multiple way soft start time delay switch Push operated delay pre-set for 3, 10 or 30 minutes 40 - 400 W</p> <p>Not suitable for fluorescent loads</p> |
| White 7354 47 | Anthracite 7355 47 | | | |

| Pack | Cat. Nos. | Fuse carrier modules 13 A - 250 V~ | | |
|------------------|---|---------------------------------------|-----------------------|---|
| 10 | <table border="1"> <tr> <td>White 7350 30</td> <td>Anthracite 7351 30</td> </tr> </table> | White 7350 30 | Anthracite 7351 30 | <p>Conform to BS 5733</p> <p> Fuse module fitted with BS 1362 13 A fuse</p> |
| White 7350 30 | Anthracite 7351 30 | | | |

| Pack | Cat. Nos. | Indicator modules - 250 V~ | | |
|------------------|---|----------------------------|-----------------------|---|
| 1 | <table border="1"> <tr> <td>White 7350 60</td> <td>Anthracite 7351 60</td> </tr> </table> | White 7350 60 | Anthracite 7351 60 | <p>Conform to BS 5733</p> <p> Indicator - red LEDs Indicator - green LEDs</p> |
| White 7350 60 | Anthracite 7351 60 | | | |
| 1 | <table border="1"> <tr> <td>White 7350 62</td> <td>Anthracite 7351 62</td> </tr> </table> | White 7350 62 | Anthracite 7351 62 | |
| White 7350 62 | Anthracite 7351 62 | | | |


| Pack | Cat. Nos. | Ancillary modules | | |
|------------------|---|-------------------|-----------------------|--|
| 1 | <table border="1"> <tr> <td>White 7354 50</td> <td>Anthracite 7355 50</td> </tr> </table> | White 7354 50 | Anthracite 7355 50 | <p> Telephone socket - single master Telephone socket - single secondary</p> |
| White 7354 50 | Anthracite 7355 50 | | | |
| 1 | <table border="1"> <tr> <td>White 7354 51</td> <td>Anthracite 7355 51</td> </tr> </table> | White 7354 51 | Anthracite 7355 51 | |
| White 7354 51 | Anthracite 7355 51 | | | |
| 10 | <table border="1"> <tr> <td>White 7352 56</td> <td>Anthracite 7353 56</td> </tr> </table> | White 7352 56 | Anthracite 7353 56 | <p> RJ 45 data outlet CAT 6 compliant Rapid cable connection UTP 8 contact</p> |
| White 7352 56 | Anthracite 7353 56 | | | |
| 10 | <table border="1"> <tr> <td>White 7354 40</td> <td>Anthracite 7355 40</td> </tr> </table> | White 7354 40 | Anthracite 7355 40 | |
| White 7354 40 | Anthracite 7355 40 | | | |
| 10 | <table border="1"> <tr> <td>White 7354 41</td> <td>Anthracite 7355 41</td> </tr> </table> | White 7354 41 | Anthracite 7355 41 | <p> Screened TV - single Non-isolated male Ø9.5 mm</p> <p> Screened satellite</p> |
| White 7354 41 | Anthracite 7355 41 | | | |
| 10 | <table border="1"> <tr> <td>White 7352 65</td> <td>Anthracite 7353 65</td> </tr> </table> | White 7352 65 | Anthracite 7353 65 | |
| White 7352 65 | Anthracite 7353 65 | | | |
| 20 | <table border="1"> <tr> <td>White 7354 36</td> <td>Anthracite 7355 36</td> </tr> </table> | White 7354 36 | Anthracite 7355 36 | <p> Blank module</p> |
| White 7354 36 | Anthracite 7355 36 | | | |

| Pack | Cat. Nos. | Decorative rockers - single pole switches 10 AX - 250 V~ | | |
|------------------|---|--|-----------------------|--|
| 1 | <table border="1"> <tr> <td>White 8326 00</td> <td>Anthracite 8326 06</td> </tr> </table> | White 8326 00 | Anthracite 8326 06 | <p>1 way switch</p> <ul style="list-style-type: none"> ● Brushed stainless steel ● Polished stainless steel ● Gold |
| White 8326 00 | | Anthracite 8326 06 | | |
| 1 | | <p>2 way switch</p> <ul style="list-style-type: none"> ● Brushed stainless steel ● Polished stainless steel ● Gold | | |
| 1 | <p>Intermediate switch</p> <ul style="list-style-type: none"> ● Brushed stainless steel ● Polished stainless steel ● Gold | | | |
| 1 | | <table border="1"> <tr> <td>White 8326 02</td> <td>Anthracite 8326 08</td> </tr> </table> | White 8326 02 | Anthracite 8326 08 |
| White 8326 02 | Anthracite 8326 08 | | | |
| 1 | <table border="1"> <tr> <td>White 8326 14</td> <td>Anthracite 8326 14</td> </tr> </table> | White 8326 14 | Anthracite 8326 14 | |
| White 8326 14 | Anthracite 8326 14 | | | |

| Pack | Cat. Nos. | Decorative rockers - single pole switches 20 AX - 250 V~ | | |
|------------------|--|--|-----------------------|--|
| 1 | <table border="1"> <tr> <td>White 8326 03</td> <td>Anthracite 8326 09</td> </tr> </table> | White 8326 03 | Anthracite 8326 09 | <p>1 way switch</p> <ul style="list-style-type: none"> ● Brushed stainless steel ● Polished stainless steel ● Gold |
| White 8326 03 | | Anthracite 8326 09 | | |
| 1 | | <p>2 way switch</p> <ul style="list-style-type: none"> ● Brushed stainless steel ● Polished stainless steel ● Gold | | |
| 1 | <p>2 way retractive centre off switch</p> <ul style="list-style-type: none"> ● Brushed stainless steel ● Polished stainless steel ● Gold | | | |
| 1 | | <table border="1"> <tr> <td>White 8326 04</td> <td>Anthracite 8326 10</td> </tr> </table> | White 8326 04 | Anthracite 8326 10 |
| White 8326 04 | Anthracite 8326 10 | | | |
| 1 | <table border="1"> <tr> <td>White 8326 16</td> <td>Anthracite 8326 16</td> </tr> </table> | White 8326 16 | Anthracite 8326 16 | |
| White 8326 16 | Anthracite 8326 16 | | | |









Complete range of grid front plates and support frames **p. 64-65**

¹ : Can be used in conjunction with compatible electronic transformers for low voltage loads. It will be necessary to test that the dimmer mechanism is compatible with the electronic transformer identified for installation




Synergy® grid system

decorative rockers and rocker markings

| SYNERGY GRID MODULES WITH DECORATIVE ROCKERS | | | | | |
|--|---|---|--|---|---|
| DECORATIVE ROCKERS | | BRUSHED STAINLESS STEEL | POLISHED STAINLESS STEEL | GOLD | |
| | |  |  |  | |
| FUNCTIONS | | Pack | | | |
| 10 AX single pole switch 1 x 1 way | 1 | 8326 00 | 8326 06 | 8326 12 | |
| 10 AX single pole 1 x 2 way | 1 | 8326 01 | 8326 07 | 8326 13 | |
| 10 AX single pole 1 x intermediate | 1 | 8326 02 | 8326 08 | 8326 14 | |
| 20 AX SP switch 1 way | 1 | 8326 03 | 8326 09 | 8326 15 | |
| 20 AX SP switch 2 way | 1 | 8326 04 | 8326 10 | 8326 16 | |
| 20 AX SP switch 2 way retractive centre off | 1 | 8326 05 | 8326 11 | 8326 17 | |
| SYNERGY GRID MODULES ENGRAVED WITH APPLIANCE MARKINGS | | | | | |
| MODULES | | 20 AX DP SWITCH | | 20 AX DP SWITCH + RED LED POWER INDICATOR | |
| | | White | Anthracite | White | Anthracite |
|  <p>For other engraving requirements not listed please contact us on +44 (0) 345 605 4333</p> | |  |  |  |  |
| ROCKER MARKINGS | | Pack | | | |
| BOILER | 1 | 7354 20BL | 7355 20BL | 7354 21BL | 7355 21BL |
| COOKER HOOD | 1 | 7354 20CH | 7355 20CH | 7354 21CH | 7355 21CH |
| DISH WASHER | 1 | 7354 20DW | 7355 20DW | 7354 21DW | 7355 21DW |
| EXTRACTOR | 1 | 7354 20EX | 7355 20EX | 7354 21EX | 7355 21EX |
| EXTRACTOR FAN | 1 | 7354 20EF | 7355 20EF | 7354 21EF | 7355 21EF |
| EXTRACTOR HOOD | 1 | 7354 20EH | 7355 20EH | 7354 21EH | 7355 21EH |
| FAN | 1 | 7354 20FN | 7355 20FN | 7354 21FN | 7355 21FN |
| FREEZER | 1 | 7354 20FZ | 7355 20FZ | 7354 21FZ | 7355 21FZ |
| FRIDGE | 1 | 7354 20FR | 7355 20FR | 7354 21FR | 7355 21FR |
| FRIDGE FREEZER | 1 | 7354 20FF | 7355 20FF | 7354 21FF | 7355 21FF |
| HEATER | 1 | 7354 20HR | 7355 20HR | 7354 21HR | 7355 21HR |
| HOB | 1 | 7354 20HB | 7355 20HB | 7354 21HB | 7355 21HB |
| HOOD | 1 | 7354 20HD | 7355 20HD | 7354 21HD | 7355 21HD |
| LIGHTS | 1 | 7354 20LG | 7355 20LG | 7354 21LG | 7355 21LG |
| MICROWAVE | 1 | 7354 20MW | 7355 20MW | 7354 21MW | 7355 21MW |
| OVEN | 1 | 7354 20OV | 7355 20OV | 7354 21OV | 7355 21OV |
| PLINTH HEATER | 1 | 7354 20PH | 7355 20PH | 7354 21PH | 7355 21PH |
| TOWEL RAIL | 1 | 7354 20TR | 7355 20TR | 7354 21TR | 7355 21TR |
| TUMBLE DRYER | 1 | 7354 20TD | 7355 20TD | 7354 21TD | 7355 21TD |
| WASHING MACHINE | 1 | 7354 20WM | 7355 20WM | 7354 21WM | 7355 21WM |
| WASTE DISPOSAL | 1 | 7354 20WD | 7355 20WD | 7354 21WD | 7355 21WD |
| WATER HEATER | 1 | 7354 20WH | 7355 20WH | 7354 21WH | 7355 21WH |

Download the full file at

<http://assets.kempstoncontrols.com/doc/Synergy%20Wiring%20Accessories.pdf>



KEMPSTON
CONTROLS