

# S7S 1250 PR212-LSI-In=1250A 3p F F



S7S 1250 PR212-LSI-In=1250A 3p F F

## General Information

Extended Product Type	S7S 1250 PR212-LSI-In=1250A 3p F F
Product ID	1SDA019387R1
EAN	8015644193874
Catalog Description	S7S 1250 PR212-LSI-In=1250A 3p F F
Long Description	CIRCUIT-BREAKER ISOMAX S7S 1250 THREE-POLE FIXED WITH FRONT TERMINALS AND SOLID-STATE RELEASE IN AC PR 212 LSI R 1250

## Ordering

EAN	8015644193874
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

## Dimensions

Product Net Width	385 mm
Product Net Height	325 mm
Product Net Length	440 mm
Product Net Depth / Length	0.1385 m
Product Net Weight	20.9 kg

## Container Information

Package Level 1 Units	1 piece
Package Level 1 Height	325 mm
Package Level 1 Depth / Length	385 mm
Package Level 1 Gross Weight	21.2 kg
Package Level 1 EAN	8015644193874

## Additional Information

Electrical Durability	7000
Number of Poles	3
Power Loss	160 W
Product Main Type	SACE Isomax
Product Name	Moulded Case Circuit Breaker

Rated Current ( $I_n$ )	1250 A
Rated Impulse Withstand Voltage ( $U_{imp}$ )	8 kV
Rated Operational Voltage	690 V AC
Rated Ultimate Short-Circuit Breaking Capacity ( $I_{cu}$ )	(440 V AC) 40 kA (380 V AC) 50 kA (500 V AC) 35 kA (690 V AC) 20 kA (220 V AC) 85 kA (230 V AC) 85 kA
Rated Uninterrupted Current ( $I_u$ )	1250 A
Release Type	PR212/P-LSI
Standards	IEC-947-2(D)
Sub-type	S7
Suitable For	Isomax S7
Suitable for Product Class	Isomax
Terminal Connection Type	Front
Test Voltage at Industrial Frequency for 1 Minute	3000 V
Version	Fixed

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	ITSCE-604050012
Declaration of Conformity - CE	1SDL000160R0057
Environmental Information	1SDL000144R0
Instructions and Manuals	ITSCE-601780061
RoHS Information	1SDL000193R0001

### Classifications

ETIM 4	EC000228 - Power circuit-breaker for trafo/generator/installation prot.
ETIM 5	EC000228 - Power circuit-breaker for trafo/generator/installation prot.
ETIM 6	EC000228 - Power circuit-breaker for trafo/generator/installation prot.
Object Classification Code	Q

### Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Isomax

Low Voltage Products and Systems → Circuit Breakers → Service → Replacements

