

PRODUCT-DETAILS

UNDER VOLTAGE RELEASE 220/240V E1/6-T8

UNDER VOLTAGE RELEASE 220/240V E1/6-T8



General Information

Extended Product Type	UNDER VOLTAGE RELEASE 220/240V E1/6-T8
Product ID	1SDA038312R1
EAN	8015644383121
Catalog Description	UNDER VOLTAGE RELEASE 220/240V E1/6-T8
Long Description	UNDERVOLTAGE RELEASE SUPPLY VOLTAGE 220/240V DC/AC E1/6-T8

Ordering

EAN	8015644383121
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	1 kg
--------------------	------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	50 mm
Package Level 1 Height	70 mm
Package Level 1 Depth /	80 mm

Length	
Package Level 1 Gross Weight	0.7 kg
Package Level 1 EAN	8015644383121

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Additional Information

Configuration Type	Loose or configurable
Current Type	AC/DC
Product Main Type	Accessories for Emax
Product Name	Accessory
Product Type	Accessory
Rated Voltage (U _r)	220 ... 240 V AC/DC
Standards	IEC
Suitable For	E1, E2, E3, E4, E6, T8
Suitable for Product Class	SACE Emax, SACE Tmax T

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SDC200006D0209
Declaration of Conformity - CE	1SDL000165R0013 1SDL000165R0014 1SDL000165R0015 1SDL000165R0016 1SDL000165R0017 1SDL000165R0008
Instructions and Manuals	1SDC200006D0209
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

Classifications

ETIM 6	EC001022 - Under voltage coil
ETIM 7	EC001022 - Under voltage coil
ETIM 8	EC001022 - Under voltage coil
Object Classification Code	Q
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Accessories for Emax

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Accessories for Emax (old)

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

