

PRODUCT-DETAILS

ACS880-01-02A4-3

ACS880-01-02A4-3 Pcont.max:0,75kW,  
Icont.max:2,3A




---

### General Information

Global Commercial Alias	ACS880-01-02A4-3
Product ID	3AUA0000107974
ABB Type Designation	ACS880-01-02A4-3
Catalog Description	ACS880-01-02A4-3 Pcont.max:0,75kW, Icont.max:2,3A

---

### Ordering

Country of Origin	Finland (FI) Saudi Arabia (SA)
Customs Tariff Number	85044084
Invoice Description	ACS880-01-02A4-3 Pcont.max:0,75kW, Icont.max:2,3A
Made To Order	Yes
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Quote Only	No
Selling Unit of Measure	piece

---

### Dimensions

Product Net Height	409 mm
--------------------	--------

Product Net Length	226 mm
Product Net Width	155 mm

---

## Technical

Enclosure Class	IP21
Frequency (f)	50/60 Hz
Input Voltage ( $U_{in}$ )	380 ... 415 V
Mounting Type	Wall-mounting
Number of Phases	3
Output Current, Heavy-Duty Use	1.8 A
Output Current, Light-Overload Use	2.3 A
Output Current, Normal Use	2.4 A
Output Power, Heavy-Duty Use	0.55 kW
Output Power, Light-Overload Use	0.75 kW
Output Power, Normal Use	0.75 kW

---

## Additional Information

Product Main Type	ACS880-01-02A4-3
Product Name	Frequency Converter

---

## Classifications

Product Series	ACS880
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
ETIM 7	EC001857 - Frequency converter =< 1 kW
UNSPSC	39122001

---

## Categories

Drives → Low voltage AC drives → Industrial drives → ACS880 single drives → ACS880-01 - Wall-mounted single drive

