

DS202C M B16 A30 U



DS202C M B16 A30 U - RCBO

General Information

Extended Product Type	DS202C M B16 A30 U
Product ID	2CSR272140U1165
EAN	8012542126157
Catalog Description	DS202C M B16 A30 U - RCBO
Long Description	The DS202C series RCBO is a 2P in two-modules device for the protection of end user single-phase circuits against overload and short-circuit currents

Ordering

Minimum Order Quantity	48 piece
Customs Tariff Number	85363010

Popular Downloads

Data Sheet, Technical Information	Not available
Instructions and Manuals	9AKK106354A0766

Dimensions

Product Net Width	0.035 m
Product Net Height	0.085 m
Product Net Depth / Length	0.069 m
Product Net Weight	0.239 kg

Technical

Standards	IEC 61009-1 IEC 61009-2-1 EN 61009-1 EN 61009-2-1
Type of Residual Current	A type
Rated Residual Current	30 mA
Tripping Characteristic	B
Rated Current (I_n)	16 A
Number of Poles	2
Number of Protected Poles	2

Rated Short-Circuit Capacity (I_{cn})	(230 / 400 V AC) 10 kA
Power Loss	3.4 W
Rated Voltage (U_r)	230-240 V AC

Environmental

Ambient Air Temperature	Operation -25 ... +55 °C Storage -40 ... +70 °C
RoHS Status	Following EU Directive 2011/65/EU

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK106713A5589
Environmental Information	document not needed
Instructions and Manuals	9AKK106354A0766
RoHS Information	2CSC422002K2701

Container Information

Package Level 1 Units	48 piece
Package Level 1 Width	0.440 m
Package Level 1 Height	0.200 m
Package Level 1 Depth / Length	0.200 m
Package Level 1 Gross Weight	11.472 kg
Package Level 1 EAN	8012542126164

Classifications

Object Classification Code	Q
ETIM 4	EC000905 - Earth leakage circuit breaker
ETIM 5	EC000905 - Earth leakage circuit breaker
ETIM 6	EC000905 - Earth leakage circuit breaker
ETIM 7	EC000905 - Earth leakage circuit breaker

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Residual Current Devices RCDs → Residual Current Circuit Breakers with Overcurrent Protection RCBO

