

SITOR fuse switch 10x 38, Up to 32 A, 690 V AC, 3-pole



Figure similar

Model	
Product designation	SITOR fuse switch disconnecter
Design of the operating mechanism	others
General technical data	
Number of poles	3
Size of fuse link	Other
Usage category	According to IEC 60947-3; AC 22B/32 A/400 V; AC22B/10 A/690 V
Size of the fuse link	10 x 38 mm
Protection class	
Protection class IP / on the front	Other
Electricity	
Continuous current / rated value	32 A
Main circuit	
Operating voltage	
• at AC / rated value / maximum	690 V

• at DC / rated value / maximum

800 V

Suitability

Suitability for use

- | | |
|------------------------|-----|
| • Main switch | No |
| • switch disconnecter | Yes |
| • EMERGENCY OFF switch | No |
| • safety switch | Yes |

Product function

Product function / fuse monitoring No

Short circuit

Conditional short-circuit current (I_q) / rated value 50 kA

Connections

Connectable conductor cross-section / stranded

- | | |
|-----------|---------------------|
| • minimum | 1.5 mm ² |
| • maximum | 25 mm ² |

Connectable conductor cross-section / solid

- | | |
|-----------|---------------------|
| • minimum | 1.5 mm ² |
| • maximum | 25 mm ² |

Type of electrical connection / for main current circuit screw-type terminals

Mechanical Design

Height 58 mm

Depth 85 mm

Mounting type

- | | |
|------------------|-----|
| • floor mounting | No |
| • front mounting | Yes |
| • rail mounting | No |

Net weight 155.7 g

General Product Approval

Declaration of Conformity



CCC



CSA



UL



UR

[Miscellaneous](#)



EG-Konf.

other

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NC1093>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NC1093>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NC1093

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



