

432RPR6



Socket-outlet with RCD, 6h, 30mA, 32A, IP44, 3P+N+E

General Information

Extended Product Type	432RPR6
Product ID	2CMA168300R1000
EAN	7392696683005
Catalog Description	Socket-outlet with RCD, 6h, 30mA, 32A, IP44, 3P+N+E
Long Description	Socket-outlet with RCD, earthing sleeve position 6h, 30mA, rated current 32A, IP44 splashproof, 3-poles+neutral+earth, frequency 50-60 Hz, color code Red

Ordering

EAN	7392696683005
Minimum Order Quantity	1 piece
Country of Origin	Czech Republic (CZ)

Dimensions

Product Net Width	120 mm
Product Net Height	149 mm
Product Net Length	243 mm
Product Net Depth / Length	243 mm
Product Net Weight	1.2 kg

Container Information

Package Level 1 Width	152 mm
Package Level 1 Depth / Length	120 mm
Package Level 1 Height	265 mm
Package Level 1 Gross Weight	1.3 kg
Package Level 1 EAN	7392696683005
Package Level 1 Units	1 piece
Package Level 2 Units	125 piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CMC700005D0001_G
Declaration	2CMC700005D0001_G
Environmental Information	2CMC000057M0000

RoHS Information	2CMC700005D0001_G
SEMKO Certificate	1507476

Additional Information

Additional Information	3P+N+E
Cable Cross-Section	2.5 ... 10 mm ²
Cable Entry Position	Top
Cable Outlets Per Side	2xØ25
Color	Red
Connection Type	Screw clamp
Degree of Protection	IP44
Enclosure Material	Thermoplastic polyester (PBT)
Frequency (f)	50 Hz 60 Hz
Function	Surface socket outlet with RCD, 30 mA
Housing Material	Thermoplastic (PBT)
Invoice Description	Ind. P&S#432RPR6
Mounting Holes	171x90
Mounting Type	Vertical
Number of Poles	5
Number of RCD 30mA	1
Number of RCDs	1
Order Multiple	1 piece
Product Main Type	CRPR
Product Name	Industrial Socket Outlet with Protection
Protection Type	RCD
Rated Current (I _n)	32 A
Rated Residual Current	30mA
Rated Voltage (U _r)	200/346 ... 240/415 V
Recommended Screw Driver	PH2
RoHS Date	L23
Standards	IEC 60309-1 IEC 60309-2
Sub-Function	Cable entry, knock-outs 2xØ25mm
Suitable For	Socket Outlets with RCD
Suitable for Product Class	Industrial Plugs and Sockets

Classifications

eClass	27440510
E-nummer	2466307
UNSPSC	39120000

Categories

Low Voltage Products and Systems → Industrial Plugs and Sockets → Critical & Safe → Socket Outlets with RCD

