

ZCKE619

limit switch head ZCKE - metal end plunger with protective boot



Main

Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKE
Head type	Plunger head
Product compatibility	XCKJ
Associated body	ZCKJ5H7 ZCKJD37 ZCKJ6H7 ZCKJ6H29 ZCKJ7H7 ZCKJD31H7 ZCKJD31 ZCKJ8H7 ZCKJ9 ZCKJ1H29 ZCKJD39H29 ZCKJ5H29 ZCKJ41H29 ZCKJ21H7 ZCKJ8H29 ZCKJ9H29 ZCKJ4 ZCKJ5 ZCKJ2H7 ZCKJ9H7 ZCKJ2H29 ZCKJD39 ZCKJD35 ZCKJD35H7 ZCKJD31H29 ZCKJD39H7 ZCKJ11H7 ZCKJ6 ZCKJ8 ZCKJ7 ZCKJ21H29

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

ZCKJ7H29
 ZCKJ11H29
 ZCKJ11
 ZCKJD37H29
 ZCKJ21
 ZCKJ2
 ZCKJD35H29
 ZCKJ1H7
 ZCKJ41H7
 ZCKJ1
 ZCKJ4H7
 ZCKJ41
 ZCKJD37H7
 ZCKJ4H29

Movement of operating head	Linear
Type of operator	End plunger spring return metal (with protective boot)
Type of approach	Vertical approach 1 direction

Complementary

Switch actuation	On end
Positive opening	With
Head material	Metal

Environment

Ambient air temperature for operation	-25...70 °C
Ambient air temperature for storage	-40...70 °C
Environmental characteristic	Standard environment

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 1440 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations

Contractual warranty

Warranty period	18 months
-----------------	-----------