



## MATERIAL FACT SHEET

### 248651 HG-KR053

#### General Data

Product Hierarchy	IAK30220
	SERVO and Motion
	HG-KR
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000248651](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000248651)

#### FA-Servo-Motion: Servo Motor

Series	MELSERVO-J4
Type	HG-KR
Power Supply (V)	200
Rated Capacity (kW)	0,05
Inertia	LOW INERTIA
Rated Torque (Nm)	0,16
Maximum Torque (Nm)	0,56
Rated Speed (rpm)	3000
Maximum Speed (rpm)	6000
Inertia (kg*cm <sup>2</sup> )	0,045
Brake	NO
Shaft Type	STRAIGHT SHAFT
Protection Class	IP65
Current Type	AC
Encoder Type	22-BIT
Encoder Resolution (p/rev)	4194304

#### Product Dimensions & Weight

Width (mm)	40
Height (mm)	41,7
Depth (mm)	66,4
Weight (kg)	0,34

#### Logistic Dimensions & Gross Weight

Length (cm)	20,5
Width (cm)	10,5
Height (cm)	8,0
Gross Weight (kg)	0,400
Volume (cdm)	1,722

#### Stock Data

Planned Delivery Time (Days)	300
------------------------------	-----

#### Life Cycle

Sales Start	11.04.2012
Predecessor	161507 / HF-KP053

#### Additional Product Information

Binding Tariff Information	DEBTI-10612/21-1
BTI validity date	26.09.2024

#### Export Data

Commodity Code	85015100
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

## Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

## Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

## Documentation & Media Data

Manual URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=HG-KR053&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=HG-KR053&amp;doc-lang=en</a>
Certificates URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=HG-KR053&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=HG-KR053&amp;doc-lang=en</a>
CAD URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=HG-KR053&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=HG-KR053&amp;doc-lang=en</a>

## Product Packaging

Cardboard (g)	90
Other paper (g)	0,3
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	18,6
Wood (g)	0
Glass (g)	0
Others (g)	1

## Spare parts

Material	Description	Quantity	Unit
<a href="#">278651</a>	HG-KR/MR-53/53B - 13/13B P-BRACKET	1	PC
<a href="#">278654</a>	HG-KR/MR-053/13 O-BRACKET	1	PC

## Compatible products

Material	Description / Price List Text / Classification
<a href="#">160227</a>	MR-PWS1CBL2M-A1-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flex, 2m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">160228</a>	MR-PWS1CBL2M-A2-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible, 2m (Encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">160230</a>	MR-J3ENCBL2M-A2-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflexible, 2m (encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">160312</a>	MR-J3ENCBL2M-A1-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflex. 2m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161547</a>	MR-J3ENCBL5M-A1-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflex. 5m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161548</a>	MR-J3ENCBL10M-A1-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflex. 10m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161549</a>	MR-J3ENCBL2M-A1-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 2m (lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161550</a>	MR-J3ENCBL5M-A1-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 5m (lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161551</a>	MR-J3ENCBL10M-A1-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 10m (lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161552</a>	MR-J3ENCBL5M-A2-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflexible, 5m (encoder) Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
<a href="#">161553</a>	MR-J3ENCBL10M-A2-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflexible, 10m (encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161554</a>	MR-J3ENCBL2M-A2-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 2m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161555</a>	MR-J3ENCBL5M-A2-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 5m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161556</a>	MR-J3ENCBL10M-A2-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 10m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161592</a>	MR-PWS1CBL5M-A1-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flex, 5m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161593</a>	MR-PWS1CBL10M-A1-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flex, 10m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161594</a>	MR-PWS1CBL2M-A1-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 2m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161595</a>	MR-PWS1CBL5M-A1-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 5m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161596</a>	MR-PWS1CBL10M-A1-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 10m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161597</a>	MR-PWS1CBL5M-A2-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible, 5m (Encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161598</a>	MR-PWS1CBL10M-A2-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible, 10m (Encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161599</a>	MR-PWS1CBL2M-A2-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 2m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161600</a>	MR-PWS1CBL5M-A2-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 5m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161601</a>	MR-PWS1CBL10M-A2-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 10m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161602</a>	MR-PWS2CBL03M-A1-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 0.3 m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161603</a>	MR-PWS2CBL03M-A2-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 0.3 m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">210799</a>	MR-PWS3CBL2M-A1-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, shielded, 2m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">210800</a>	MR-PWS3CBL5M-A1-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, shielded, 5m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">210801</a>	MR-PWS3CBL10M-A1-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, shielded, 10m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">210802</a>	MR-PWS3CBL2M-A2-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, shielded,2m (Lead Encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">210803</a>	MR-PWS3CBL5M-A2-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, shielded, 5m (Lead Encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">210814</a>	MR-PWS3CBL10M-A2-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, shielded, 10m (Lead Encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">220002</a>	PWS007N-02.0-A2 Power cable; for HF-KN,-KP,-MP, HG-KN,-KR,-MR,shielded, power chain, 2m (Enc.) Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
<a href="#">220005</a>	PWS007N-05.0-A2 Power cable; for HF-KN,-KP,-MP, HG-KN,-KR,-MR,shielded, power chain, 5m (Enc.) Class 100100508: FA-Servo-Motion: Cable
<a href="#">220007</a>	PWS007N-10.0-A2 Power cable; for HF-KN,-KP,-MP, HG-KN,-KR,-MR,shielded, power chain, 10m (Enc.) Class 100100508: FA-Servo-Motion: Cable
<a href="#">220009</a>	PWS007N-02.0-A1 Power cable; for HF-KN,-KP,-MP, HG-KN,-KR,-MR,shielded, power chain, 2m (shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">220010</a>	PWS007N-05.0-A1 Power cable; for HF-KN,-KP,-MP, HG-KN,-KR,-MR,shielded, power chain, 5m (shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">220012</a>	PWS007N-10.0-A1 Power cable; for HF-KN,-KP,-MP, HG-KN,-KR,-MR,shielded, power chain,10m (shaft) Class 100100508: FA-Servo-Motion: Cable
493673	MR-PWS1CBL20M-A1-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flex, 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable