# Eaton G30060-3C

## Catalog Number: G30060-3C

Eaton Bussmann series G open fuse block, Open fuse block, 35-60 A, Three-pole, Class G, 100 kA, Box lug, 100 kAIC, Phenolic, 480 V, For use with SC fuse, #8-2 AWG All#14-2 AWG Cu

## General specifications

#### **Product Name**

5027590062497

**Product Height** 

**Product Weight** 

Compliances

**RoHS** Compliant

EAN

1.41 in

0.44 lb

Eaton Bussmann series G open fuse block

# G30060-3C UPC 051712106214

Catalog Number

-----

Product Length/Depth 3.58 in

Product Width 2.78 in

Warranty Not Applicable

#### Certifications

Contact Manufacturer UL Listed CSA Certified



## Electrical rating

#### Amperage Rating

35-60A

Interrupt rating 100 kAIC

#### Short-circuit rating

100 kA

Voltage rating

480 V

## Physical details

Material

Phenolic

Number of Poles Three-pole

Wire size #14-2 AWG Cu #8-2 AWG AI

#### General information

Class

Class G

Connection

Box lug

Used with

For use with SC fuse

#### Resources

#### Catalogs

Bussmann series complete full line catalog no. 1007

#### Multimedia

Bussmann series Fuseology

#### Specifications and datasheets

Eaton Specification Sheet - G30060-3C

# Technical data sheets

G30060-3C~BUSS FUSE BLOCK



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2023 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia