

PRODUCT-DETAILS

KA2-2222

KA2-2222 LED bulb



General Information

Extended Product Type	KA2-2222
Product ID	1SFA616921R2222
EAN	7320500549971
Catalog Description	KA2-2222 LED bulb
Long Description	LED bulb - Green - Rated Voltage 230 V, AC - Rated Current 4 mA - Service Life 25 000 h

Ordering

Minimum Order Quantity	20 piece
Customs Tariff Number	8539500000
Product Main Type	KA2

Popular Downloads

Data Sheet, Technical Information	1SFC151007C02_
Instructions and Manuals	1SFC151011M0201

Dimensions

Product Net Width	0.01 m
Product Net Depth /	0.025 m

Length	
Product Net Height	0.01 m
Product Net Weight	0.004 kg

Technical

Accessory Type	LED and filament bulbs
Color	Green
Illumination	Illuminated
Lamp Type	LED Ba9s
Rated Current (I _n)	4 mA
Rated Operational Voltage	230 V AC
Service Life	25000 HUR
Suitable For	CL P9PD
Suitable for Product Class	Pilot Devices

Environmental

Ambient Air Temperature	Operation -25 ... +70 °C Storage -40 ... +85 °C
RoHS Information	2CMT2015-005456
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CMT2015-005456
Environmental Information	1SFC151005D0201
Instructions and Manuals	1SFC151011M0201
RoHS Information	2CMT2015-005456

Container Information

Package Level 1 Units	box 20 piece
Package Level 1 Width	0.06 m
Package Level 1 Depth / Length	0.025 m
Package Level 1 Height	0.01 m
Package Level 1 Gross Weight	0.08 kg
Package Level 1 EAN	7320500201206

Classifications

eClass	V11.0 : 27110631
E-Number (Finland)	2339247
E-Number (Norway)	4373422
E-Number (Sweden)	8383620
ETIM 6	EC001019 - Single LED
ETIM 7	EC000399 - Indication- and signalling lamp
ETIM 8	EC000399 - Indication- and signalling lamp

ETIM 9	EC000399 - Indication- and signalling lamp
IDEA Granular Category Code (IGCC)	3058 >> Light emitting diode LED lamp
Object Classification Code	E
UNSPSC	39101628

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Accessories

