

DRS61-E1R08192

DRS61

INCREMENTAL ENCODERS

SICK
Sensor Intelligence.




Illustration may differ



Ordering information

Type	Part no.
DRS61-E1R08192	1035008

Other models and accessories → www.sick.com/DRS61

Detailed technical data

Performance

Pulses per revolution	8,192
Measuring step	90°, electronically/ppr
Measuring step deviation at non binary number of lines	0.016°
Measuring step deviation at binary number of lines	0.005°
Initialization time	40 s

Electrical data

Electrical interface	10 V ... 32 V, HTL/Push pull
Supply voltage	10 V ... 32 V
Load current	≤ 60
Maximum output frequency	≤ 200 Hz
Zero pulse width	Freely programmable
Reference signal, number	1
Reference signal, position	90°, electric, logically gated with A and B 180°, electric, logically gated with A and B

Mechanical data

Mechanical version	Solid shaft, servo flange
Shaft diameter	10 mm
Weight	+ 0.3 kg (relates to devices with male connector connection)
Start up torque	0.25 Ncm (+20 °C)
Operating torque	0.2 Ncm (+20 °C)
Moment of inertia of the rotor	48 gcm ²
Bearing lifetime	3.6 x 10 ⁹ revolutions

Ambient data

EMC	EN 61000-6-2 EN 61000-6-3
Enclosure rating	IEC 60529

¹⁾ Condensation of the optical scanning not permitted.

Operating temperature range	-20 °C ... +85 °C
Storage temperature range	-40 °C ... +100 °C, without package
Resistance to shocks	50 g, 11 ms (EN 60068-2-27)
Resistance to vibration	20 g, 10 Hz ... 2,000 Hz (EN 60068-2-6)
Air humidity	90 % ¹⁾

¹⁾ Condensation of the optical scanning not permitted.

Classifications

ECl@ss 5.0	27270501
ECl@ss 5.1.4	27270501
ECl@ss 6.0	27270590
ECl@ss 6.2	27270590
ECl@ss 7.0	27270501
ECl@ss 8.0	27270501
ECl@ss 8.1	27270501
ECl@ss 9.0	27270501
ETIM 5.0	EC001486
ETIM 6.0	EC001486
UNSPSC 16.0901	41112113

SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is “Sensor Intelligence.”

WORLDWIDE PRESENCE:

Contacts and other locations –www.sick.com