

FS401KM-C16/0,03



FS401KM-C16/0,03

General Information

Extended Product Type	FS401KM-C16/0,03
Product ID	2CCL562310E0164
EAN	7612270104611
Catalog Description	FS401KM-C16/0,03
Long Description	FS401KM-C16/0,03 Residual Current Circuit Breaker with overcurrent Protection 2 Poles C Characteristic 16A 10000 ~230/400V

Ordering

EAN	7612270104611
Minimum Order Quantity	1 piece
Customs Tariff Number	85362020

Dimensions

Product Net Width	36 mm
Product Net Height	91 mm
Product Net Length	72 mm
Product Net Depth / Length	75 mm
Product Net Weight	200 g

Container Information

Package Level 1 Units	2 piece
Package Level 1 Width	100 mm
Package Level 1 Height	90 mm
Package Level 1 Depth / Length	75 mm
Package Level 1 Gross Weight	238 g
Package Level 1 EAN	7612270104611

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Additional Information

Number of Poles	2
Number of Protected Poles	1
Operating Characteristic	Instantaneous (APR High Immunity)
Position of Neutral Terminals	Right
Power Loss	3.33 W
Product Main Type	FS400
Product Name	Residual Current Circuit Breaker with Overcurrent Protection
Rated Current (I_n)	16 A
Rated Frequency (f)	50...60 Hz
Rated Residual Current	30 mA
Rated Voltage (U_r)	240 V
Rated Operational Current (I_e)	16 A
Rated Operational Voltage	240 V AC
Rated Short-Circuit Capacity (I_{cn})	(240 V AC) 10 kA
RoHS Date	20170426
Standards	IEC/EN 61009
Tripping Characteristic	C
Type of Residual Current	F Type

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CCC451059C0203-REV-B
Declaration of Conformity - CE	2CCC451036D0201
Environmental Information	2CCY451206D0201
Instructions and Manuals	2CCC451020M0111
RoHS Information	2CCC413008D0206
Dimension Diagram	2CCC451028C0201

Classifications

ETIM 4	EC000003 - Residual current circuit breaker (RCCB)
ETIM 5	EC000003 - Residual current circuit breaker (RCCB)
ETIM 6	EC000905 - Earth leakage circuit breaker
ETIM 7	EC000905 - Earth leakage circuit breaker
Object Classification Code	FB
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Plug-in Distribution Systems

