

ITEM 110933 C-M08F08-08X014PV05,0-ES-110933

| Description | Technical data | Accessories | Downloads |
|-------------|----------------|-------------|-----------|
|-------------|----------------|-------------|-----------|



Features

- › M8 female plug, 8-pin
- › Straight plug connector
- › PVC cable
- › Cable length 5 m
- › With flying lead

Mechanical values and environment

| | |
|----------------------|--------|
| Tightening torque | 0,3 Nm |
| Number of conductors | 8 |
| Cable length | 5 m |

Electrical connection ratings



| | |
|---|-------|
| Rated voltage | 32 V |
| Rated surge voltage according to IEC 60364-4-41 | 500 V |

We use cookies to optimally design our website and to be able to continuously improve it for you.

By continuing to use this website, you consent to the use of cookies. [Our Privacy Policy](#)




OK



Dimension drawing



Catalogs

- ✓ Transpondercodierte Sicherheitsschalter - Verriegelungseinrichtungen und Zuhaltungen
Transponder-coded safety switches - Interlocking devices and guard locking devices
Interruptores de seguridad con codificación por transponder - Dispositivos de enclavamiento y bloqueos
Interrupteurs de sécurité à codage par transpondeur - Dispositifs de verrouillage et interverrouillages

| | Doc. no. | Version | Language | Download |
|---|----------|----------|---|--|
| Transpondercodierte Sicherheitsschalter - Verriegelungseinrichtungen und Zuhaltungen | 127594 | 02-01/18 |  |  5.2 MB |
| Interrupteurs de sécurité à codage par transpondeur - Dispositifs de verrouillage et interverrouillages | 137558 | 02-01/18 |  |  5.2 MB |

| | | | | |
|--|--------|----------|---|--|
| Interruptores de seguridad con codificación por transponder - Dispositivos de enclavamiento y bloqueos | 137560 | 02-01/18 |  |  5.2 MB |
| Transponder-coded safety switches - Interlocking devices and guard locking devices | 127595 | 02-01/18 |  |  5.1 MB |