



## PRODUCT NUMBER: 6246177 Move Mid S3 HI CI SRC

- 100 % metal free
- Mid-cut style
- Breathable microfiber upper
- Reflective inserts
- Multifunction indoor/outdoor cleats
- Artico 3D whole-foot lining
- Non-metallic FLEXIUM™ anti-perforation interlayer
- ESD sole
- Polyurethane/thermoplastic polyurethane

### WATCH VIDEO



## Overview

### Reference Number

6246177

### Product Type

Footwear

### Brand

Honeywell

### Industry

- Administration
- Energy or Electricity
- General Industry
- Logistics
- Maintenance
- Services
- Transportation
- Utilities

## Features & Benefits

### Feature

Microfiber

### Benefit

Comfort, breathable and water repellent

### Feature

Poromax® 3D lining

### Benefit

Total absorption of moisture

### Feature

Wear-off indicators

### Benefit

Providing information on outsole abrasion level

### Feature

High shock-absorption heel

### Benefit

Comfort, Shock absorption and improved stability

### Feature

Ergonomic sole Wave Concept

**Benefit**

Protection and comfort that flows, to allow a natural walking motion

**Feature**

Ultra-light composite safety toecap and overcap protection

**Benefit**

High level of stable performances and premium protection.

**Feature**

TPU/PU outsole (Polyurethane/Thermoplastic polyurethane)

**Benefit**

Excellent abrasion resistance, slip resistance and better protection from low temperatures (-5 to -20 degrees). ESD properties.

**Feature**

Water repellent microfiber upper

**Benefit**

Water repellent and comfort

**Feature**

Multi Ground Cleats

**Benefit**

Strong performance both in outdoor and indoor environment

**Feature**

Reflective inserts on the outsole

**Benefit**

Adding high visibility properties to increase safety

**Technical Description**

**Sizes**

EU size available on stock from 35 to 49

**Midsole**

Non-metallic FLEXIUM™ anti-perforation interlayer

**Upper**

Breathable microfiber

**Toe Cap**

Non metallic 200J, Ultra-light composite safety toecap

**Insole**

Double density foam for a perfect shock absorption, Ergonomic, Antistatic, removable and antibacterial, Washable until 90°C, Tear and abrasion resistance, Water absorption and desorption, Available in different width in order to adapt the fitting to users morphology

**Outsole**

Injected TPU/PU outsole, slip resistant

**Additional Features**

- CI
- HI
- SRC

**Certifications**

**EU Category PPE**

2

**Certifications**

- EN ISO 20345:2011
- Other Regulation (EU) 2016/425

**REACH**

**EU Regulation 1907/2006 (REACH) Compliance**

The substance(s) listed below may be contained in this product above the threshold level of 0.1% by weight of the listed article.

<b>Product Reference Sold in Europe</b>	<b>Substance &gt; 0.1%</b>
<b>Substance Name</b>	<b>CAS Number</b>
No Substance Content	

**Additional Certification Link**

6246177 MOVE MID S3 HI CI SRC