

!!! Phased-out product !!! The preferred successor is 3RN2010-1CA30 Thermistor motor protection Standard evaluation unit AUTO, 1 NO + 1 NC, 24 V AC/DC screw terminal



General technical data

display version LED	Yes
protection class IP	IP20
reference code acc. to IEC 81346-2	K

Product Function

product function reclosing lockout	No
------------------------------------	----

Control circuit/ Control

control supply voltage 1 at AC	
• at 50 Hz rated value	24 V
• at 60 Hz rated value	24 V
control supply voltage 1	
• at DC rated value	24 V

Auxiliary circuit

supply voltage frequency	
• 1 for auxiliary and control circuit rated value	50 Hz
• 2 for auxiliary and control circuit rated value	60 Hz
number of NC contacts for auxiliary contacts	1

number of NO contacts for auxiliary contacts	1
number of CO contacts	
• for auxiliary contacts	0

Main circuit

type of voltage	AC/DC
-----------------	-------

Connections/ Terminals

type of electrical connection	
• for auxiliary and control circuit	screw-type terminals

Installation/ mounting/ dimensions

fastening method	screw and snap-on mounting
height	92 mm
width	22.5 mm
depth	91 mm

Ambient conditions

ambient temperature	
• during operation	-25 ... +60 °C

Certificates/ approvals

General Product Approval	EMC	For use in hazardous locations
--------------------------	-----	--------------------------------



Declaration of Conformity	Test Certificates	Marine / Shipping
---------------------------	-------------------	-------------------



[Miscellaneous](#)

[Type Test Certificates/Test Report](#)



Marine / Shipping	other
-------------------	-------



[Miscellaneous](#)

[Confirmation](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mfb=3RN1010-1CB00>

Cax online generator

<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mfb=3RN1010-1CB00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


<https://support.industry.siemens.com/cs/ww/en/ps/3RN1010-1CB00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mfb=3RN1010-1CB00&lang=en

Characteristic: Derating

<https://support.industry.siemens.com/cs/ww/en/ps/3RN1010-1CB00/manual>



last modified:

11/03/2020