



# EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

**Certificate N°**                    **0075/797/161/09/19/2658**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

**Manufacturer :**                    **HONEYWELL SAFETY PRODUCTS EUROPE**  
ZI PARIS NORD II , 33 Rue des Vanesses BP 55288 Villepinte  
95958 ROISSY CHARLES DE GAULLE / France

**Description**

**PPE Type :**    *a safety and ESD footwear*  
**Product reference :**                                **PRIME MID S3 HI CI SRC**  
**Article code :**                                        **6246173**  
**Construction and material of outsole :**      **TPU (outsole) / Injected PU (Midsole)**


**Pictures :**



**Reference standard :**    **EN ISO 20345 : 2011 and Test method: EN 61340 - 4 - 3:2017 requirement EN 61340:5-1**

<b>Classification :</b> I	<b>Category :</b> S3 HI CI SRC
<b>Size range :</b> 35 - 49	<b>Slip resistance :</b> SRC
<b>Toecap nature :</b> Non Metallic	<b>Insert nature :</b> Non Metallic

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)  
Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from September 2019  
NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

**Issued in Lyon by**   
Didier GUISADO  
Certification and Quality Manager

**Date of first issue :** 17 September 2019  
**End of validity date :** 17 September 2024



Original CTC  
  
by CTC

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

[www.ctcgroupe.com](http://www.ctcgroupe.com)  
[cemarking@ctcgroupe.com](mailto:cemarking@ctcgroupe.com)

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France  
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com)  
Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie  
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

## HONEYWELL SAFETY PRODUCTS EUROPE

# MANUFACTURER'S TECHNICAL FILE

**Reference of the product :** PRIME MID S3 HI CI SRC

**Article code :** 6246173

**Technical file index :** 01

**Last update :** September 2019

# IDENTIFICATION

Reference of the product : PRIME MID S3 HI CI SRC  
Article Code : 6246173  
Basic model  
Technical file index : 01  
Last update : September 2019

## Manufacturer :

HONEYWELL SAFETY PRODUCTS EUROPE

ZI PARIS NORD II , 33 Rue des Vanesses BP 55288 Villepinte

95958 ROISSY CHARLES DE GAULLE / France

tel : 0033(0) 1 49 90 70 03

fax : 0033(0) 1 49 90 70 04

## Factory :

ANNIC SAS

1 Rue des usines

82250 LAGUEPIE

Tel : 0033(0) 5 63 30 24 10

Fax : 0033(0) 5 63 31 40 18

# FOOTWEAR DESCRIPTION

## Footwear description:

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: B : ankle boot

## Visual description:

General view :



Outsole view :



Reference of the mould : Ultimate 60 000 / TPU 9500429

## Range of sizes :

35 - 49

## Construction and material of outsole :

TPU (outsole) / Injected PU (Midsole)

## Field of use

Building and Construction - General Industry - Logistic - Maintenance - Transportation – Utilities

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.6	PPE is intended for use in potentially explosive atmospheres	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.2	The PPE is intended to protect against static compression of a part of the body	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input type="checkbox"/>	<input type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.6	Protection against heat and/or fire	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.7	Protection against cold	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking

# FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	9300237	on suede 2.2 non woven noir idem 9200246 (Microfibre)	Noir
	9200065	art L 14033 carbone	Noir
COLLAR	9300237	on suede 2.2 non woven noir idem 9200246 (Microfibre)	Noir
	9200306	Stig microfibre ep 1 mm (Syntetic)	Noir
TONGUE	9200306	Stig microfibre ep 1 mm (Syntetic)	Noir
	9300237	on suede 2.2 non woven noir idem 9200246 (Microfibre)	Noir
	9200253	Artico / mousse + chrame (Textil)	Rouge
VAMP LINING	9200226	REJILLA PLUTON idem à 6024329	Noir
QUARTER LINING	9200253	Artico / mousse + chrame (Textil)	Rouge
	9200267	art mycro antislip (idem 6024203)	Gris
INSOCK	9704043 9704042 9704044	premières HONEYWELL R16158EAO H 604 medium Wide Narrow	Noir
OUTSOLE	Ultimate 60000	PU - confort	Gris
	9500429	patin ultimate noir insert rouge	Noir / Rouge
INSOLE	9200629	Protector - Z	Beige
TOE CAP	9500756	604G - SAFIT (glass fiber)	Blanche
INSERT	9200629	Protector - Z	Beige
DECORATIVE ELEMENTS	9300159	galon TISG 22778 12 mm noir/argent/écarlate 88081 (textil)	Rouge
	9300178	Œillet plastique 0-8150/00	Rouge
	9200357	Article Rétro-réfléch	

# PROTECTION SCOPE

## Basic requirements :

This product has been designed to be a safety and ESD footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20345 : 2011 : Personal protective equipment - Safety footwear

Test method: EN 61340 - 4 -3:2017 requirement EN 61340:5-1

It is a category II product

Requirement of the standard EN ISO 20345 : 2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345 : 2011 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)


## Additional requirements :

The additional requirements are :

- Closed seat region
- Antistatic footwear
- Energy absorption of seat region
- Fuel oil resistance
- Upper : Water penetration and water absorption
- Penetration resistance
- Heat insulation
- Cold insulation

# MARKING - PACKAGING

## Information printed on the footwear :

- \* Logo of the authorized representative
- \* Logo 
- \* Manufacturer's type designation
- \* Postal address of manufacturer
- \* Footwear's reference PRIME MID S3 HI CI SRC
- \* Article code 6246173
- \* Size
- \* Year of manufacture and at least quarter
- \* The number and year of the Standard used
- \* The symbol(s) of the additional requirements

## Marking example :



The location of marking is : sur soufflet

## Method of marking on the footwear :

sur étiquette piquée sur soufflet

## Packaging :

Par paire dans boîte individuelle

## References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	Reference		
CTC	L170405887_1	CTC	L19061241_2
CTC	L190713255_1	Oekotex	20190K0702
CTC	L190713257_2	PFI	1905489-01/03-00-01
CTC	L180917548_1	CTC	L180917549-1
CTC	L160915598_1	CTC	L190714648-1
CTC	L160916066_1	CTC	L190714645-1
CTC	L181225122_1		
CTC	L170509111_1		
CTC	L170509112_1		
INESCOP	R-17046702		
CTC	L190203384_1		
CTC	L190203388_1		
CTC	L190612209_2		
RICOTEST	3739017		

## MEANS OF CONTROL

Unité de production certifié BVQI

N° QUAL FR047753-1

La conformité des produits est aussi assurée par des tests en interne:

Test Adhésion tige/semelle de marche & Force d'adhésion semelle de marche/Semelle intercallaire

Fréquence journalière

Test Résistance aux chocs et à l'écrasement Fréquence hebdomadaire

## ***PPE subject to ageing :***

Peremption period : 3 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

## ***Declaration of conformity :***

Available on : <https://doc.honeywellsafety.com/>