



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/797/161/09/19/2658 EXT 04/09/19

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : HONEYWELL SAFETY PRODUCTS EUROPE
ZI PARIS NORD II , 33 Rue des Vanesses BP 55288 Villepinte
95958 ROISSY CHARLES DE GAULLE / France

Description

PPE Type : a safety and ESD footwear
Product reference : MOVE MID S3 HI CI SRC
Article code : 6246177
Construction and material of outsole : TPU (outsole) / Injected PU (Midsole)
Pictures :



Reference standard : EN ISO 20345 : 2011 and Test method: EN 61340 - 4 -3:2017
requirement EN 61340:5-1

Classification : I	Category : S3 HI CI SRC
Size range : 35 - 49	Slip resistance : SRC
Toecap nature : Non Metallic	Insert nature : Non Metallic

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from September 2018

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by
Didier GUISSADO
Certification & Quality Manager

Date of first issue : 17 September 2019
End of validity date : 17 September 2024



Original CTC



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

HONEYWELL SAFETY PRODUCTS EUROPE

MANUFACTURER'S TECHNICAL FILE

Reference of the product : MOVE MID S3 HI CI SRC

Article code : 6246177

Technical file index : 01

Last update : September 2018

IDENTIFICATION

Reference of the product : MOVE MID S3 HI CI SRC
Article Code : 6246177
Major variant of model : PRIME MID S3 HI CI SRC
Technical file index : 01
Last update : September 2018

Manufacturer :

HONEYWELL SAFETY PRODUCTS EUROPE

ZI PARIS NORD II , 33 Rue des Vanesses BP 55288 Villepinte

95958 ROISSY CHARLES DE GAULLE / France

tel : 0033(0) 1 49 90 70 03

fax : 0033(0) 1 49 90 70 04

Factory :

ANNIC SAS

1 Rue des usines

82250 LAGUEPIE

Tel : 0033(0) 5 63 30 24 10

Fax : 0033(0) 5 63 31 40 18

FOOTWEAR DESCRIPTION

Footwear description:

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: B : ankle boot

Visual description:

General view :



Outsole view :



Reference of the mould : Ultimate 60 000 / TPU 9500430

Range of sizes :

35 - 49

Construction and material of outsole :

TPU (outsole) / Injected PU (Midsole)

Field of use

Building and Construction - General Industry - Logistic - Maintenance - Transportation – Utilities

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.6	PPE is intended for use in potentially explosive atmospheres	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.2	The PPE is intended to protect against static compression of a part of the body	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.6	Protection against heat and/or fire	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.7	Protection against cold	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking

FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	9200232	Microsuede 2 mm col L 140 (Microfibre)	Gris
	9200065	art L 14033 carbone	Noir
	9200306	Stig microfibre ep 1 mm (Syntetic)	Noir
COLLAR	9200232	Microsuede 2 mm col L 140 (Microfibre)	Gris
	9200306	Stig microfibre ep 1 mm (Syntetic)	Noir
TONGUE	9200306	Stig microfibre ep 1 mm (Syntetic)	Noir
	9200232	Microsuede 2 mm col L 140 (Microfibre)	Gris
	9200243	ARTICO/mousse + charme (Idem 9200253 - coloris) (Textil)	Bleu Ciel
VAMP LINING	9200226	REJILLA PLUTON idem à 6024329	Noir
QUARTER LINING	9200243	ARTICO/mousse + charme (Idem 9200253 - coloris) (Textil)	Bleu Ciel
	9200267	art mycro antislip (idem 6024203)	Gris
INSOCK	9704043 / 9704042 / 9704044	premières HONEYWELL R16158EAO H 604 medium / Wide Narrow	Noir
OUTSOLE	Ultimate 60000	PU - confort	Gris
	9500430	patin ultimate (idem 9500429 - insert Bleu)	Noir / Bleu
INSOLE	9200629	Protector - Z	Beige
TOE CAP	9500756	604G - SAFIT (glass fiber)	Blanche
INSERT	9200629	Protector - Z	Beige
DECORATIVE ELEMENTS	9300180	Galon TISG 2278 12mmphotoluminescent	noir/arg/bleu
	9400324	Œillets plastique	Bleu
	9400325	rondelle plastique	Bleu

PROTECTION SCOPE

Basic requirements :

This product has been designed to be a safety and ESD footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20345 : 2011 : Personal protective equipment - Safety footwear

Test method: EN 61340 - 4 -3:2017 requirement EN 61340:5-1

It is a category II product

Requirement of the standard EN ISO 20345 : 2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345 : 2011 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)


Additional requirements :

The additional requirements are :

- Antistatic footwear
- Energy absorption of seat region
- Fuel oil resistance
- Upper : Water penetration and water absorption
- Penetration resistance
- Heat insulation
- Cold insulation

MARKING - PACKAGING

Information printed on the footwear :

- * Logo of the authorized representative
- * Logo 
- * Manufacturer's type designation
- * Postal address of manufacturer
- * Footwear's reference MOVE MID S3 HI CI SRC
- * Article code 6246177
- * Size
- * Year of manufacture and at least quarter
- * The number and year of the Standard used
- * The symbol(s) of the additional requirements

Marking example :



The location of marking is : sur soufflet

Method of marking on the footwear :

sur étiquette piquée sur soufflet

Packaging :

Par paire dans boîte individuelle

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	Reference		
CTC	L180917530_1	CTC	L190714648-1
CTC	L190713255_1	CTC	L190612414_2
CTC	L190713257_2	CTC	L181225122-1
CTC	L180917548_1	CTC	L190714645-1
CTC	L160915598_1	PFI	1905489-01_03-00-01
CTC	L160916066_1		
Oekotex	20190K0702		
CTC	L180917548_1		
CTC	L170509111_1		
CTC	L170509112_1		
INESCOP	R-17046702		
CTC	L190203384_1		
CTC	L190203388_1		
CTC	L190612209_2		
RICOTEST	3739017		
CTC	L190203435_1		

MEANS OF CONTROL

Unité de production certifié BVQI

N° QUAL FR047753-1

La conformité des produits est aussi assurée par des tests en interne:

Test Adhésion tige/semelle de marche & Force d'adhésion semelle de marche/Semelle intercallaire

Fréquence journalière

Test Résistance aux chocs et à l'écrasement Fréquence hebdomadaire

PPE subject to ageing :

Peremption period : 3 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity :

Available on : <https://doc.honeywellsafety.com/>