

**WTA 8 TN****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Product image**

Test adapters and test plugs are used for the electrical connection between terminal blocks and the test equipment. In this way, an electrical contact can be established in the wired state and measurements can be done easily.

**General ordering data**

Version	W-Series, Test adapter
Order No.	<a href="#">1915450000</a>
Type	WTA 8 TN
GTIN (EAN)	4032248548026
Qty.	25 pc(s).

Creation date October 19, 2021 8:13:57 AM CEST

Catalogue status 08.10.2021 / We reserve the right to make technical changes.

## WTA 8 TN

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

Depth	71 mm	Depth (inches)	2.795 inch
Height	39 mm	Height (inches)	1.535 inch
Width	6 mm	Width (inches)	0.236 inch
Net weight	5.12 g		

## Temperatures

Storage temperature	-25 °C...55 °C	Continuous operating temp., min.	-50 °C
Continuous operating temp., max.	100 °C		

## Material data

Material	Wemid	Colour	dark beige
UL 94 flammability rating	V-2		

## Additional technical data

Installation advice	Direct mounting	With snap-in pegs	No
---------------------	-----------------	-------------------	----

## Conductors for clamping (rated connection)

Wire connection cross-section, solid core, max.	2.5 mm <sup>2</sup>	Wire connection cross-section, solid core, min.	0.5 mm <sup>2</sup>
---	---------------------	---	---------------------

## Dimensions

Pitch in mm (P)	6 mm	Height with TS 35	78 mm
-----------------	------	-------------------	-------

## General

Installation advice	Direct mounting
---------------------	-----------------

## Rating data

Rated cross-section	1.5 mm <sup>2</sup>	Rated voltage	205 V
Rated current	6 A	Volume resistance according to IEC 60947-7-x	1.83 mΩ
Power loss in accordance with IEC 60947-7-x	0.56 W		

## Classifications

ETIM 6.0	EC002555	ETIM 7.0	EC002555
ETIM 8.0	EC002555	ECLASS 9.0	27-14-11-48
ECLASS 9.1	27-14-11-48	ECLASS 10.0	27-14-11-48
ECLASS 11.0	27-14-11-48		

## Approvals

Approvals



ROHS

Conform

Creation date October 19, 2021 8:13:57 AM CEST

Catalogue status 08.10.2021 / We reserve the right to make technical changes.

**WTA 8 TN****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Technical data****Downloads**Approval/Certificate/Document of  
Conformity[EAC certificate](#)

Engineering Data

[STEP](#)

Engineering Data

[EPLAN, WSCAD, Zuken E3.S](#)

User Documentation

[StorageConditionsTerminalBlocks](#)

Catalogues

[Catalogues in PDF-format](#)

Brochures