

PRODUCT-DETAILS

TW220E

PRIMEVO ESC ROUTE TWINSPOOT 220



General Information

Extended Product Type	TW220E
Product ID	7TCA091720R0157
EAN	5415022464641
Catalog Description	PRIMEVO ESC ROUTE TWINSPOOT 220
Long Description	PrimEvo Twinspot, M3, 220-240 Vac 50Hz, 2W LED, 220 Lumens, Environment Temperature 0-40 Degrees Celsius

Additional Information

Product Main Type	Luminaire
-------------------	-----------

Ordering

EAN	5415022464641
UPC	075114362016
Customs Tariff Number	9405604000

Dimensions

Product Net Height	108 mm
Product Net Depth / Length	186 mm
Product Net Width	53 mm

Technical

Function	Escape route lighting
Mounting Type	Wall surface mounted
Degree of Protection	IP20
Lamp Type	LED not exchangeable
Number of Lighting Heads	1
Illuminance	Standby Mode 220 lm
Light Distribution Type	Diffuser Lens Optic Panel
Number of Batteries	2
Battery Chemical Composition	Nickel-Metal Hydride
Battery Type	Industrial
Battery Weight	87.1 kg
Housing Color	White
Housing Material	Plastic
Ambient Temperature	IEC62722-2-1 0 ... 40 °C
Ballast Type	Current Controlled
Input Voltage Type	AC
Operate Time	3 hour 6.5 W
Power Factor	0.42
Power Supply Type	Peripheral (Individual Battery)
Rated Voltage (U _r)	220 ... 240 V
Wiring Configuration	Type of wiring: Ending

Environmental

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
---------------	--

Container Information

Package Level 1 Units	1 piece
Package Level 1 EAN	5415022464641
Package Level 1 Height	58 mm
Package Level 1 Depth / Length	198 mm
Package Level 1 Width	113 mm
Package Level 1 Gross Weight	0.592 kg

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	7TKK001056
Instructions and Manuals	TW220E

Classifications

ETIM 8	EC001957 - Emergency luminaire
UNSPSC	39111708

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Emergency Lighting

